

西南交通大学电气学院卫生检查成绩（天佑斋15号-2022级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手 间8分				
T153068	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153069	7.0	4.0	7.0	7.5	8.0	5.5	8.0	47.0	30.0	17.0	94.0
T153071	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153072	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153073	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153074	7.0	4.0	8.0	7.0	8.0	5.5	8.0	47.5	30.0	17.0	94.5
T153075	7.0	4.0	6.5	7.0	8.0	5.5	8.0	46.0	30.0	17.0	93.0
T153076	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153077	7.0	4.0	7.0	7.5	8.0	5.5	8.0	47.0	30.0	17.0	94.0
T153078	6.0	4.0	6.5	7.5	8.0	5.5	8.0	45.5	30.0	17.0	92.5
T153079	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153080	8.0	4.0	7.0	7.0	8.0	5.5	8.0	47.5	30.0	17.0	94.5
T153081	8.0	4.0	8.0	7.0	8.0	5.5	8.0	48.5	30.0	17.0	95.5
T153082	8.0	4.0	7.0	7.0	8.0	5.5	8.0	47.5	30.0	17.0	94.5
T153083	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153084	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153085	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153086	8.0	4.0	8.0	7.0	8.0	5.5	8.0	48.5	30.0	17.0	95.5
T153087	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T153088	8.0	4.0	8.0	8.0	8.0	5.5	8.0	49.5	30.0	17.0	96.5
T153089	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T212033	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	18.0	96.0
T212034	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	18.0	96.0
T212035	8.0	3.0	8.0	7.0	6.0	5.0	8.0	45.0	30.0	17.0	93.0

西南交通大学电气工程学院卫生检查成绩（天佑斋14号-2021级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T141031	7.0	4.0	6.0	6.0	8.0	6.0	8.0	45.0	30.0	16.0	91.0
T142001	7.0	3.0	8.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T142002	6.0	4.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142003	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142004	7.0	3.0	6.0	8.0	8.0	5.0	8.0	45.0	30.0	16.0	91.0
T142005	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142006	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142007	7.0	4.0	5.0	7.0	8.0	5.0	8.0	44.0	30.0	16.0	90.0
T142008	7.0	3.0	6.0	7.0	8.0	4.0	8.0	43.0	30.0	16.0	89.0
T142009	7.0	4.0	7.0	7.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T142010	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T142011	8.0	4.0	8.0	6.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T142012	8.0	4.0	7.0	6.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142013	6.0	4.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142014	7.0	3.0	8.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T142015	6.0	3.0	6.0	7.0	8.0	4.0	8.0	42.0	30.0	16.0	88.0
T142017	7.0	4.0	8.0	6.0	8.0	4.0	8.0	45.0	30.0	16.0	91.0
T142018	6.0	4.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	16.0	91.0
T142019	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T142020	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T212012	8.0	4.0	8.0	8.0	6.0	4.0	7.0	45.0	30.0	17.0	92.0
T212013	8.0	4.0	8.0	8.0	6.0	5.0	7.0	46.0	30.0	17.0	93.0

西南交通大学电气工程学院卫生检查成绩（天佑斋8，11号-2020级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T083025	7.0	3.0	7.0	6.0	8.0	4.0	7.0	42.0	30.0	18.0	90.0
T083026	6.0	4.0	7.0	8.0	8.0	4.0	7.0	44.0	30.0	17.0	91.0
T083027	6.0	4.0	6.0	7.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T083028	6.0	3.0	6.0	8.0	8.0	5.0	6.0	42.0	30.0	17.0	89.0
T083029	7.0	3.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T083031	7.0	4.0	6.0	7.0	8.0	4.0	7.0	43.0	30.0	18.0	91.0
T083032	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T083033	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T083034	7.0	4.0	8.0	8.0	8.0	6.0	6.0	47.0	30.0	17.0	94.0
T083035	8.0	3.0	6.0	7.0	8.0	6.0	6.0	44.0	30.0	17.0	91.0
T083036	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T083037	7.0	4.0	8.0	6.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T083038	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T083039	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	18.0	93.0
T083040	7.0	3.0	8.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T083041	7.0	4.0	7.0	7.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T083042	7.0	4.0	7.0	7.0	8.0	5.0	6.0	44.0	30.0	19.0	93.0
T115015	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T115016	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T115017	7.0	4.0	7.0	7.0	8.0	6.0	5.0	44.0	30.0	18.0	92.0
T115018	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T211038	6.0	3.0	7.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0

西南交通大学电气工程学院卫生检查成绩（天佑斋10，17号-2022级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T105011	7.0	4.0	7.0	6.0	6.0	5.0	7.0	42.0	30.0	18.5	90.5
T171028	6.0	3.0	7.0	7.0	7.0	6.0	6.0	42.0	30.0	19.0	91.0
T171029	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T171047	7.0	3.0	6.0	7.0	7.0	6.0	6.0	42.0	30.0	18.5	90.5
T174085	6.0	3.0	7.0	7.0	6.0	5.0	7.0	41.0	30.0	18.5	89.5
T174086	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	19.5	92.5
T174087	7.0	3.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	18.5	89.5
T174088	6.0	3.0	7.0	6.0	7.0	5.0	7.0	41.0	30.0	18.5	89.5
T174089	7.0	4.0	7.0	7.0	6.0	6.0	6.0	43.0	30.0	18.0	91.0
T174090	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T174091	6.0	3.0	7.0	7.0	7.0	6.0	6.0	42.0	30.0	19.0	91.0
T174092	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.5	92.5
T174093	7.0	3.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	19.0	89.0
T174094	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T174095	7.0	4.0	7.0	6.0	6.0	5.0	7.0	42.0	30.0	18.5	90.5
T175009	7.0	3.0	6.0	7.0	7.0	6.0	6.0	42.0	30.0	18.5	90.5
T175010	6.0	3.0	7.0	7.0	6.0	5.0	7.0	41.0	30.0	19.5	90.5
T175011	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.5	92.5
T175012	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	18.5	90.5
T175013	6.0	3.0	7.0	6.0	7.0	6.0	6.0	41.0	30.0	18.0	89.0
T175014	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T175015	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	19.0	90.0
T175016	6.0	3.0	7.0	7.0	6.0	6.0	6.0	41.0	30.0	18.5	89.5
T175017	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T175019	7.0	3.0	6.0	7.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T175020	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.5	90.5
T175021	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.5	91.5
T175022	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	19.5	91.5
T175023	6.0	3.0	7.0	6.0	6.0	5.0	7.0	40.0	30.0	18.5	88.5
T175024	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.5	92.5
T175025	7.0	4.0	6.0	7.0	6.0	5.0	7.0	42.0	30.0	18.0	90.0
T175026	6.0	3.0	7.0	7.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T175027	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	19.0	91.0
T175028	7.0	4.0	6.0	6.0	7.0	6.0	6.0	42.0	30.0	18.5	90.5
T175030	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	19.0	91.0
T175031	7.0	3.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T175032	7.0	4.0	6.0	7.0	6.0	6.0	6.0	42.0	30.0	18.5	90.5
T175033	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.5	90.5
T175034	7.0	3.0	7.0	7.0	6.0	6.0	6.0	42.0	30.0	19.5	91.5
T175035	7.0	4.0	6.0	7.0	7.0	5.0	7.0	43.0	30.0	18.5	91.5
T175036	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.5	89.5
T175037	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T175038	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T175039	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	19.0	92.0
T175040	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	18.5	90.5
T175041	7.0	3.0	6.0	7.0	7.0	6.0	6.0	42.0	30.0	19.0	91.0
T175042	6.0	4.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	18.0	90.0
T175043	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.5	91.5
T175044	7.0	3.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	18.5	89.5
T175045	6.0	3.0	7.0	7.0	7.0	6.0	6.0	42.0	30.0	19.5	91.5
T175046	7.0	4.0	7.0	6.0	7.0	5.0	7.0	43.0	30.0	18.5	91.5
T175047	7.0	3.0	6.0	7.0	7.0	6.0	6.0	42.0	30.0	18.5	90.5
T175048	6.0	3.0	7.0	6.0	6.0	5.0	7.0	40.0	30.0	18.0	88.0
T175049	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175050	7.0	4.0	7.0	6.0	6.0	5.0	7.0	42.0	30.0	19.0	91.0
T175052	8.0	4.0	7.0	7.0	5.0	4.0	6.0	41.0	30.0	18.0	89.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T175053	6.0	4.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	18.0	89.0
T175054	7.0	4.0	8.0	8.0	7.0	4.0	8.0	46.0	30.0	18.0	94.0
T175055	8.0	3.0	8.0	8.0	7.0	5.0	8.0	47.0	30.0	17.0	94.0
T175056	7.0	4.0	7.0	7.0	7.0	4.0	7.0	43.0	30.0	17.0	90.0
T175057	8.0	4.0	7.0	7.0	7.0	5.0	6.0	44.0	30.0	17.0	91.0
T175058	8.0	3.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	17.0	92.0
T175059	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T175060	7.0	4.0	7.0	7.0	7.0	6.0	5.0	43.0	30.0	17.0	90.0
T175061	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	17.0	94.0
T175062	8.0	3.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T175063	7.0	4.0	8.0	8.0	7.0	5.0	8.0	47.0	30.0	17.0	94.0
T175064	8.0	4.0	7.0	8.0	6.0	6.0	7.0	46.0	30.0	17.0	93.0
T175065	7.0	4.0	8.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T175066	8.0	4.0	6.0	7.0	8.0	5.0	7.0	45.0	30.0	18.0	93.0
T175067	7.0	3.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	17.0	92.0
T175068	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T175069	7.0	3.0	7.0	7.0	6.0	5.0	8.0	43.0	30.0	18.0	91.0
T175071	7.0	4.0	8.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T175072	7.0	3.0	6.0	6.0	7.0	6.0	8.0	43.0	30.0	17.0	90.0
T175073	6.0	4.0	6.0	6.0	7.0	6.0	8.0	43.0	30.0	17.0	90.0
T175074	8.0	3.0	5.0	5.0	6.0	5.0	6.0	38.0	30.0	18.0	86.0
T175075	7.0	4.0	6.0	6.0	6.0	5.0	8.0	42.0	30.0	16.0	88.0
T175076	6.0	3.0	5.0	6.0	7.0	6.0	7.0	40.0	30.0	16.0	86.0
T175077	6.0	4.0	6.0	7.0	6.0	5.0	6.0	40.0	30.0	17.0	87.0
T175078	7.0	3.0	7.0	7.0	7.0	5.0	5.0	41.0	30.0	18.0	89.0
T175079	7.0	3.0	8.0	7.0	6.0	6.0	7.0	44.0	30.0	17.0	91.0
T175080	8.0	4.0	7.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T175081	6.0	4.0	6.0	5.0	7.0	6.0	6.0	40.0	30.0	18.0	88.0
T175082	6.0	3.0	8.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175083	7.0	3.0	8.0	8.0	7.0	5.0	5.0	43.0	30.0	18.0	91.0
T175084	8.0	3.0	7.0	6.0	8.0	6.0	6.0	44.0	30.0	17.0	91.0
T175085	7.0	4.0	7.0	7.0	5.0	6.0	7.0	43.0	30.0	16.0	89.0
T175086	6.0	3.0	7.0	6.0	6.0	5.0	7.0	40.0	30.0	18.0	88.0
T175087	7.0	3.0	8.0	7.0	6.0	6.0	6.0	43.0	30.0	17.0	90.0
T175088	7.0	4.0	6.0	6.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T175089	6.0	3.0	7.0	6.0	7.0	6.0	6.0	41.0	30.0	17.0	88.0
T175090	6.0	4.0	7.0	7.0	6.0	6.0	6.0	42.0	30.0	17.0	89.0
T175091	7.0	3.0	7.0	6.0	6.0	4.0	6.0	39.0	30.0	18.0	87.0
T175092	6.0	3.0	5.0	6.0	7.0	5.0	7.0	39.0	30.0	18.0	87.0
T175093	7.0	4.0	5.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T175094	7.0	3.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T175095	7.0	3.0	8.0	7.0	6.0	6.0	7.0	44.0	30.0	17.0	91.0
T175096	7.0	3.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T176001	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T176002	8.0	3.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T176003	7.0	3.0	5.0	7.0	7.0	5.0	7.0	41.0	30.0	17.0	88.0
T176004	8.0	3.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T176005	8.0	4.0	7.0	6.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T176006	8.0	4.0	7.0	6.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T176007	8.0	4.0	7.0	7.0	7.0	5.0	6.0	44.0	30.0	18.0	92.0
T176008	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T176009	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T176010	8.0	4.0	7.0	5.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T176011	7.0	2.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T176012	7.0	3.0	7.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T176013	7.0	3.0	6.0	7.0	7.0	4.0	6.0	40.0	30.0	17.0	87.0
T176014	8.0	3.0	6.0	6.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T176015	7.0	4.0	6.0	5.0	6.0	4.0	8.0	40.0	30.0	18.0	88.0
T176016	7.0	3.0	7.0	6.0	6.0	5.0	7.0	41.0	30.0	17.0	88.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176017	7.0	3.0	7.0	6.0	7.0	5.0	6.0	41.0	30.0	17.0	88.0
T176018	8.0	4.0	6.0	7.0	7.0	5.0	6.0	43.0	30.0	17.0	90.0
T176019	8.0	3.0	6.0	7.0	7.0	5.0	5.0	41.0	30.0	17.0	88.0
T176020	7.0	3.0	6.0	7.0	6.0	4.0	7.0	40.0	30.0	16.0	86.0
T176021	6.0	2.0	7.0	7.0	6.0	5.0	7.0	40.0	30.0	18.0	88.0
T176022	8.0	3.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	17.0	90.0
T176023	7.0	4.0	6.0	6.0	7.0	5.0	6.0	41.0	30.0	17.0	88.0
T176024	7.0	3.0	8.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T176025	8.0	3.0	6.0	6.0	7.0	5.0	8.0	43.0	30.0	18.0	91.0
T176026	7.0	4.0	7.0	6.0	6.0	6.0	7.0	43.0	30.0	17.0	90.0
T214010	8.0	4.0	7.0	7.0	6.0	4.0	8.0	44.0	30.0	18.0	92.0
T214011	8.0	4.0	8.0	7.0	6.0	5.0	8.0	44.0	30.0	18.0	92.0
T214012	8.0	4.0	8.0	8.0	6.0	5.0	7.0	46.0	30.0	18.0	94.0
T214013	8.0	4.0	8.0	8.0	6.0	5.0	7.0	46.0	30.0	18.0	94.0
T214014	7.0	4.0	7.0	7.0	6.0	4.0	8.0	43.0	30.0	17.0	90.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3，6,9号-2021级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T034043	8.0	4.0	8.0	6.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T061001	7.0	4.0	6.5	7.0	8.0	6.0	7.0	45.5	30.0	17.0	92.5
T061013	7.0	4.0	6.5	8.0	8.0	6.0	7.0	46.5	30.0	17.0	93.5
T061014	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	17.0	92.5
T061017	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	17.0	92.5
T066013	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	17.0	92.0
T091001	6.0	4.0	8.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T091002	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091005	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T091007	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091008	7.0	4.0	6.5	6.0	7.0	6.0	7.0	43.5	30.0	17.0	90.5
T091009	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T091010	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T091011	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091012	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091013	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T091014	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T091017	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091019	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T091020	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T091021	7.0	4.0	6.5	6.0	7.0	6.0	7.0	43.5	30.0	17.0	90.5
T091022	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091023	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T091024	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091025	8.0	4.0	6.5	7.0	7.0	5.0	7.0	44.5	30.0	17.0	91.5
T091026	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T091027	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T092001	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092002	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092003	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T092004	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092005	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092006	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092007	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T092008	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092009	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	17.0	92.5
T092010	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092011	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092012	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092013	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092014	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	17.0	92.5
T092015	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T092016	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092017	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092018	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092019	7.0	4.0	6.5	6.0	7.0	6.0	8.0	44.5	30.0	17.0	91.5
T092020	8.0	4.0	6.5	7.0	6.0	6.0	7.0	44.5	30.0	17.0	91.5
T092021	7.0	4.0	6.5	6.0	7.0	6.0	7.0	43.5	30.0	17.0	90.5
T092022	7.0	3.0	6.5	8.0	6.0	6.0	7.0	43.5	30.0	18.0	91.5
T092023	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T092024	7.0	4.0	5.0	7.0	7.0	6.0	7.0	43.0	30.0	18.0	91.0
T092025	6.0	4.0	6.5	7.0	7.0	5.0	7.0	42.5	30.0	17.0	89.5
T092027	7.0	4.0	6.5	6.0	7.0	5.0	8.0	43.5	30.0	17.0	90.5
T092028	7.0	4.0	6.5	7.0	6.0	5.0	7.0	42.5	30.0	17.0	89.5
T092029	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T092030	8.0	4.0	7.0	7.0	6.0	6.0	7.0	45.0	30.0	18.0	93.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T092031	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092032	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T092033	7.0	4.0	6.5	7.0	7.0	5.0	8.0	44.5	30.0	18.0	92.5
T092034	6.0	4.0	7.0	7.0	6.0	5.0	8.0	43.0	30.0	18.0	91.0
T092035	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T092036	5.0	4.0	5.0	7.0	7.0	6.0	7.0	41.0	30.0	17.0	88.0
T092037	5.0	3.0	5.0	6.0	7.0	6.0	7.0	39.0	30.0	17.0	86.0
T093001	6.0	4.0	6.0	7.0	7.0	6.0	8.0	44.0	30.0	17.0	91.0
T093002	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T093003	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T093004	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T093005	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T093006	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T093007	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T093008	6.0	4.0	6.0	8.0	6.0	4.0	8.0	42.0	30.0	17.0	89.0
T093009	7.0	4.0	6.0	8.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T093010	7.0	3.0	6.0	8.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T093011	6.0	4.0	6.0	8.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T093012	6.0	4.0	6.0	8.0	8.0	6.0	7.0	45.0	30.0	17.0	92.0
T093013	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T093014	6.0	4.0	6.0	8.0	7.0	6.0	8.0	45.0	30.0	17.0	92.0
T093015	6.0	4.0	6.0	8.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T093016	6.0	4.0	7.0	7.0	6.0	5.0	8.0	43.0	30.0	17.0	90.0
T093017	6.0	2.0	6.0	8.0	7.0	4.0	6.0	39.0	30.0	17.0	86.0
T093018	7.0	3.0	7.0	8.0	7.0	3.0	8.0	43.0	30.0	17.0	90.0
T093019	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T093020	6.0	4.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	17.0	93.0
T093021	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T093022	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T093023	6.0	4.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	17.0	93.0
T093024	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T093025	5.0	4.0	6.0	7.0	7.0	5.0	8.0	42.0	30.0	17.0	89.0
T093027	6.0	4.0	6.0	8.0	8.0	5.0	8.0	45.0	30.0	17.0	92.0
T093028	6.0	4.0	6.0	7.0	8.0	6.0	8.0	45.0	30.0	17.0	92.0
T093029	7.0	4.0	7.0	8.0	8.0	3.0	7.0	44.0	30.0	17.0	91.0
T093030	6.0	3.0	6.0	8.0	7.0	5.0	8.0	43.0	30.0	17.0	90.0
T093031	6.0	3.0	6.0	8.0	7.0	4.0	8.0	42.0	30.0	17.0	89.0
T093032	6.0	4.0	6.0	8.0	8.0	4.0	7.0	43.0	30.0	16.0	89.0
T093033	6.0	4.0	6.0	8.0	8.0	4.0	8.0	44.0	30.0	17.0	91.0
T093034	6.0	3.0	6.0	8.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T093035	6.0	4.0	8.0	8.0	8.0	4.0	8.0	46.0	30.0	17.0	93.0
T093036	6.0	3.0	6.0	8.0	8.0	4.0	8.0	43.0	30.0	17.0	90.0
T093037	7.0	2.0	6.0	8.0	8.0	6.0	8.0	45.0	30.0	17.0	92.0
T094019	6.0	3.0	7.0	8.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T094032	6.0	3.0	6.0	8.0	8.0	4.0	8.0	43.0	30.0	17.0	90.0
T094033	7.0	2.0	8.0	7.0	7.0	4.0	7.0	42.0	30.0	17.0	89.0
T094034	7.0	3.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T094035	6.0	4.0	7.0	8.0	7.0	4.0	7.0	43.0	30.0	17.0	90.0
T094036	7.0	4.0	7.0	8.0	8.0	3.0	7.0	44.0	30.0	17.0	91.0
T094037	5.0	3.0	7.0	8.0	8.0	4.0	7.0	42.0	30.0	17.0	89.0
T095001	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T095002	5.0	3.0	6.0	7.0	7.0	3.0	7.0	38.0	30.0	17.0	85.0
T095003	6.0	3.0	7.0	8.0	7.0	3.0	7.0	41.0	30.0	17.0	88.0
T095004	6.0	4.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T095005	8.0	4.0	8.0	8.0	8.0	4.0	6.0	46.0	30.0	17.0	93.0
T095006	5.0	3.0	7.0	8.0	8.0	3.0	6.0	40.0	30.0	17.0	87.0
T095007	7.0	4.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T095008	6.0	4.0	6.0	8.0	8.0	4.0	7.0	43.0	30.0	17.0	90.0
T095009	7.0	4.0	6.0	8.0	8.0	6.0	7.0	46.0	30.0	17.0	93.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T095010	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T095011	6.0	4.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	18.0	89.0
T095012	7.0	4.0	6.0	8.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T095013	8.0	4.0	8.0	8.0	8.0	4.0	8.0	48.0	30.0	18.0	96.0
T095014	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T095015	6.0	3.0	7.0	8.0	8.0	4.0	7.0	43.0	30.0	17.0	90.0
T213014	8.0	3.0	6.0	6.0	6.0	6.0	6.0	41.0	30.0	17.0	88.0
T213015	8.0	4.0	6.0	7.0	6.0	5.0	8.0	44.0	30.0	18.0	92.0
T213016	8.0	4.0	6.0	7.0	6.0	5.0	8.0	44.0	30.0	18.0	92.0
T213017	8.0	4.0	6.0	7.0	6.0	5.0	6.0	42.0	30.0	17.0	89.0
T213018	7.0	4.0	7.0	7.0	6.0	4.0	8.0	43.0	30.0	17.0	90.0
T213031	8.0	4.0	8.0	8.0	6.0	4.0	8.0	46.0	30.0	18.0	94.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1，19号-2020级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T011027	7.0	3.0	7.0	8.0	6.0	4.0	7.0	42.0	30.0	17.0	89.0
T012002	7.0	4.0	6.0	7.0	8.0	6.0	7.0	45.0	30.0	19.0	94.0
T012003	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T012004	6.0	4.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	18.0	90.0
T012005	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T012006	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012007	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012008	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T012009	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012010	7.0	4.0	6.0	7.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T012011	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012012	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T012013	7.0	4.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T012014	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012015	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T012016	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T012017	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012018	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T012019	6.0	4.0	8.0	6.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T012020	6.0	4.0	7.0	7.0	7.0	4.0	7.0	42.0	30.0	18.0	90.0
T012021	8.0	4.0	7.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T012022	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T012023	8.0	4.0	7.0	7.0	6.0	5.0	7.0	44.0	30.0	19.0	93.0
T012024	8.0	4.0	7.0	7.0	6.0	5.0	7.0	44.0	30.0	17.0	91.0
T012025	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T012026	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T012027	7.0	4.0	7.0	7.0	5.0	4.0	7.0	41.0	30.0	17.0	88.0
T012028	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T012029	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	18.0	92.0
T012030	7.0	4.0	8.0	7.0	6.0	5.0	7.0	44.0	30.0	19.0	93.0
T012031	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012032	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T012033	7.0	4.0	6.0	7.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T012034	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	19.0	94.0
T012035	7.0	3.0	8.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T012036	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T012037	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012038	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	19.0	91.0
T012039	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T012040	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T012041	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T012042	8.0	4.0	8.0	8.0	7.0	6.0	6.0	47.0	30.0	19.0	96.0
T012043	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T012044	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T012045	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T012046	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T012047	8.0	4.0	8.0	8.0	7.0	5.0	7.0	47.0	30.0	17.0	94.0
T012048	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	19.0	93.0
T012049	8.0	3.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T012050	7.0	2.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T012051	7.0	3.0	6.0	7.5	6.0	5.0	6.5	41.0	30.0	18.0	89.0
T012052	7.0	3.5	6.0	7.0	7.0	5.0	7.0	42.5	30.0	18.0	90.5
T012053	7.0	3.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T012054	7.0	3.0	6.0	6.5	7.0	5.5	6.0	41.0	30.0	19.0	90.0
T012055	7.5	3.0	6.0	7.0	7.0	5.5	7.0	43.0	30.0	18.0	91.0
T012056	7.0	3.0	6.0	6.5	7.0	5.0	7.0	41.5	30.0	18.0	89.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012057	7.0	3.0	6.0	6.5	7.0	5.0	7.0	41.5	30.0	18.0	89.5
T012058	7.0	3.0	6.0	6.5	7.0	5.0	7.0	41.5	30.0	18.0	89.5
T012059	7.0	3.0	6.0	6.5	7.0	5.0	7.0	41.5	30.0	18.0	89.5
T012060	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012061	7.5	4.0	6.0	7.0	8.0	5.0	7.0	44.5	30.0	18.0	92.5
T012062	7.0	3.5	6.0	7.0	7.5	6.0	7.0	44.0	30.0	18.0	92.0
T012063	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T012064	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012065	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012066	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012067	7.5	4.0	7.0	7.0	7.0	5.0	7.0	44.5	30.0	18.0	92.5
T012068	7.0	3.5	7.5	7.0	7.5	5.5	7.0	45.0	30.0	18.0	93.0
T012069	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012070	7.0	3.5	8.0	7.0	7.0	5.0	7.0	44.5	30.0	18.0	92.5
T012071	7.0	3.5	7.0	7.0	7.0	5.0	7.0	43.5	30.0	18.0	91.5
T012072	6.5	3.5	7.0	7.0	6.5	5.0	7.0	42.5	30.0	19.0	91.5
T012073	7.0	3.5	7.0	7.0	7.0	5.0	7.0	43.5	30.0	18.0	91.5
T012074	7.5	3.0	7.0	7.0	7.0	5.0	7.0	43.5	30.0	18.0	91.5
T012075	7.0	3.5	7.5	7.5	6.5	6.0	7.0	45.0	30.0	18.0	93.0
T012076	7.0	3.0	7.0	7.5	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T012077	7.0	4.0	7.0	7.5	7.0	6.0	7.0	45.5	30.0	18.0	93.5
T012078	7.0	3.0	7.0	7.5	7.5	6.0	7.0	45.0	30.0	18.0	93.0
T012079	7.0	3.5	7.0	7.0	7.0	6.0	6.5	44.0	30.0	18.0	92.0
T012080	7.0	3.0	7.0	7.5	7.0	5.5	6.5	43.5	30.0	18.0	91.5
T012081	7.0	3.0	7.5	7.5	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012082	7.0	3.0	7.0	7.0	7.0	5.5	7.0	43.5	30.0	18.0	91.5
T012083	7.0	3.5	7.0	7.0	7.0	5.0	7.0	43.5	30.0	18.0	91.5
T012084	7.0	3.5	7.0	7.0	7.5	5.0	7.5	44.5	30.0	18.0	92.5
T012085	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T012086	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012087	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T012088	7.5	3.0	7.0	7.0	7.0	5.0	7.5	44.0	30.0	18.0	92.0
T012089	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012090	7.0	4.0	7.0	7.0	7.0	5.5	7.0	44.5	30.0	18.0	92.5
T012091	7.0	3.0	7.0	7.0	7.5	5.5	6.5	43.5	30.0	18.0	91.5
T012092	7.0	3.0	7.0	7.0	7.5	5.5	7.0	44.0	30.0	18.0	92.0
T012093	7.0	3.0	7.0	7.0	7.5	5.5	6.5	43.5	30.0	18.0	91.5
T012094	7.5	3.0	7.0	7.0	8.0	5.5	7.0	45.0	30.0	18.0	93.0
T012095	7.5	4.0	7.0	7.0	8.0	5.5	7.0	46.0	30.0	18.0	94.0
T012096	7.5	4.0	7.0	7.0	8.0	5.0	7.0	45.5	30.0	18.0	93.5
T176083	8.0	3.0	7.0	7.0	8.0	4.0	8.0	45.0	30.0	18.0	93.0
T194072	7.0	2.0	6.0	7.0	7.0	5.0	6.0	40.0	30.0	19.0	89.0
T194073	8.0	3.0	7.0	7.0	8.0	6.0	5.0	44.0	30.0	18.0	92.0
T194074	8.0	3.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T194075	7.0	4.0	7.0	6.0	8.0	6.0	5.0	43.0	30.0	19.0	92.0
T194076	8.0	4.0	8.0	7.0	7.0	5.0	7.0	46.0	30.0	19.0	95.0
T194077	7.0	3.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T194078	8.0	3.0	6.0	7.0	7.0	5.0	6.0	42.0	30.0	19.0	91.0
T194079	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	19.0	93.0
T194085	7.0	4.0	6.0	5.0	7.0	6.0	6.0	41.0	30.0	18.0	89.0
T194086	8.0	2.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	19.0	92.0
T194087	7.0	3.0	6.0	5.0	7.0	5.0	7.0	40.0	30.0	18.0	88.0
T194088	8.0	3.0	7.0	7.0	8.0	4.0	8.0	45.0	30.0	19.0	94.0
T194089	7.0	3.0	8.0	5.0	7.0	5.0	6.0	41.0	30.0	19.0	90.0
T194090	8.0	2.0	6.0	7.0	8.0	5.0	7.0	43.0	30.0	18.0	91.0
T194091	7.0	4.0	7.0	6.0	7.0	3.0	7.0	41.0	30.0	18.0	89.0
T194092	8.0	4.0	6.0	7.0	7.0	5.0	5.0	42.0	30.0	18.0	90.0
T194093	7.0	4.0	7.0	6.0	6.0	5.0	7.0	42.0	30.0	20.0	92.0
T194094	8.0	2.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T194095	7.0	4.0	5.0	7.0	8.0	5.0	6.0	42.0	30.0	19.0	91.0
T195001	8.0	2.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T195002	6.0	3.0	6.0	7.0	7.0	4.0	7.0	40.0	30.0	18.0	88.0
T195003	8.0	4.0	7.0	7.0	8.0	5.0	6.0	45.0	30.0	18.0	93.0
T195004	8.0	4.0	8.0	7.0	7.0	5.0	8.0	47.0	30.0	19.0	96.0
T195005	7.0	4.0	7.0	7.0	7.0	4.0	8.0	44.0	30.0	18.0	92.0
T195006	8.0	3.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	19.0	94.0
T215023	7.0	3.0	7.0	6.0	6.0	4.0	6.0	39.0	30.0	19.0	88.0
T215025	6.0	3.0	6.0	6.0	6.0	4.0	6.0	37.0	30.0	19.0	86.0
T215026	6.0	3.0	6.0	6.0	6.0	4.0	6.0	37.0	30.0	19.0	86.0
T215028	6.0	3.0	7.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T215029	6.0	3.0	7.0	6.0	6.0	4.0	6.0	38.0	30.0	18.0	86.0
T215030	6.0	3.0	7.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T215041	6.0	3.0	7.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0