

西南交通大学电气工程学院卫生检查成绩（天佑斋8、21号-2020级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手 间8分				
T083025	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T083026	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T083027	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	18.0	95.0
T083028	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T083029	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T083031	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T083032	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T083033	8.0	2.0	7.0	6.0	8.0	6.0	8.0	45.0	30.0	17.0	92.0
T083034	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T083035	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T083036	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T083037	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T083038	8.0	4.0	7.0	7.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T083039	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T083040	8.0	4.0	8.0	8.0	8.0	4.0	8.0	48.0	30.0	17.0	95.0
T083041	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	19.0	98.0
T083042	8.0	4.0	6.0	8.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T211038	8.0	3.0	6.0	6.0	8.0	6.0	7.0	44.0	30.0	20.0	94.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋8、21号-2019级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T081001	8.0	2.0	7.0	7.0	8.0	4.0	7.0	43.0	30.0	18.0	91.0
T081002	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	18.0	95.0
T081003	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	18.0	96.0
T081021	7.0	3.0	7.0	6.0	8.0	5.0	8.0	44.0	30.0	17.0	91.0
T081031	7.0	2.0	7.0	7.0	8.0	5.0	7.0	43.0	30.0	17.0	90.0
T081032	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T082012	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	17.0	93.0
T082013	6.0	4.0	6.0	7.0	8.0	6.0	7.0	44.0	30.0	16.0	90.0
T082014	7.0	3.0	6.0	6.0	7.0	6.0	7.0	42.0	30.0	16.0	88.0
T082015	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	17.0	92.0
T082039	7.0	4.0	6.0	7.0	6.0	6.0	5.0	41.0	30.0	15.0	86.0
T082040	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T082041	7.0	4.0	5.0	7.0	7.0	6.0	8.0	44.0	30.0	16.0	90.0
T082042	6.0	4.0	5.0	6.0	7.0	6.0	8.0	42.0	30.0	17.0	89.0
T082043	7.0	4.0	5.0	6.0	8.0	6.0	6.0	42.0	30.0	15.0	87.0
T082044	6.0	4.0	7.0	6.0	7.0	6.0	6.0	42.0	30.0	16.0	88.0
T082045	6.0	4.0	6.0	6.0	8.0	6.0	7.0	43.0	30.0	17.0	90.0
T211043	8.0	3.0	8.0	6.0	7.0	6.0	7.0	45.0	30.0	20.0	95.0
T211044	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋15号-2018级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T155001	7.0	3.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	18.0	91.0
T155002	6.0	0.0	5.0	4.0	6.0	4.0	4.0	29.0	30.0	17.0	76.0
T155003	7.0	1.0	6.0	7.0	7.0	5.0	7.0	40.0	30.0	18.0	88.0
T155004	7.0	3.0	6.0	8.0	7.0	4.0	8.0	43.0	30.0	18.0	91.0
T155005	7.0	1.0	6.0	7.0	6.0	3.0	5.0	35.0	30.0	18.0	83.0
T155006	6.0	2.0	5.0	2.0	6.0	3.0	3.0	27.0	30.0	17.0	74.0
T155007	7.0	3.0	7.0	8.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T155008	8.0	4.0	6.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T155009	8.0	3.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T156008	7.0	3.0	5.0	6.0	7.0	3.0	5.0	36.0	30.0	17.0	83.0
T156009	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T156011	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T156013	7.0	4.0	6.0	7.0	4.0	3.0	7.0	38.0	30.0	18.0	86.0
T156014	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T156015	8.0	4.0	6.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T156016	8.0	2.0	6.0	8.0	7.0	5.0	8.0	44.0	30.0	18.0	92.0
T156017	8.0	4.0	6.0	7.0	8.0	5.0	8.0	46.0	30.0	18.0	94.0
T156018	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	18.0	95.0
T156019	6.0	4.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	18.0	95.0
T154081	8.0	4.0	8.0	8.0	5.0	6.0	8.0	47.0	30.0	18.0	95.0
T154082	7.0	3.0	5.0	7.0	5.0	4.0	8.0	39.0	30.0	17.0	86.0
T154083	6.0	1.0	6.0	8.0	7.0	4.0	7.0	39.0	30.0	17.0	86.0
T154084	6.0	3.0	6.0	8.0	7.0	5.0	8.0	43.0	30.0	17.0	90.0
T154085	6.0	3.0	7.0	8.0	7.0	4.0	7.0	42.0	30.0	18.0	90.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1、21号-2020级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T011027	6.5	3.5	7.0	8.0	7.5	5.5	7.5	45.5	30.0	15.0	90.5
T012002	8.0	3.0	8.0	7.5	8.0	6.0	5.5	46.0	30.0	15.0	91.0
T012003	8.0	4.0	8.0	8.0	8.0	6.0	7.5	49.5	30.0	15.0	94.5
T012004	7.0	4.0	7.0	7.0	7.5	6.0	7.5	46.0	30.0	15.0	91.0
T012005	7.0	4.0	8.0	7.0	7.0	6.0	7.5	46.5	30.0	15.0	91.5
T012006	8.0	4.0	8.0	8.0	8.0	6.0	7.5	49.5	30.0	15.0	94.5
T012007	7.0	4.0	6.5	8.0	7.5	6.0	7.0	46.0	30.0	15.0	91.0
T012008	7.0	4.0	7.5	7.0	7.5	6.0	7.0	46.0	30.0	15.0	91.0
T012009	6.5	4.0	7.5	7.0	7.5	6.0	7.5	46.0	30.0	15.0	91.0
T012010	7.0	4.0	7.0	7.5	8.0	5.5	7.0	46.0	30.0	15.0	91.0
T012011	7.0	4.0	7.5	7.0	7.5	6.0	7.5	46.5	30.0	15.0	91.5
T012012	7.0	4.0	8.0	7.5	7.0	6.0	7.0	46.5	30.0	15.0	91.5
T012013	7.0	4.0	7.5	8.0	7.0	6.0	7.0	46.5	30.0	15.0	91.5
T012014	6.5	4.0	7.0	7.5	7.5	6.0	7.5	46.0	30.0	15.0	91.0
T012015	7.0	4.0	8.0	7.0	7.5	6.0	7.0	46.5	30.0	15.0	91.5
T012016	7.0	4.0	7.5	7.5	8.0	5.5	7.5	47.0	30.0	15.0	92.0
T012017	7.0	4.0	8.0	8.0	7.5	6.0	7.0	47.5	30.0	15.0	92.5
T012018	6.5	4.0	7.0	7.0	7.0	5.5	7.0	44.0	30.0	15.0	89.0
T012019	7.0	4.0	7.5	7.5	8.0	6.0	7.5	47.5	30.0	15.0	92.5
T012020	6.5	4.0	7.5	8.0	8.0	5.5	7.5	47.0	30.0	15.0	92.0
T012021	6.5	4.0	8.0	8.0	7.5	6.0	7.5	47.5	30.0	15.0	92.5
T012022	7.0	4.0	7.5	7.5	8.0	5.5	7.5	47.0	30.0	15.0	92.0
T012023	7.0	4.0	7.0	7.5	8.0	6.0	7.5	47.0	30.0	15.0	92.0
T012024	7.0	4.0	7.5	7.5	8.0	5.5	7.5	47.0	30.0	15.0	92.0
T012025	6.5	4.0	8.0	8.0	7.5	6.0	7.5	47.5	30.0	15.0	92.5
T012026	6.5	4.0	7.5	8.0	8.0	6.0	7.5	47.5	30.0	15.0	92.5
T012027	7.0	4.0	7.0	7.0	7.5	5.5	7.5	45.5	30.0	15.0	90.5
T012028	8.0	4.0	6.5	6.5	8.0	5.5	7.5	46.0	30.0	15.0	91.0
T012029	6.5	4.0	7.5	7.5	7.5	5.5	7.5	46.0	30.0	15.0	91.0
T012030	6.5	4.0	8.0	8.0	7.5	6.0	7.0	47.0	30.0	15.0	92.0
T012031	7.0	4.0	7.5	8.0	8.0	5.5	7.0	47.0	30.0	15.0	92.0
T012032	7.0	4.0	8.0	7.5	7.5	6.0	7.5	47.5	30.0	15.0	92.5
T012033	6.5	4.0	6.0	6.0	6.0	7.5	7.5	43.5	30.0	15.0	88.5
T012034	7.0	4.0	7.5	8.0	8.0	5.5	7.5	47.5	30.0	15.0	92.5
T012035	7.0	4.0	7.5	7.5	7.5	5.5	7.5	46.5	30.0	15.0	91.5
T012036	7.0	4.0	7.5	6.0	6.0	6.0	7.5	44.0	30.0	15.0	89.0
T012037	7.0	4.0	7.5	7.5	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012038	6.5	4.0	6.5	7.0	7.5	6.0	7.5	45.0	30.0	15.0	90.0
T012039	7.5	4.0	8.0	8.0	8.0	6.0	8.0	49.5	30.0	16.0	95.5
T012040	7.0	4.0	7.5	8.0	7.5	5.5	7.0	46.5	30.0	15.0	91.5
T012041	6.5	4.0	8.0	7.5	7.5	5.5	7.0	46.0	30.0	15.0	91.0
T012042	7.0	4.0	7.5	8.0	7.5	5.5	7.5	47.0	30.0	15.0	92.0
T012043	6.5	4.0	8.0	7.5	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012044	7.0	4.0	7.5	7.5	7.5	5.5	7.0	46.0	30.0	15.0	91.0
T012045	6.5	4.0	8.0	8.0	8.0	5.5	7.0	47.0	30.0	15.0	92.0
T012046	7.0	4.0	7.5	7.5	7.5	6.0	7.5	47.0	30.0	15.0	92.0
T012047	6.5	4.0	7.5	8.0	8.0	5.5	7.5	47.0	30.0	15.0	92.0
T012048	7.0	4.0	7.5	7.5	7.5	6.0	7.0	46.5	30.0	15.0	91.5
T012049	6.5	4.0	7.5	8.0	8.0	5.5	7.0	46.5	30.0	15.0	91.5
T012050	6.5	4.0	8.0	7.5	7.5	6.0	7.0	46.5	30.0	15.0	91.5
T012051	7.5	4.0	8.0	8.0	7.5	5.5	7.0	47.5	30.0	15.0	92.5
T012052	6.5	4.0	8.0	7.5	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012053	7.5	4.0	8.0	8.0	7.5	6.0	7.0	48.0	30.0	15.0	93.0
T012054	6.5	4.0	8.0	7.5	8.0	5.5	7.0	46.5	30.0	15.0	91.5
T012055	7.0	3.0	6.0	7.0	6.0	4.0	6.0	39.0	30.0	19.0	88.0
T012056	7.0	4.0	6.0	7.0	7.0	5.0	6.0	42.0	30.0	20.0	92.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012057	8.0	4.0	6.0	6.0	5.0	3.0	7.0	39.0	30.0	20.0	89.0
T012058	7.0	4.0	6.0	6.0	6.0	5.0	7.0	41.0	30.0	20.0	91.0
T012059	7.0	3.0	7.0	7.0	6.0	3.0	7.0	40.0	30.0	20.0	90.0
T012060	7.0	3.0	7.0	7.0	6.0	4.0	6.0	40.0	30.0	20.0	90.0
T012061	6.0	4.0	6.0	6.0	5.0	5.0	7.0	39.0	30.0	19.0	88.0
T012062	7.0	3.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	20.0	92.0
T012063	6.0	4.0	6.0	5.0	7.0	5.0	6.0	39.0	30.0	19.0	88.0
T012064	6.0	4.0	6.0	6.0	6.0	5.0	7.0	40.0	30.0	20.0	90.0
T012065	6.0	3.0	6.0	6.0	6.0	4.0	7.0	38.0	30.0	19.0	87.0
T012066	7.0	4.0	7.0	5.0	7.0	5.0	6.0	41.0	30.0	20.0	91.0
T012067	6.0	4.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	20.0	92.0
T012068	6.0	3.0	6.0	6.0	6.0	4.0	7.0	38.0	30.0	19.0	87.0
T012069	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	20.0	92.0
T012070	6.0	4.0	6.0	7.0	6.0	4.0	6.0	39.0	30.0	20.0	89.0
T012071	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	20.0	92.0
T012072	6.0	4.0	6.0	7.0	6.0	4.0	7.0	40.0	30.0	20.0	90.0
T012073	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	20.0	91.0
T012074	8.0	4.0	7.0	6.0	7.0	4.0	8.0	44.0	30.0	20.0	94.0
T012075	7.0	3.0	7.0	7.0	6.0	5.0	6.0	41.0	30.0	20.0	91.0
T012076	8.0	4.0	6.0	7.0	7.0	5.0	7.0	44.0	30.0	20.0	94.0
T012077	7.0	4.0	7.0	6.0	8.0	4.0	7.0	43.0	30.0	20.0	93.0
T012078	7.0	4.0	7.0	7.0	7.0	5.0	6.0	43.0	30.0	20.0	93.0
T012079	7.0	3.0	6.0	6.0	6.0	4.0	7.0	39.0	30.0	19.0	88.0
T012080	7.0	3.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	20.0	91.0
T012081	7.0	4.0	6.0	6.0	6.0	5.0	7.0	41.0	30.0	20.0	91.0
T012082	6.0	3.0	7.0	7.0	7.0	3.0	6.0	39.0	30.0	19.0	88.0
T012083	6.0	3.0	7.0	7.0	7.0	4.0	7.0	41.0	30.0	20.0	91.0
T012084	7.0	4.0	7.0	8.0	6.0	5.0	6.0	43.0	30.0	20.0	93.0
T012085	7.0	4.0	6.0	7.0	6.0	4.0	6.0	40.0	30.0	20.0	90.0
T012086	6.0	3.0	6.0	6.0	7.0	3.0	7.0	38.0	30.0	19.0	87.0
T012087	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	20.0	95.0
T012088	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	20.0	92.0
T012089	6.0	3.0	7.0	7.0	7.0	4.0	7.0	41.0	30.0	20.0	91.0
T012090	7.0	4.0	6.0	6.0	6.0	5.0	7.0	41.0	30.0	20.0	91.0
T012091	7.0	4.0	6.0	6.0	6.0	4.0	6.0	39.0	30.0	19.0	88.0
T012092	7.0	4.0	7.0	7.0	8.0	5.0	6.0	44.0	30.0	20.0	94.0
T012093	6.0	3.0	6.0	7.0	7.0	4.0	7.0	40.0	30.0	20.0	90.0
T012094	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	20.0	95.0
T012095	8.0	4.0	7.0	7.0	7.0	5.0	6.0	44.0	30.0	20.0	94.0
T012096	7.0	4.0	6.0	8.0	6.0	4.0	7.0	42.0	30.0	19.0	91.0
T016081	6.0	3.0	6.0	6.0	7.0	4.0	6.0	38.0	30.0	20.0	88.0
T016082	7.0	4.0	7.0	7.0	7.0	4.0	7.0	43.0	30.0	19.0	92.0
T215023	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	20.0	97.0
T215025	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	19.0	94.0
T215026	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	20.0	95.0
T215028	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	20.0	95.0
T215029	7.0	4.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	19.0	95.0
T215030	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	19.0	94.0
T215041	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	20.0	95.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋3、21号-2019级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T031036	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	14.0	92.0
T031038	8.0	4.0	7.0	7.0	6.5	5.0	7.5	45.0	30.0	14.0	89.0
T031039	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.0	95.0
T031040	8.0	4.0	7.0	7.5	6.5	5.5	7.5	46.0	30.0	14.0	90.0
T031041	8.0	4.0	6.5	7.0	6.5	5.5	8.0	45.5	30.0	14.0	89.5
T031042	7.5	4.0	7.0	7.5	6.5	5.0	7.5	45.0	30.0	14.0	89.0
T031043	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	14.0	92.0
T031044	7.5	4.0	6.5	7.5	7.0	5.5	7.5	45.5	30.0	14.0	89.5
T031046	8.0	4.0	6.5	7.5	6.5	5.0	8.0	45.5	30.0	13.5	89.0
T031047	8.0	4.0	6.5	7.5	6.5	5.5	7.5	45.5	30.0	14.0	89.5
T031048	7.5	4.0	6.0	7.0	6.0	5.0	7.5	43.0	30.0	13.5	86.5
T031049	8.0	4.0	7.0	7.5	7.5	6.0	7.5	47.5	30.0	14.0	91.5
T031050	8.0	4.0	6.5	7.0	7.0	5.5	7.0	45.0	30.0	14.0	89.0
T031051	8.0	4.0	6.5	7.0	7.0	5.5	8.0	46.0	30.0	14.0	90.0
T031052	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	14.0	94.0
T031053	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.0	95.0
T031054	8.0	4.0	7.5	8.0	8.0	6.0	8.0	49.5	30.0	15.0	94.5
T031055	7.5	3.5	6.0	7.0	6.5	5.0	7.0	42.5	30.0	14.0	86.5
T031056	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	14.0	89.0
T031057	8.0	3.5	6.0	6.5	6.0	5.0	7.0	42.0	30.0	14.0	86.0
T031058	8.0	4.0	7.0	7.5	6.0	5.0	7.0	44.5	30.0	14.0	88.5
T031059	8.0	4.0	7.0	7.0	6.5	5.0	7.0	44.5	30.0	14.0	88.5
T031060	7.5	3.5	6.0	7.0	6.5	5.0	7.0	42.5	30.0	14.0	86.5
T031061	8.0	4.0	6.5	8.0	7.5	5.0	7.0	46.0	30.0	15.0	91.0
T031062	8.0	4.0	6.5	7.5	7.0	5.5	7.0	45.5	30.0	14.0	89.5
T031063	8.0	4.0	7.5	8.0	7.0	6.0	8.0	48.5	30.0	14.5	93.0
T031064	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.0	95.0
T031065	8.0	4.0	7.0	7.0	7.0	5.5	7.0	45.5	30.0	14.0	89.5
T031066	8.0	4.0	6.5	8.0	6.5	5.0	7.0	45.0	30.0	14.0	89.0
T031067	8.0	3.5	6.5	6.5	6.5	5.0	7.0	43.0	30.0	14.0	87.0
T032038	8.0	4.0	6.5	7.0	6.5	5.0	7.5	44.5	30.0	14.0	88.5
T032039	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.0	95.0
T032040	8.0	4.0	6.5	7.5	6.5	5.0	8.0	45.5	30.0	14.5	90.0
T032041	8.0	4.0	7.5	7.5	8.0	6.0	8.0	49.0	30.0	14.0	93.0
T032042	8.0	4.0	6.5	7.5	7.5	5.5	8.0	47.0	30.0	14.0	91.0
T032043	8.0	4.0	7.5	7.0	7.5	5.0	8.0	47.0	30.0	14.5	91.5
T032044	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	14.0	94.0
T032045	8.0	4.0	6.5	6.5	7.0	5.0	7.5	44.5	30.0	14.0	88.5
T032046	8.0	4.0	7.0	7.0	6.5	5.0	7.0	44.5	30.0	14.0	88.5
T032047	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	14.0	94.0
T032048	8.0	4.0	7.0	7.0	7.0	5.5	7.5	46.0	30.0	14.0	90.0
T032049	8.0	3.5	7.5	7.0	7.0	5.0	8.0	46.0	30.0	14.0	90.0
T032050	8.0	4.0	6.5	7.0	6.0	5.0	8.0	44.5	30.0	14.0	88.5
T032051	8.0	4.0	7.0	7.5	7.5	5.5	8.0	47.5	30.0	14.0	91.5
T032052	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.0	95.0
T032053	8.0	4.0	8.0	7.5	7.5	5.5	7.5	48.0	30.0	15.0	93.0
T032054	8.0	4.0	7.5	8.0	8.0	6.0	8.0	49.5	30.0	14.0	93.5
T032055	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	18.0	94.0
T032056	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	28.0	18.0	92.0
T032057	6.0	4.0	7.0	7.0	8.0	4.0	6.0	42.0	25.0	18.0	85.0
T032058	7.0	3.0	6.0	7.0	8.0	6.0	8.0	45.0	27.0	18.0	90.0
T032059	6.0	4.0	8.0	6.0	7.0	5.0	4.0	40.0	25.0	18.0	83.0
T032060	7.0	3.0	6.0	4.0	4.0	5.0	8.0	37.0	28.0	20.0	85.0
T032061	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	18.0	94.0
T032062	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	18.0	94.0
T032063	7.0	3.0	4.0	8.0	8.0	5.0	8.0	43.0	25.0	18.0	86.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032064	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	28.0	18.0	93.0
T032065	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	28.0	18.0	93.0
T032066	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	20.0	96.0
T032067	6.0	3.0	7.0	7.0	8.0	5.0	6.0	42.0	24.0	18.0	84.0
T032068	6.0	3.0	7.0	4.0	8.0	5.0	8.0	41.0	26.0	18.0	85.0
T032069	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	28.0	18.0	93.0
T032070	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	28.0	18.0	92.0
T032071	7.0	3.0	7.0	7.0	8.0	5.0	8.0	45.0	28.0	18.0	91.0
T032072	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	28.0	20.0	94.0
T032073	7.0	3.0	7.0	7.0	8.0	5.0	8.0	45.0	28.0	18.0	91.0
T032074	6.0	4.0	7.0	7.0	8.0	5.0	5.0	42.0	24.0	18.0	84.0
T032075	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	28.0	18.0	92.0
T032076	6.0	2.0	5.0	5.0	8.0	6.0	8.0	40.0	28.0	18.0	86.0
T032077	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	28.0	18.0	93.0
T032078	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	23.0	18.0	84.0
T032079	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	18.0	94.0
T032080	7.0	4.0	7.0	6.0	6.0	6.0	8.0	44.0	28.0	18.0	90.0
T032081	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	28.0	18.0	95.0
T032082	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	28.0	20.0	95.0
T032083	7.0	2.0	7.0	7.0	8.0	6.0	8.0	45.0	28.0	20.0	93.0
T032084	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	28.0	20.0	96.0
T032085	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	28.0	18.0	94.0
T032086	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	28.0	18.0	92.0
T032087	7.0	3.0	6.0	8.0	6.0	4.0	8.0	42.0	28.0	18.0	88.0
T032088	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	28.0	18.0	93.0
T032089	6.0	3.0	7.0	7.0	8.0	6.0	8.0	45.0	28.0	20.0	93.0
T032090	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	18.0	94.0
T032091	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	28.0	20.0	96.0
T032092	7.0	3.0	6.0	4.0	4.0	5.0	8.0	37.0	28.0	20.0	85.0
T032093	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	24.0	18.0	89.0
T032094	7.0	2.0	7.0	6.0	6.0	4.0	6.0	38.0	28.0	18.0	84.0
T032095	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	25.0	18.0	89.0
T032096	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	25.0	18.0	86.0
T032097	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	28.0	18.0	92.0
T032098	7.0	3.0	7.0	6.0	8.0	5.0	4.0	40.0	28.0	18.0	86.0
T032099	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	25.0	18.0	86.0
T032100	7.0	4.0	7.0	6.0	6.0	6.0	8.0	44.0	28.0	18.0	90.0
T213038	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	19.0	93.0
T213039	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	19.0	94.0
T213040	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	20.0	95.0
T213041	8.0	4.0	7.0	6.0	8.0	6.0	6.0	46.0	30.0	20.0	96.0
T213042	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	19.0	94.0
T213043	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	19.0	93.0
T213044	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	19.0	94.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋17、19号-2018级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T174091	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	15.5	87.5
T174092	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	15.5	87.5
T174093	7.0	3.0	6.0	6.0	6.0	5.0	7.0	40.0	30.0	15.5	85.5
T174094	7.0	4.0	6.0	8.0	8.0	5.0	6.0	44.0	30.0	15.5	89.5
T174095	6.0	4.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	15.5	86.5
T175062	4.0	4.0	5.0	6.0	8.0	4.0	5.0	36.0	30.0	15.5	81.5
T175063	8.0	3.0	7.0	7.0	5.0	5.0	7.0	42.0	30.0	16.5	88.5
T175064	8.0	4.0	8.0	6.0	4.0	6.0	7.0	43.0	30.0	16.5	89.5
T175065	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	15.5	90.5
T175066	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	15.5	93.5
T175067	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	16.5	95.5
T175068	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	15.5	90.5
T175069	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	15.5	90.5
T175071	7.0	2.0	6.0	7.0	5.0	5.0	6.0	38.0	30.0	15.5	83.5
T175072	7.0	2.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	15.5	86.5
T175073	7.0	3.0	6.0	7.0	7.0	4.0	7.0	41.0	30.0	15.5	86.5
T175074	7.0	3.0	8.0	6.0	8.0	4.0	8.0	44.0	30.0	15.5	89.5
T175075	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T175076	7.0	3.0	8.0	6.0	8.0	4.0	8.0	44.0	30.0	15.5	89.5
T175077	8.0	3.0	6.0	7.0	7.0	6.0	8.0	45.0	30.0	16.5	91.5
T175078	8.0	4.0	6.0	8.0	7.0	6.0	6.0	45.0	30.0	15.5	90.5
T175079	7.0	3.0	6.0	7.0	7.0	4.0	7.0	41.0	30.0	15.5	86.5
T175080	5.0	4.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	15.5	86.5
T175081	4.0	4.0	5.0	6.0	8.0	4.0	5.0	36.0	30.0	15.5	81.5
T175082	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	15.5	91.5
T175083	7.0	4.0	7.0	6.0	8.0	5.0	8.0	45.0	30.0	15.5	90.5
T175084	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	15.5	89.5
T175085	8.0	4.0	7.0	6.0	8.0	5.0	7.0	45.0	30.0	15.5	90.5
T175086	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	15.5	94.5
T175087	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	15.5	91.5
T175088	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	15.5	94.5
T175089	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T175090	6.0	4.0	8.0	6.0	7.0	6.0	7.0	44.0	30.0	15.5	89.5
T175091	7.0	3.0	8.0	6.0	7.0	5.0	7.0	43.0	30.0	15.5	88.5
T175092	6.0	3.0	8.0	6.0	8.0	6.0	7.0	44.0	30.0	16.5	90.5
T175093	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	15.5	91.5
T175094	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	15.5	94.5
T175095	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	15.5	93.5
T175096	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T176039	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	15.5	92.5
T176040	7.0	3.0	8.0	8.0	7.0	5.0	7.0	45.0	30.0	15.5	90.5
T176041	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T176042	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	16.5	93.5
T176043	7.0	3.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	15.5	92.5
T176044	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	15.5	93.5
T176045	7.0	4.0	8.0	7.0	5.0	5.0	7.0	43.0	30.0	17.5	90.5
T176046	7.0	4.0	7.0	6.0	5.0	6.0	7.0	42.0	30.0	18.5	90.5
T176047	7.0	4.0	7.0	6.0	5.0	6.0	7.0	42.0	30.0	17.5	89.5
T176048	7.0	4.0	7.0	6.0	5.0	6.0	6.0	41.0	30.0	17.5	88.5
T176049	7.0	4.0	7.0	7.0	5.0	6.0	8.0	44.0	30.0	18.5	92.5
T176050	7.0	4.0	7.0	7.0	5.0	6.0	7.0	43.0	30.0	17.5	90.5
T176051	7.0	4.0	7.0	6.0	6.0	6.0	7.0	43.0	30.0	17.5	90.5
T176052	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	17.5	91.5
T176053	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	18.5	92.5
T176054	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	17.5	92.5
T176055	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	17.5	91.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176056	7.0	4.0	7.0	6.0	6.0	6.0	7.0	43.0	30.0	17.5	90.5
T176057	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	17.5	91.5
T176058	7.0	4.0	8.0	7.0	6.0	6.0	7.0	45.0	30.0	17.5	92.5
T176059	7.0	4.0	8.0	6.0	6.0	5.0	7.0	43.0	30.0	17.5	90.5
T176060	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.5	91.5
T176061	7.0	4.0	7.0	8.0	6.0	5.0	7.0	44.0	30.0	17.5	91.5
T176062	7.0	3.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	17.5	87.5
T176063	7.0	4.0	7.0	6.0	6.0	5.0	6.0	41.0	30.0	17.5	88.5
T176065	7.0	3.0	6.0	5.0	5.0	5.0	6.0	37.0	30.0	17.5	84.5
T176066	7.0	4.0	7.0	6.0	5.0	5.0	6.0	40.0	30.0	17.5	87.5
T176067	7.0	4.0	6.0	6.0	5.0	5.0	6.0	39.0	30.0	17.5	86.5
T176068	7.0	4.0	7.0	6.0	5.0	5.0	7.0	41.0	30.0	17.5	88.5
T176069	7.0	4.0	7.0	7.0	5.0	5.0	8.0	43.0	30.0	17.5	90.5
T176070	7.0	4.0	7.0	6.0	5.0	5.0	7.0	41.0	30.0	17.5	88.5
T176071	7.0	4.0	7.0	6.0	6.0	5.0	6.0	41.0	30.0	17.5	88.5
T176072	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	17.5	90.5
T176073	7.0	3.0	8.0	6.0	6.0	6.0	7.0	43.0	30.0	17.5	90.5
T176074	7.0	4.0	7.0	7.0	5.0	5.0	7.0	42.0	30.0	18.5	90.5
T176075	7.0	4.0	7.0	7.0	5.0	6.0	7.0	43.0	30.0	17.5	90.5
T176076	7.0	4.0	7.0	7.0	5.0	5.0	7.0	42.0	30.0	17.5	89.5
T176077	7.0	4.0	7.0	8.0	5.0	6.0	8.0	45.0	30.0	17.5	92.5
T176078	7.0	4.0	8.0	7.0	5.0	6.0	7.0	44.0	30.0	17.5	91.5
T176079	6.0	3.0	7.0	6.0	5.0	6.0	7.0	40.0	30.0	17.5	87.5
T176080	7.0	4.0	8.0	7.0	5.0	6.0	7.0	44.0	30.0	17.5	91.5
T176081	7.0	3.0	8.0	5.0	5.0	5.0	7.0	40.0	30.0	17.5	87.5
T176082	7.0	4.0	8.0	7.0	5.0	5.0	7.0	43.0	30.0	17.5	90.5
T176083	7.0	4.0	8.0	7.0	5.0	6.0	8.0	45.0	30.0	18.5	93.5
T176084	7.0	4.0	8.0	7.0	5.0	6.0	7.0	44.0	30.0	17.5	91.5
T176085	7.0	4.0	8.0	6.0	5.0	6.0	7.0	43.0	30.0	17.5	90.5
T176086	7.0	4.0	8.0	7.0	5.0	5.0	7.0	43.0	30.0	17.5	90.5
T176087	7.0	4.0	8.0	6.0	5.0	6.0	7.0	43.0	30.0	17.5	90.5
T176088	7.0	4.0	8.0	7.0	5.0	5.0	7.0	43.0	30.0	17.5	90.5
T176089	7.0	4.0	8.0	6.0	5.0	5.0	7.0	42.0	30.0	18.5	90.5
T192022	8.0	4.0	7.0	6.0	7.0	5.0	8.0	45.0	30.0	15.0	90.0
T192023	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T192024	6.0	4.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	15.0	92.0
T192025	6.0	4.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T192026	6.0	4.0	6.0	8.0	7.0	6.0	8.0	45.0	30.0	15.0	90.0
T192027	6.0	4.0	8.0	8.0	6.0	5.0	8.0	45.0	30.0	15.0	90.0
T192028	6.0	2.0	6.0	8.0	6.0	5.0	8.0	41.0	30.0	15.0	86.0
T192029	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T192030	6.0	2.0	6.0	8.0	6.0	6.0	8.0	42.0	30.0	15.0	87.0
T192031	6.0	3.0	8.0	8.0	6.0	6.0	8.0	45.0	30.0	15.0	90.0
T192032	6.0	3.0	8.0	8.0	8.0	6.0	8.0	47.0	30.0	15.0	92.0
T192033	8.0	4.0	8.0	8.0	6.0	6.0	6.0	46.0	30.0	15.0	91.0
T192034	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T192035	8.0	4.0	6.0	8.0	7.0	6.0	8.0	47.0	30.0	15.0	92.0
T192036	8.0	3.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	15.0	89.0
T192037	8.0	3.0	6.0	6.0	5.0	6.0	8.0	42.0	30.0	15.0	87.0
T192038	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	15.0	93.0
T192039	8.0	4.0	7.0	6.0	7.0	5.0	8.0	45.0	30.0	15.0	90.0
T194033	8.0	4.0	7.0	8.0	7.0	6.0	6.0	46.0	30.0	15.0	91.0
T194034	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	15.0	91.0
T194035	8.0	4.0	7.0	7.0	8.0	6.0	6.0	46.0	30.0	15.0	91.0
T194036	7.0	4.0	6.0	6.0	7.0	6.0	6.0	42.0	30.0	15.0	87.0
T194037	7.0	4.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	15.0	88.0
T194038	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	15.0	88.0
T194039	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	15.0	88.0
T194040	7.0	3.0	7.0	7.0	8.0	6.0	6.0	44.0	30.0	15.0	89.0