

西南交通大学电气学院卫生检查成绩（天佑斋15号-2022级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手 间8分				
T153068	7.0	4.0	8.0	6.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T153069	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T153071	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	18.0	96.0
T153072	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T153073	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	15.0	93.0
T153074	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T153075	8.0	4.0	8.0	7.0	7.0	6.0	6.0	46.0	30.0	16.0	92.0
T153076	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	15.0	92.0
T153077	6.0	4.0	6.0	7.0	7.0	6.0	8.0	44.0	30.0	16.0	90.0
T153078	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T153079	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T153080	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	15.0	91.0
T153081	6.0	4.0	8.0	6.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T153082	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	15.0	93.0
T153083	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T153084	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T153085	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T153086	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T153087	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T153088	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T153089	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T212033	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T212034	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T212035	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0

西南交通大学电气工程学院卫生检查成绩（天佑斋14号-2021级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T141031	6.0	4.0	6.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T142001	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T142002	6.0	4.0	8.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T142003	6.0	4.0	8.0	7.0	8.0	5.0	8.0	46.0	30.0	17.0	93.0
T142004	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142005	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T142006	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142007	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142008	6.0	4.0	6.0	8.0	8.0	6.0	6.0	44.0	30.0	17.0	91.0
T142009	7.0	4.0	6.0	8.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T142010	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T142011	6.0	4.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	17.0	92.0
T142012	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T142013	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T142014	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T142015	6.0	4.0	6.0	6.0	8.0	5.0	8.0	43.0	30.0	18.0	91.0
T142017	6.0	4.0	6.0	6.0	8.0	5.0	8.0	43.0	30.0	18.0	91.0
T142018	7.0	4.0	6.0	6.0	8.0	6.0	8.0	45.0	30.0	17.0	92.0
T142019	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T142020	7.0	4.0	6.0	6.0	8.0	5.0	8.0	44.0	30.0	17.0	91.0
T212012	6.0	4.0	6.0	7.0	8.0	6.0	7.0	44.0	30.0	16.0	90.0
T212013	6.0	4.0	6.0	7.0	8.0	6.0	8.0	45.0	30.0	16.0	91.0

西南交通大学电气工程学院卫生检查成绩（天佑斋8，11号-2020级女生）

寝室号	检查项目							寝室卫生成绩50分	寝室安全成绩30分	寝室文化成绩20分	总分100
	地面墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T083025	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T083026	6.0	4.0	5.0	7.0	8.0	5.0	6.0	41.0	30.0	17.0	88.0
T083027	5.0	2.0	6.0	6.0	7.0	5.0	6.0	37.0	30.0	18.0	85.0
T083028	6.0	3.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	17.0	88.0
T083029	6.0	2.0	6.0	7.0	7.0	3.0	7.0	38.0	30.0	17.0	85.0
T083031	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T083032	6.0	4.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T083033	5.0	4.0	5.0	5.0	7.0	5.0	7.0	38.0	30.0	17.0	85.0
T083034	6.0	4.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T083035	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	17.0	95.0
T083036	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T083037	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T083038	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T083039	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T083040	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T083041	7.0	4.0	8.0	7.0	7.0	5.0	6.0	44.0	30.0	16.0	90.0
T083042	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T115015	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	17.0	93.0
T115016	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T115017	5.0	4.0	7.0	7.0	8.0	6.0	7.0	44.0	30.0	16.0	90.0
T115018	5.0	4.0	8.0	7.0	8.0	6.0	5.0	43.0	30.0	17.0	90.0
T211038	8.0	3.0	7.0	7.0	4.0	5.0	6.0	40.0	30.0	18.0	88.0

西南交通大学电气工程学院卫生检查成绩（天佑斋10，17号-2022级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T105011	8.0	3.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T171028	7.0	4.0	6.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T171029	7.0	4.0	6.0	7.0	7.0	4.0	7.0	42.0	30.0	16.0	88.0
T171047	6.0	3.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	15.0	86.0
T174085	6.0	4.0	7.0	8.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T174086	8.0	4.0	6.0	8.0	6.0	6.0	7.0	45.0	30.0	17.0	92.0
T174087	8.0	4.0	6.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T174088	8.0	3.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	15.0	90.0
T174089	8.0	3.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	16.0	89.0
T174090	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T174091	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	17.0	94.0
T174092	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T174093	8.0	4.0	7.0	7.0	7.0	5.0	6.0	44.0	30.0	16.0	90.0
T174094	6.0	4.0	7.0	7.0	7.0	4.0	6.0	41.0	30.0	16.0	87.0
T174095	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T175009	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T175010	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T175011	8.0	4.0	6.0	8.0	7.0	6.0	6.0	45.0	30.0	17.0	92.0
T175012	8.0	4.0	6.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175013	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T175014	7.0	3.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T175015	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T175016	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T175017	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T175019	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175020	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T175021	7.0	3.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T175022	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175023	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	17.0	94.0
T175024	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175025	8.0	4.0	7.0	7.0	7.0	6.0	6.0	45.0	30.0	17.0	92.0
T175026	7.0	4.0	6.0	8.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T175027	7.0	4.0	6.0	8.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T175028	8.0	3.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175030	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	17.0	91.0
T175031	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T175032	7.0	3.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T175033	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T175034	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T175035	8.0	4.0	6.0	8.0	7.0	6.0	6.0	45.0	30.0	16.0	91.0
T175036	7.0	4.0	6.0	8.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175037	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175038	7.0	4.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	17.0	90.0
T175039	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T175040	7.0	4.0	6.0	7.0	7.0	5.0	6.0	42.0	30.0	17.0	89.0
T175041	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T175042	8.0	4.0	6.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T175043	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T175044	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T175045	5.0	3.0	6.0	7.0	7.0	4.0	7.0	39.0	30.0	16.0	85.0
T175046	6.0	4.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T175047	7.0	4.0	7.0	8.0	7.0	5.0	6.0	44.0	30.0	17.0	91.0
T175048	7.0	4.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	17.0	90.0
T175049	6.0	4.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T175050	8.0	3.0	6.0	8.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T175052	8.0	4.0	6.0	8.0	6.0	5.0	7.0	44.0	30.0	19.0	93.0
T175053	6.0	4.0	7.0	6.0	7.0	5.0	6.0	41.0	30.0	19.0	90.0
T175054	7.0	4.0	7.0	8.0	8.0	5.0	6.0	45.0	30.0	18.0	93.0
T175055	7.0	4.0	7.0	8.0	5.0	5.0	6.0	42.0	30.0	18.0	90.0
T175056	5.0	2.0	5.0	8.0	7.0	5.0	4.0	36.0	30.0	19.0	85.0
T175057	3.0	3.0	7.0	7.0	7.0	4.0	6.0	37.0	30.0	18.0	85.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T175058	7.0	3.0	7.0	7.0	6.0	5.0	6.0	41.0	30.0	18.0	89.0
T175059	7.0	4.0	7.0	7.0	6.0	4.0	6.0	41.0	30.0	18.0	89.0
T175060	7.0	2.0	8.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T175061	5.0	3.0	6.0	6.0	7.0	4.0	7.0	38.0	30.0	19.0	87.0
T175062	6.0	4.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T175063	7.0	3.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T175064	6.0	2.0	8.0	6.0	6.0	5.0	6.0	39.0	30.0	18.0	87.0
T175065	7.0	4.0	7.0	7.0	6.0	5.0	6.0	42.0	30.0	18.0	90.0
T175066	6.0	3.0	6.0	6.0	7.0	4.0	6.0	38.0	30.0	18.0	86.0
T175067	7.0	3.0	7.0	5.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T175068	6.0	4.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T175069	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	18.0	94.0
T175071	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	18.0	94.0
T175072	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T175073	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T175074	6.0	2.0	6.0	6.0	8.0	6.0	8.0	42.0	30.0	18.0	90.0
T175075	7.0	3.0	6.0	8.0	6.0	5.0	8.0	43.0	30.0	18.0	91.0
T175076	6.0	2.0	6.0	7.0	8.0	5.0	7.0	41.0	30.0	18.0	89.0
T175077	7.0	4.0	6.0	6.0	6.0	6.0	8.0	43.0	30.0	18.0	91.0
T175078	7.0	3.0	6.0	8.0	7.0	5.0	8.0	44.0	30.0	18.0	92.0
T175079	7.0	4.0	7.0	8.0	8.0	6.0	6.0	46.0	30.0	18.0	94.0
T175080	6.0	4.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	18.0	91.0
T175081	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	18.0	90.0
T175082	7.0	4.0	7.0	7.0	7.0	5.0	6.0	43.0	30.0	18.0	91.0
T175083	6.0	3.0	6.0	7.0	7.0	6.0	7.0	42.0	30.0	18.0	90.0
T175084	7.0	4.0	7.0	6.0	7.0	4.0	7.0	42.0	30.0	18.0	90.0
T175085	7.0	3.0	7.0	6.0	6.0	5.0	7.0	41.0	30.0	18.0	89.0
T175086	7.0	4.0	6.0	6.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T175087	6.0	3.0	7.0	6.0	6.0	5.0	6.0	39.0	30.0	18.0	87.0
T175088	6.0	2.0	8.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T175089	6.0	3.0	6.0	7.0	6.0	5.0	7.0	40.0	30.0	18.0	88.0
T175090	7.0	2.0	7.0	7.0	6.0	5.0	7.0	41.0	30.0	18.0	89.0
T175091	6.0	3.0	7.0	7.0	6.0	5.0	6.0	40.0	30.0	17.0	87.0
T175092	6.0	3.0	7.0	5.0	5.0	5.0	6.0	37.0	30.0	19.0	86.0
T175093	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T175094	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T175095	7.0	4.0	7.0	5.0	7.0	4.0	7.0	41.0	30.0	18.0	89.0
T175096	7.0	4.0	7.0	6.0	6.0	5.0	6.0	41.0	30.0	18.0	89.0
T176001	6.0	3.0	6.0	6.0	7.0	5.0	8.0	41.0	30.0	18.0	89.0
T176002	6.0	3.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T176003	6.0	4.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T176004	6.0	4.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T176005	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T176006	7.0	2.0	6.0	7.0	7.0	5.0	8.0	42.0	30.0	17.0	89.0
T176007	6.0	4.0	6.0	8.0	8.0	6.0	6.0	44.0	30.0	18.0	92.0
T176008	8.0	4.0	6.0	7.0	8.0	5.0	8.0	46.0	30.0	18.0	94.0
T176009	7.0	3.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T176010	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T176011	8.0	4.0	6.0	8.0	6.0	6.0	7.0	45.0	30.0	17.0	92.0
T176013	6.0	4.0	6.0	7.0	6.0	5.0	7.0	42.0	30.0	18.0	90.0
T176014	6.0	4.0	6.0	7.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T176016	6.0	4.0	6.0	7.0	6.0	6.0	7.0	42.0	30.0	18.0	90.0
T214010	7.0	3.0	8.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T214011	7.0	3.0	8.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T214012	6.0	3.0	8.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T214013	7.0	3.0	8.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T214014	6.0	2.0	7.0	6.0	8.0	5.0	6.0	40.0	30.0	18.0	88.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3，6,9号-2021级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T034043	7.0	4.0	6.5	6.0	6.0	6.0	6.0	41.5	30.0	16.0	87.5
T061001	6.0	3.0	5.0	7.0	7.0	6.0	7.0	41.0	30.0	16.0	87.0
T061013	6.0	3.0	6.5	7.0	7.0	6.0	7.0	42.5	30.0	16.0	88.5
T061014	6.0	3.0	6.5	7.0	6.0	6.0	7.0	41.5	30.0	16.0	87.5
T061017	7.0	4.0	8.0	6.0	6.0	5.0	7.0	43.0	30.0	16.0	89.0
T066013	6.0	4.0	8.0	7.0	7.0	5.0	8.0	45.0	30.0	16.0	91.0
T091001	6.0	3.0	8.0	7.0	7.0	4.0	8.0	43.0	30.0	16.0	89.0
T091002	7.0	3.0	6.5	7.0	7.0	4.0	7.0	41.5	30.0	16.0	87.5
T091005	7.0	4.0	5.0	7.0	6.0	4.0	7.0	40.0	30.0	16.0	86.0
T091007	7.0	3.0	6.5	7.0	5.0	5.0	7.0	40.5	30.0	16.0	86.5
T091008	7.0	3.0	8.0	7.0	6.0	5.0	7.0	43.0	30.0	16.0	89.0
T091009	7.0	4.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T091010	7.0	4.0	5.0	7.0	6.0	4.0	7.0	40.0	30.0	16.0	86.0
T091011	7.0	3.0	6.5	7.0	6.0	4.0	6.0	39.5	30.0	16.0	85.5
T091012	7.0	4.0	6.5	7.0	7.0	5.0	7.0	43.5	30.0	16.0	89.5
T091013	8.0	4.0	6.5	7.0	7.0	4.0	7.0	43.5	30.0	16.0	89.5
T091014	8.0	3.0	8.0	8.0	7.0	4.0	6.0	44.0	30.0	16.0	90.0
T091017	8.0	4.0	8.0	7.0	7.0	4.0	7.0	45.0	30.0	16.0	91.0
T091019	8.0	4.0	8.0	7.0	7.0	4.0	7.0	45.0	30.0	16.0	91.0
T091020	5.0	3.0	8.0	8.0	7.0	5.0	8.0	44.0	30.0	16.0	90.0
T091021	6.0	4.0	6.5	7.0	7.0	3.0	7.0	40.5	30.0	17.0	87.5
T091022	7.0	3.0	6.5	7.0	6.0	4.0	7.0	40.5	30.0	16.0	86.5
T091023	6.0	3.0	8.0	7.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T091024	7.0	3.0	8.0	8.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T091025	7.0	4.0	8.0	8.0	6.0	5.0	8.0	46.0	30.0	16.0	92.0
T091026	6.0	3.0	6.5	7.0	7.0	5.0	7.0	41.5	30.0	16.0	87.5
T091027	7.0	3.0	6.5	7.0	7.0	4.0	7.0	41.5	30.0	16.0	87.5
T092001	7.0	3.0	6.5	7.0	6.0	5.0	6.0	40.5	30.0	16.0	86.5
T092002	7.0	3.0	8.0	6.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T092003	8.0	3.0	6.5	6.0	7.0	5.0	7.0	42.5	30.0	18.0	90.5
T092004	8.0	4.0	8.0	7.0	7.0	6.0	6.0	46.0	30.0	17.0	93.0
T092005	6.0	4.0	7.0	7.0	6.0	5.0	6.0	41.0	30.0	16.0	87.0
T092006	8.0	4.0	6.5	7.0	5.0	6.0	7.0	43.5	30.0	19.0	92.5
T092007	5.0	4.0	6.5	7.0	8.0	5.0	7.0	42.5	30.0	16.0	88.5
T092008	5.0	3.0	6.5	6.0	7.0	5.0	6.0	38.5	30.0	17.0	85.5
T092009	7.0	4.0	7.0	7.0	7.0	4.0	7.0	43.0	30.0	16.0	89.0
T092010	6.0	4.0	6.5	7.0	7.0	5.0	7.0	42.5	30.0	16.0	88.5
T092011	5.0	3.0	5.0	7.0	6.0	6.0	7.0	39.0	30.0	16.0	85.0
T092012	6.0	4.0	6.5	7.0	7.0	5.0	7.0	42.5	30.0	16.0	88.5
T092013	7.0	4.0	6.5	6.0	8.0	5.0	6.0	42.5	30.0	19.0	91.5
T092014	6.0	3.0	6.5	6.0	7.0	4.0	7.0	39.5	30.0	17.0	86.5
T092015	7.0	4.0	6.5	7.0	7.0	5.0	7.0	43.5	30.0	17.0	90.5
T092016	7.0	4.0	8.0	7.0	5.0	6.0	7.0	44.0	30.0	17.0	91.0
T092017	7.0	4.0	8.0	6.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T092018	6.0	4.0	5.0	8.0	7.0	4.0	8.0	42.0	30.0	18.0	90.0
T092019	6.0	3.0	6.5	7.0	6.0	4.0	7.0	39.5	30.0	17.0	86.5
T092020	7.0	3.0	6.5	7.0	7.0	5.0	6.0	41.5	30.0	16.0	87.5
T092021	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	16.0	91.5
T092022	6.0	4.0	6.5	7.0	7.0	6.0	8.0	44.5	30.0	17.0	91.5
T092023	8.0	4.0	5.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T092024	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T092025	7.0	4.0	8.0	8.0	5.0	6.0	8.0	46.0	30.0	17.0	93.0
T092027	8.0	4.0	6.5	7.0	7.0	5.0	7.0	44.5	30.0	16.0	90.5
T092028	7.0	4.0	6.5	7.0	6.0	5.0	7.0	42.5	30.0	17.0	89.5
T092029	6.0	3.0	6.5	7.0	6.0	5.0	7.0	40.5	30.0	17.0	87.5
T092030	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	18.0	91.0
T092031	6.0	3.0	6.5	7.0	7.0	5.0	6.0	40.5	30.0	17.0	87.5
T092032	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	16.0	91.5
T092033	8.0	4.0	8.0	7.0	5.0	5.0	7.0	44.0	30.0	17.0	91.0
T092034	7.0	4.0	6.5	6.0	7.0	4.0	7.0	41.5	30.0	17.0	88.5
T092035	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T092036	8.0	4.0	6.5	7.0	7.0	5.0	7.0	44.5	30.0	19.0	93.5
T092037	7.0	3.0	6.5	7.0	7.0	6.0	7.0	43.5	30.0	17.0	90.5
T093001	6.0	4.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T093002	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T093003	7.0	3.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T093004	7.0	4.0	6.0	7.0	6.0	6.0	7.0	43.0	30.0	17.0	90.0
T093005	6.0	4.0	6.0	7.0	6.0	6.0	7.0	42.0	30.0	17.0	89.0
T093006	7.0	3.0	7.0	6.0	7.0	6.0	6.0	42.0	30.0	16.0	88.0
T093007	6.0	3.0	7.0	7.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T093008	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T093009	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T093010	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T093011	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T093012	7.0	4.0	7.0	6.0	6.0	6.0	6.0	42.0	30.0	16.0	88.0
T093013	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T093014	7.0	4.0	6.0	6.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T093015	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T093016	7.0	3.0	7.0	7.0	6.0	6.0	8.0	44.0	30.0	17.0	91.0
T093017	7.0	2.0	7.0	5.0	7.0	6.0	7.0	41.0	30.0	16.0	87.0
T093018	7.0	2.0	7.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T093019	7.0	3.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	16.0	89.0
T093020	7.0	3.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	17.0	90.0
T093021	7.0	3.0	7.0	6.0	6.0	6.0	7.0	42.0	30.0	18.0	90.0
T093022	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	17.0	91.0
T093023	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T093024	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T093025	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	16.0	90.0
T093027	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	16.0	88.0
T093028	7.0	3.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T093029	7.0	3.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	16.0	89.0
T093030	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T093031	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	17.0	91.0
T093032	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T093033	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T093034	7.0	4.0	7.0	7.0	6.0	6.0	6.0	43.0	30.0	17.0	90.0
T093035	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T093036	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	16.0	89.0
T093037	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T094019	7.0	3.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T094032	7.0	3.0	6.0	5.0	7.0	6.0	6.0	40.0	30.0	16.0	86.0
T094033	7.0	4.0	6.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T094034	7.0	3.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T094035	7.0	3.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T094036	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T094037	7.0	3.0	5.0	7.0	7.0	6.0	7.0	42.0	30.0	16.0	88.0
T095001	7.0	4.0	5.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T095002	6.0	4.0	7.0	6.0	7.0	5.0	6.0	41.0	30.0	16.0	87.0
T095003	6.0	4.0	6.0	7.0	7.0	5.0	8.0	43.0	30.0	16.0	89.0
T095004	6.0	3.0	7.0	6.0	7.0	6.0	7.0	42.0	30.0	16.0	88.0
T095005	6.0	2.0	7.0	7.0	7.0	6.0	7.0	42.0	30.0	16.0	88.0
T095006	6.0	4.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T095007	6.0	3.0	7.0	7.0	7.0	5.0	8.0	43.0	30.0	16.0	89.0
T095008	6.0	3.0	7.0	6.0	7.0	5.0	7.0	41.0	30.0	16.0	87.0
T095009	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T095010	6.0	4.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	16.0	88.0
T095011	7.0	4.0	6.0	6.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T095012	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T095013	6.0	4.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T095014	7.0	4.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	17.0	90.0
T095015	7.0	3.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T213014	6.0	3.0	7.0	7.0	6.0	4.0	7.0	40.0	30.0	18.0	88.0
T213015	7.0	4.0	8.0	8.0	7.0	6.0	6.0	46.0	30.0	16.0	92.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T213016	8.0	2.0	6.0	8.0	6.0	4.0	8.0	42.0	30.0	16.0	88.0
T213017	4.0	2.0	4.0	8.0	8.0	5.0	6.0	37.0	30.0	17.0	84.0
T213018	8.0	4.0	6.0	7.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T213031	6.0	3.0	7.0	7.0	6.0	3.0	8.0	40.0	30.0	16.0	86.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1，19号-2020级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T011027	7.0	2.0	5.0	7.0	5.0	6.0	7.0	39.0	30.0	18.0	87.0
T012002	6.0	3.0	5.0	6.0	6.0	6.0	7.0	39.0	30.0	17.0	86.0
T012003	6.0	4.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	19.0	90.0
T012004	7.0	4.0	5.0	7.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012005	7.0	4.0	6.0	7.0	6.0	6.0	6.0	42.0	30.0	18.0	90.0
T012006	7.0	4.0	7.0	7.0	6.0	5.0	6.0	42.0	30.0	19.0	91.0
T012007	7.0	4.0	7.0	7.0	6.0	5.0	6.0	42.0	30.0	18.0	90.0
T012008	7.0	3.0	7.0	7.0	6.0	4.0	6.0	40.0	30.0	18.0	88.0
T012009	7.0	4.0	7.0	6.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T012010	6.0	4.0	7.0	7.0	6.0	5.0	6.0	41.0	30.0	18.0	89.0
T012011	6.0	4.0	7.0	7.0	6.0	5.0	6.0	41.0	30.0	18.0	89.0
T012012	6.0	4.0	6.0	7.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T012013	7.0	4.0	7.0	7.0	6.0	6.0	6.0	43.0	30.0	19.0	92.0
T012014	6.0	3.0	6.0	7.0	6.0	5.0	6.0	39.0	30.0	18.0	87.0
T012015	6.0	4.0	6.0	7.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012016	6.0	4.0	6.0	7.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012017	6.0	3.0	7.0	6.0	6.0	6.0	7.0	41.0	30.0	18.0	89.0
T012018	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012019	6.0	4.0	7.0	6.0	6.0	6.0	5.0	40.0	30.0	18.0	88.0
T012020	6.0	2.0	7.0	6.0	6.0	6.0	6.0	39.0	30.0	18.0	87.0
T012021	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012022	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T012023	5.0	4.0	7.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T012024	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012025	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012026	6.0	4.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T012027	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012028	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012029	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012030	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012031	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012032	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012033	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	18.0	89.0
T012034	6.0	4.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T012035	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T012036	6.0	4.0	6.0	6.0	6.0	6.0	5.0	39.0	30.0	18.0	87.0
T012037	5.0	4.0	5.0	6.0	6.0	6.0	6.0	38.0	30.0	18.0	86.0
T012038	5.0	4.0	6.0	6.0	6.0	6.0	6.0	39.0	30.0	18.0	87.0
T012039	6.0	3.0	6.0	6.0	6.0	6.0	6.0	39.0	30.0	18.0	87.0
T012040	6.0	4.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T012041	6.0	4.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T012042	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	19.0	93.0
T012043	7.0	4.0	7.0	6.0	6.0	6.0	7.0	43.0	30.0	18.0	91.0
T012044	6.0	2.0	6.0	6.0	6.0	6.0	6.0	38.0	30.0	18.0	86.0
T012045	6.0	4.0	6.0	6.0	6.0	6.0	5.0	39.0	30.0	18.0	87.0
T012046	6.0	4.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T012047	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	19.0	93.0
T012048	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T012049	6.0	4.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T012050	6.0	2.0	6.0	6.0	7.0	5.0	6.0	38.0	30.0	18.0	86.0
T012051	7.0	4.0	7.0	7.0	7.0	4.0	6.0	42.0	30.0	18.0	90.0
T012052	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T012053	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012054	7.0	3.0	7.0	7.0	7.0	4.0	6.0	41.0	30.0	18.0	89.0
T012055	7.0	3.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	18.0	93.0
T012056	6.0	3.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T012057	7.0	3.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T012058	6.0	4.0	6.0	7.0	7.0	4.0	6.0	40.0	30.0	18.0	88.0
T012059	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	18.0	92.0
T012060	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T012061	7.0	3.0	6.0	6.0	8.0	4.0	8.0	42.0	30.0	17.0	89.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012062	6.0	3.0	6.0	6.0	7.0	4.0	7.0	39.0	30.0	17.0	86.0
T012063	6.0	2.0	6.0	7.0	7.0	5.0	6.0	39.0	30.0	18.0	87.0
T012064	6.0	3.0	7.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T012065	6.0	2.0	2.0	6.0	7.0	5.0	6.0	34.0	30.0	18.0	82.0
T012066	6.0	3.0	7.0	6.0	6.0	6.0	7.0	41.0	30.0	17.0	88.0
T012067	6.0	2.0	6.0	7.0	7.0	6.0	8.0	42.0	30.0	17.0	89.0
T012068	6.0	2.0	7.0	7.0	7.0	5.0	7.0	41.0	30.0	19.0	90.0
T012069	6.0	3.0	6.0	6.0	6.0	4.0	6.0	37.0	30.0	18.0	85.0
T012070	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012071	6.0	2.0	7.0	7.0	7.0	5.0	7.0	41.0	30.0	19.0	90.0
T012072	6.0	2.0	7.0	6.0	7.0	5.0	7.0	40.0	30.0	19.0	89.0
T012073	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T012074	7.0	2.0	6.0	7.0	6.0	6.0	7.0	41.0	30.0	19.0	90.0
T012075	7.0	2.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	19.0	90.0
T012076	7.0	2.0	6.0	7.0	6.0	5.0	6.0	39.0	30.0	18.0	87.0
T012077	7.0	3.0	6.0	7.0	7.0	5.0	8.0	43.0	30.0	18.0	91.0
T012078	6.0	2.0	7.0	7.0	7.0	5.0	6.0	40.0	30.0	17.0	87.0
T012079	7.0	2.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T012080	7.0	2.0	6.0	5.0	6.0	4.0	7.0	37.0	30.0	18.0	85.0
T012081	6.0	2.0	7.0	7.0	7.0	5.0	8.0	42.0	30.0	17.0	89.0
T012082	6.0	3.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T012083	6.0	3.0	6.0	7.0	7.0	5.0	6.0	40.0	30.0	18.0	88.0
T012084	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T012085	6.0	3.0	7.0	6.0	6.0	4.0	6.0	38.0	30.0	18.0	86.0
T012086	6.0	3.0	7.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T012087	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012088	7.0	3.0	6.0	6.0	7.0	5.0	6.0	40.0	30.0	17.0	87.0
T012089	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	18.0	92.0
T012090	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012091	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T012092	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012093	6.0	1.0	7.0	7.0	6.0	5.0	6.0	38.0	30.0	18.0	86.0
T012094	7.0	2.0	6.0	7.0	7.0	5.0	8.0	42.0	30.0	17.0	89.0
T012095	7.0	3.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T012096	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T176083	6.0	4.0	7.0	7.0	6.0	6.0	6.0	42.0	30.0	17.0	89.0
T194072	6.0	4.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	16.0	87.0
T194073	5.0	4.0	6.0	7.0	7.0	5.0	6.0	40.0	30.0	17.0	87.0
T194074	7.0	4.0	8.0	6.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T194075	7.0	4.0	7.0	7.0	6.0	6.0	6.0	43.0	30.0	17.0	90.0
T194076	7.0	4.0	8.0	7.0	6.0	6.0	7.0	45.0	30.0	17.0	92.0
T194077	7.0	4.0	8.0	7.0	6.0	6.0	7.0	45.0	30.0	18.0	93.0
T194078	5.0	4.0	6.0	6.0	7.0	5.0	6.0	39.0	30.0	17.0	86.0
T194079	6.0	4.0	8.0	7.0	7.0	5.0	5.0	42.0	30.0	17.0	89.0
T194085	6.0	4.0	7.0	6.0	7.0	5.0	5.0	40.0	30.0	18.0	88.0
T194086	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	17.0	89.0
T194087	6.0	4.0	8.0	6.0	7.0	5.0	6.0	42.0	30.0	16.0	88.0
T194088	7.0	4.0	7.0	7.0	6.0	6.0	6.0	43.0	30.0	16.0	89.0
T194089	6.0	4.0	7.0	6.0	6.0	6.0	7.0	42.0	30.0	17.0	89.0
T194090	5.0	4.0	6.0	7.0	7.0	5.0	6.0	40.0	30.0	17.0	87.0
T194091	6.0	3.0	6.0	7.0	7.0	5.0	7.0	41.0	30.0	17.0	88.0
T194092	6.0	4.0	6.0	6.0	7.0	5.0	6.0	40.0	30.0	17.0	87.0
T194093	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T194094	7.0	4.0	6.0	6.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T194095	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	16.0	88.0
T195001	6.0	4.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	17.0	89.0
T195002	6.0	4.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T195003	6.0	4.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	17.0	90.0
T195004	6.0	4.0	7.0	7.0	6.0	6.0	6.0	42.0	30.0	16.0	88.0
T195005	7.0	4.0	8.0	7.0	6.0	6.0	7.0	45.0	30.0	17.0	92.0
T195006	6.0	4.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	17.0	90.0
T215023	8.0	4.0	6.0	6.0	4.0	6.0	7.0	41.0	30.0	16.0	87.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T215025	7.0	3.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T215026	7.0	3.0	6.0	6.0	7.0	6.0	6.0	41.0	30.0	16.0	87.0
T215027	7.0	4.0	6.0	6.0	5.0	6.0	6.0	40.0	30.0	18.0	88.0
T215028	6.0	3.0	6.0	6.0	6.0	6.0	8.0	41.0	30.0	18.0	89.0
T215029	8.0	3.0	6.0	6.0	5.0	6.0	4.0	38.0	30.0	18.0	86.0
T215030	8.0	4.0	7.0	6.0	6.0	6.0	6.0	43.0	30.0	18.0	91.0
T215041	8.0	4.0	6.0	6.0	5.0	6.0	6.0	41.0	30.0	18.0	89.0