

西南交通大学电气工程学院卫生检查成绩（天佑斋14、21号-2021级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手 间8分				
T141031	6.0	4.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T142001	6.0	4.0	7.0	6.0	8.0	6.0	8.0	45.0	30.0	16.0	91.0
T142002	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T142003	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T142004	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T142005	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T142006	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T142007	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T142008	6.0	4.0	6.0	7.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T142009	6.0	4.0	6.0	7.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T142010	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T142011	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T142012	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T142013	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T142014	7.0	4.0	6.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T142015	6.0	4.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	16.0	90.0
T142017	7.0	4.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T142018	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T142019	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T142020	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T212012	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T212013	8.0	4.0	5.0	7.0	7.0	5.0	8.0	44.0	30.0	17.0	91.0

西南交通大学电气工程学院卫生检查成绩（天佑斋8、11、21号-2020级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T083025	7.0	3.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	19.0	95.0
T083026	7.0	2.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T083027	7.0	1.0	7.0	8.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T083028	7.0	3.0	6.0	7.0	8.0	5.0	7.0	43.0	30.0	18.0	91.0
T083029	7.0	4.0	6.0	8.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T083031	7.0	3.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	19.0	96.0
T083032	8.0	3.0	8.0	6.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T083033	6.0	3.0	5.0	6.0	8.0	5.0	8.0	41.0	30.0	14.0	85.0
T083034	7.0	3.0	7.0	6.0	8.0	6.0	8.0	45.0	30.0	16.0	91.0
T083035	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T083036	6.0	3.0	7.0	7.0	7.0	6.0	8.0	44.0	30.0	15.0	89.0
T083037	6.0	3.0	6.0	7.0	8.0	6.0	8.0	44.0	30.0	15.0	89.0
T083038	7.0	3.0	6.0	7.0	7.0	5.0	8.0	43.0	30.0	14.5	87.5
T083039	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T083040	6.0	4.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	15.0	88.0
T083041	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T083042	7.0	4.0	6.0	8.0	8.0	4.0	8.0	45.0	30.0	17.0	92.0
T115015	7.0	4.0	6.0	8.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T115016	8.0	4.0	7.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T115017	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T115018	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T211038	8.0	4.0	5.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0

西南交通大学电气工程学院卫生检查成绩（天佑斋8, 11、21号-2019级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T081001	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T081002	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T081003	8.0	3.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T081021	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T081031	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	17.0	96.0
T081032	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T082012	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T082013	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T082014	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T082015	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	15.0	90.0
T082039	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T082040	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	15.0	90.0
T082041	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T082042	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T082043	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T082044	7.0	3.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T082045	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T113004	8.0	4.0	7.0	6.0	8.0	4.0	8.0	45.0	30.0	16.0	91.0
T113005	7.0	4.0	7.0	6.0	8.0	3.0	8.0	43.0	30.0	15.0	88.0
T113006	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T113008	8.0	4.0	8.0	7.0	7.0	4.0	8.0	46.0	30.0	16.0	92.0
T113009	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T211043	8.0	4.0	6.0	8.0	8.0	4.0	7.0	45.0	30.0	17.0	92.0
T211044	8.0	4.0	5.0	7.0	8.0	6.0	7.0	45.0	30.0	17.0	92.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3、6、9、21号-2021级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T034043	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T061001	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T061013	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T061014	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	17.0	90.0
T061017	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T066013	7.0	4.0	7.0	6.0	8.0	6.0	6.0	44.0	30.0	18.0	92.0
T091001	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T091002	6.0	4.0	7.0	7.0	8.0	5.0	6.0	43.0	30.0	18.0	91.0
T091005	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T091007	8.0	4.0	8.0	8.0	7.0	6.0	6.0	47.0	30.0	18.0	95.0
T091008	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T091009	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T091010	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T091011	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T091012	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T091013	7.0	4.0	7.0	6.0	8.0	6.0	6.0	44.0	30.0	18.0	92.0
T091014	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T091017	6.0	4.0	7.0	7.0	8.0	5.0	6.0	43.0	30.0	18.0	91.0
T091019	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T091020	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	18.0	96.0
T091021	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T091022	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T091023	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T091024	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T091025	8.0	4.0	8.0	6.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T091026	6.0	3.0	7.0	6.0	8.0	6.0	6.0	42.0	30.0	18.0	90.0
T091027	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092001	6.0	4.0	7.0	7.0	8.0	5.0	6.0	43.0	30.0	18.0	91.0
T092002	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T092003	5.0	4.0	8.0	8.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T092004	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	17.0	90.0
T092005	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T092006	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T092007	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T092008	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T092009	7.0	4.0	7.0	6.0	8.0	6.0	6.0	44.0	30.0	18.0	92.0
T092010	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092011	8.0	4.0	7.0	7.0	8.0	5.0	6.0	45.0	30.0	18.0	93.0
T092012	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T092013	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	18.0	95.0
T092014	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092015	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T092016	6.0	4.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	18.0	92.0
T092017	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T092018	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T092019	7.0	4.0	7.0	6.0	8.0	6.0	6.0	44.0	30.0	18.0	92.0
T092020	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092021	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T092022	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	18.0	94.0
T092023	8.0	4.0	8.0	8.0	7.0	6.0	6.0	47.0	30.0	18.0	95.0
T092024	6.0	4.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	18.0	92.0
T092025	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	18.0	92.0
T092027	8.0	4.0	8.0	6.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T092028	7.0	4.0	7.0	6.0	8.0	6.0	6.0	44.0	30.0	18.0	92.0
T092029	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092030	6.0	4.0	7.0	7.0	8.0	5.0	6.0	43.0	30.0	18.0	91.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T092031	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T092032	8.0	4.0	8.0	8.0	7.0	6.0	6.0	47.0	30.0	18.0	95.0
T092033	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092034	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T092035	6.0	4.0	7.0	7.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T092036	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T092037	8.0	3.0	6.0	7.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T093001	6.0	4.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	16.0	88.0
T093002	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T093003	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	17.0	96.0
T093004	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T093005	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	16.0	95.0
T093006	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	16.0	94.0
T093007	7.0	3.0	8.0	8.0	6.0	6.0	7.0	45.0	30.0	16.0	91.0
T093008	7.0	3.0	8.0	8.0	6.0	6.0	8.0	46.0	30.0	16.0	92.0
T093009	6.0	3.0	7.0	7.0	8.0	4.0	7.0	42.0	30.0	15.0	87.0
T093010	7.0	3.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	16.0	91.0
T093011	7.0	3.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T093012	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T093013	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T093014	7.0	3.0	8.0	8.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T093015	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T093016	8.0	3.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T093017	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T093018	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T093019	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T093020	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	16.0	93.0
T093021	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	15.0	91.0
T093022	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T093023	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T093024	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T093025	7.0	3.0	7.0	8.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T093027	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T093028	7.0	3.0	8.0	8.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T093029	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T093030	7.0	3.0	8.0	8.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T093031	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T093032	7.0	3.0	8.0	8.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T093033	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T093034	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T093035	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T093036	7.0	4.0	8.0	6.0	8.0	6.0	6.0	45.0	30.0	17.0	92.0
T093037	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T094019	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	17.0	93.0
T094032	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T094033	7.0	4.0	7.0	6.0	8.0	5.0	7.0	44.0	30.0	15.0	89.0
T094034	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T094035	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T094036	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T094037	7.0	3.0	8.0	6.0	6.0	6.0	7.0	43.0	30.0	15.0	88.0
T095001	8.0	4.0	8.0	6.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T095002	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T095003	7.0	3.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	15.0	92.0
T095004	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	15.0	91.0
T095005	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T095006	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	15.0	91.0
T095007	7.0	4.0	7.0	6.0	6.0	5.0	7.0	42.0	30.0	15.0	87.0
T095008	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T095009	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T095010	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T095011	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T095012	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T095013	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T095014	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	15.0	92.0
T095015	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T213014	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T213015	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T213016	7.0	2.0	7.0	7.0	8.0	6.0	7.0	44.0	30.0	19.0	93.0
T213017	6.0	4.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	18.0	95.0
T213018	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T213031	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1、19、21号-2020级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T011027	7.0	3.0	8.0	7.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T012002	8.0	2.0	6.0	8.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T012003	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T012004	8.0	4.0	6.0	8.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012005	8.0	4.0	6.0	8.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012006	7.0	3.0	8.0	7.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T012007	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T012008	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T012009	8.0	4.0	7.5	8.0	8.0	6.0	7.0	48.5	30.0	17.0	95.5
T012010	7.5	4.0	7.5	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012011	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T012012	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T012013	8.0	3.5	8.0	8.0	8.0	6.0	8.0	49.5	30.0	17.0	96.5
T012014	7.5	3.5	7.5	8.0	8.0	6.0	7.0	47.5	30.0	16.0	93.5
T012015	8.0	4.0	7.5	8.0	8.0	6.0	7.0	48.5	30.0	16.0	94.5
T012016	7.5	3.0	8.0	8.0	8.0	6.0	7.0	47.5	30.0	16.0	93.5
T012017	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T012018	7.0	3.5	8.0	8.0	8.0	5.0	7.0	46.5	30.0	16.0	92.5
T012019	7.5	4.0	7.0	7.0	8.0	6.0	7.0	46.5	30.0	16.0	92.5
T012020	7.5	4.0	8.0	7.5	7.5	6.0	7.0	47.5	30.0	16.0	93.5
T012021	7.5	3.5	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T012022	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T012023	7.0	3.0	8.0	8.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012024	7.5	4.0	7.0	7.0	8.0	6.0	7.0	46.5	30.0	16.0	92.5
T012025	7.0	3.5	7.0	7.5	7.5	6.0	7.0	45.5	30.0	17.0	92.5
T012026	7.0	3.5	7.0	7.0	7.0	6.0	7.0	44.5	30.0	16.0	90.5
T012027	8.0	4.0	7.5	8.0	8.0	6.0	7.0	48.5	30.0	16.0	94.5
T012028	7.5	4.0	8.0	7.5	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T012029	8.0	4.0	8.0	7.5	7.5	6.0	7.0	48.0	30.0	16.0	94.0
T012030	6.5	3.5	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T012031	8.0	4.0	8.0	7.5	7.5	6.0	7.0	48.0	30.0	16.0	94.0
T012032	7.3	3.5	8.0	7.0	8.0	6.0	7.0	46.8	30.0	16.0	92.8
T012033	7.5	4.0	7.0	7.5	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012034	7.5	4.0	7.5	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T012035	7.0	3.0	7.0	7.0	8.0	6.0	6.0	44.0	30.0	16.0	90.0
T012036	8.0	3.0	8.0	7.5	8.0	6.0	6.0	39.0	30.0	16.0	85.0
T012037	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012038	7.5	4.0	7.0	7.0	8.0	6.0	6.0	45.5	30.0	17.0	92.5
T012039	8.0	3.5	8.0	8.0	8.0	6.0	7.0	48.5	30.0	16.0	94.5
T012040	8.0	4.0	8.0	7.5	8.0	6.0	6.0	47.5	30.0	16.0	93.5
T012041	7.5	3.5	7.5	8.0	8.0	6.0	7.0	47.5	30.0	16.0	93.5
T012042	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T012043	7.5	3.0	7.5	8.0	8.0	5.5	7.0	46.5	30.0	16.0	92.5
T012044	7.5	4.0	7.0	7.5	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012045	7.5	4.0	8.0	8.0	8.0	5.5	7.0	48.0	30.0	16.0	94.0
T012046	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T012047	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	16.0	94.0
T012048	7.5	3.5	7.5	7.5	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012049	7.5	4.0	7.0	8.0	8.0	6.0	7.0	47.5	30.0	16.0	93.5
T012050	7.0	3.0	8.0	7.0	8.0	5.5	6.0	44.5	30.0	17.0	91.5
T012051	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T012052	8.0	4.0	8.0	7.0	7.0	5.0	7.5	46.5	30.0	17.0	93.5
T012053	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T012054	8.0	3.5	7.0	7.0	7.0	5.5	7.0	45.0	30.0	16.0	91.0
T012055	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T012056	7.0	3.5	7.0	7.0	8.0	5.0	7.0	44.5	30.0	16.0	90.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012057	8.0	3.5	8.0	7.0	8.0	5.0	7.0	46.5	30.0	16.0	92.5
T012058	8.0	3.5	7.0	7.0	7.0	5.0	7.0	44.5	30.0	16.0	90.5
T012059	8.0	3.5	8.0	8.0	8.0	5.0	7.0	47.5	30.0	17.0	94.5
T012060	7.0	3.5	8.0	7.0	8.0	5.5	7.0	46.0	30.0	16.0	92.0
T012061	7.0	4.0	7.0	7.0	8.0	5.5	7.0	45.5	30.0	16.0	91.5
T012062	8.0	3.5	7.0	7.0	8.0	5.0	7.0	45.5	30.0	16.0	91.5
T012063	8.0	3.5	7.0	7.0	7.0	5.5	7.0	45.0	30.0	17.0	92.0
T012064	8.0	3.5	8.0	8.0	7.0	5.5	7.0	47.0	30.0	16.0	93.0
T012065	8.0	3.5	7.0	8.0	8.0	4.5	7.0	46.0	30.0	16.0	92.0
T012066	8.0	3.5	7.0	7.0	7.0	5.5	7.0	45.0	30.0	16.0	91.0
T012067	8.0	3.5	7.0	8.0	7.0	5.0	7.5	46.0	30.0	17.0	93.0
T012068	8.0	3.5	7.0	7.0	7.0	5.0	7.0	44.5	30.0	16.0	90.5
T012069	7.0	3.5	8.0	8.0	8.0	5.0	7.0	46.5	30.0	16.0	92.5
T012070	8.0	3.5	8.0	8.0	8.0	5.0	7.0	47.5	30.0	16.0	93.5
T012071	8.0	3.5	7.0	7.0	8.0	5.0	7.0	45.5	30.0	17.0	92.5
T012072	8.0	3.5	8.0	7.0	7.0	5.0	7.0	45.5	30.0	16.0	91.5
T012073	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T012074	8.0	3.5	8.0	8.0	8.0	6.0	7.0	48.5	30.0	16.0	94.5
T012075	8.0	3.5	7.0	8.0	8.0	5.0	7.0	46.5	30.0	17.0	93.5
T012076	8.0	3.5	7.0	8.0	8.0	5.0	7.0	46.5	30.0	16.0	92.5
T012077	8.0	3.5	7.0	7.0	7.0	5.0	7.5	45.0	30.0	16.0	91.0
T012078	8.0	3.5	7.0	7.0	8.0	5.0	7.0	45.5	30.0	16.0	91.5
T012079	8.0	4.0	7.0	8.0	7.0	5.0	7.0	46.0	30.0	16.0	92.0
T012080	8.0	3.5	8.0	8.0	7.0	5.0	6.5	46.0	30.0	17.0	93.0
T012081	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T012082	8.0	3.5	8.0	8.0	8.0	5.0	7.0	47.5	30.0	16.0	93.5
T012083	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T012084	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T012085	8.0	4.0	8.0	8.0	7.5	5.0	7.0	47.5	30.0	16.0	93.5
T012086	8.0	3.5	7.0	7.0	7.0	5.5	7.0	45.0	30.0	16.0	91.0
T012087	8.0	4.0	7.0	7.0	7.5	5.0	7.0	45.5	30.0	16.0	91.5
T012088	8.0	3.5	7.0	8.0	7.5	5.0	7.0	46.0	30.0	17.0	93.0
T012089	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T012090	8.0	3.5	7.0	7.0	8.0	5.0	7.0	45.5	30.0	16.0	91.5
T012091	8.0	3.5	8.0	7.0	7.5	5.0	7.0	46.0	30.0	16.0	92.0
T012092	8.0	3.5	7.0	8.0	8.0	5.0	7.0	46.5	30.0	17.0	93.5
T012093	8.0	3.5	7.0	7.0	7.5	5.0	7.0	45.0	30.0	16.0	91.0
T012094	8.0	3.5	7.0	7.0	8.0	5.0	7.0	45.5	30.0	16.0	91.5
T012095	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T012096	8.0	3.5	7.0	7.0	8.0	5.0	7.0	45.5	30.0	17.0	92.5
T194072	8.0	4.0	7.0	7.5	7.0	4.0	7.0	44.5	30.0	17.0	91.5
T194073	7.0	3.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	18.0	95.0
T194074	8.0	3.0	7.5	7.5	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T194075	7.0	2.0	7.5	7.0	7.0	6.0	8.0	44.5	30.0	18.0	92.5
T194076	7.0	2.0	7.5	7.5	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T194077	8.0	4.0	7.0	7.0	7.0	4.0	7.0	44.0	30.0	18.0	92.0
T194078	8.0	4.0	7.5	7.0	7.0	6.0	7.0	46.5	30.0	17.0	93.5
T194079	7.0	2.0	7.5	7.0	7.5	5.0	8.0	44.0	30.0	18.0	92.0
T194085	7.0	4.0	7.5	7.0	7.0	6.0	8.0	46.5	30.0	17.0	93.5
T194086	7.0	4.0	7.5	7.0	7.5	6.0	8.0	47.0	30.0	17.0	94.0
T194087	7.0	3.0	7.5	7.0	7.5	5.0	8.0	45.0	30.0	18.0	93.0
T194088	6.0	2.0	7.5	7.0	7.5	4.0	7.0	41.0	30.0	18.0	89.0
T194089	7.0	3.0	7.5	7.0	7.0	6.0	8.0	45.5	30.0	18.0	93.5
T194090	7.0	3.0	7.5	7.0	7.0	5.0	8.0	44.5	30.0	18.0	92.5
T194091	6.0	4.0	7.0	7.5	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T194092	7.0	2.0	7.0	7.0	7.5	6.0	7.0	43.5	30.0	18.0	91.5
T194093	8.0	4.0	7.5	7.5	7.0	6.0	7.5	47.5	30.0	17.0	94.5
T194094	7.0	4.0	8.0	7.5	7.0	5.0	8.0	46.5	30.0	18.0	94.5
T194095	6.0	2.0	7.0	7.0	7.5	6.0	8.0	43.5	30.0	18.0	91.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T195001	8.0	4.0	7.0	7.0	7.5	6.0	8.0	47.5	30.0	18.0	95.5
T195002	6.0	2.0	7.5	7.5	7.0	4.0	8.0	42.0	30.0	18.0	90.0
T195003	6.0	3.0	7.0	7.5	7.0	5.0	7.0	42.5	30.0	17.0	89.5
T195004	7.0	3.0	7.5	7.5	7.5	5.0	7.0	44.5	30.0	18.0	92.5
T195005	7.0	3.0	8.0	7.5	8.0	6.0	8.0	47.5	30.0	18.0	95.5
T195006	7.0	3.0	7.5	7.5	7.5	5.0	7.0	44.5	30.0	18.0	92.5
T176083	8.0	4.0	7.5	7.0	7.5	5.0	7.0	46.0	30.0	18.0	94.0
T215023	8.0	4.0	7.0	7.0	6.0	5.0	7.0	44.0	30.0	16.0	90.0
T215025	7.0	3.0	7.0	7.0	6.0	5.0	7.0	42.0	30.0	16.0	88.0
T215026	6.0	3.0	6.0	6.0	6.0	5.0	7.0	39.0	30.0	15.0	84.0
T215028	7.0	3.0	6.0	6.0	6.0	5.0	7.0	40.0	30.0	16.0	86.0
T215029	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3、19、21号-2019级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T031036	7.0	3.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	17.0	92.0
T031037	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	16.0	89.0
T031038	6.0	3.0	8.0	6.0	8.0	5.0	6.0	42.0	30.0	17.0	89.0
T031039	7.0	3.0	8.0	7.0	8.0	5.0	5.0	43.0	30.0	17.0	90.0
T031040	7.0	3.0	7.0	6.0	8.0	5.0	6.0	42.0	30.0	17.0	89.0
T031041	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T031042	7.0	3.0	7.0	6.0	8.0	5.0	6.0	42.0	30.0	17.0	89.0
T031043	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T031044	7.0	3.0	8.0	6.0	8.0	6.0	5.0	43.0	30.0	17.0	90.0
T031045	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T031046	7.0	4.0	8.0	6.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T031047	7.0	3.0	8.0	6.0	7.0	5.0	6.0	42.0	30.0	17.0	89.0
T031048	7.0	3.0	8.0	6.0	8.0	5.0	5.0	42.0	30.0	17.0	89.0
T031049	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T031050	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T031051	7.0	3.0	8.0	6.0	8.0	5.0	5.0	42.0	30.0	17.0	89.0
T031052	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T031053	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T031054	7.0	3.0	7.0	6.0	8.0	5.0	6.0	42.0	30.0	17.0	89.0
T031055	7.0	3.0	8.0	6.0	8.0	5.0	7.0	44.0	30.0	16.0	90.0
T031056	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T031057	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T031058	6.0	3.0	8.0	6.0	7.0	5.0	6.0	41.0	30.0	17.0	88.0
T031059	6.0	3.0	7.0	6.0	8.0	5.0	6.0	41.0	30.0	17.0	88.0
T031060	7.0	3.0	8.0	6.0	7.0	5.0	5.0	41.0	30.0	17.0	88.0
T031061	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T031062	7.0	3.0	8.0	6.0	8.0	6.0	6.0	44.0	30.0	17.0	91.0
T031063	7.0	3.0	8.0	7.0	7.0	5.0	6.0	43.0	30.0	17.0	90.0
T031064	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T031065	7.0	4.0	8.0	6.0	8.0	4.0	7.0	44.0	30.0	17.0	91.0
T032038	6.0	3.0	8.0	7.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T032039	7.0	4.0	8.0	7.0	8.0	5.0	6.0	45.0	30.0	17.0	92.0
T032040	6.0	3.0	8.0	6.0	8.0	5.0	6.0	42.0	30.0	17.0	89.0
T032041	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T032042	7.0	3.0	7.0	6.0	7.0	5.0	6.0	41.0	30.0	17.0	88.0
T032043	7.0	3.0	8.0	6.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T032044	6.0	4.0	8.0	7.0	8.0	5.0	5.0	43.0	30.0	17.0	90.0
T032045	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T032046	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T032047	7.0	3.0	8.0	6.0	8.0	5.0	5.0	42.0	30.0	17.0	89.0
T032048	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T032049	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	16.0	89.0
T032050	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T032051	6.0	3.0	8.0	6.0	8.0	4.0	7.0	42.0	30.0	17.0	89.0
T032052	7.0	3.0	8.0	6.0	7.0	5.0	5.0	41.0	30.0	17.0	88.0
T032053	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T032054	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	17.0	90.0
T032055	6.0	4.0	7.0	6.0	6.0	5.0	7.0	41.0	30.0	18.0	89.0
T032056	6.0	4.0	6.0	6.0	6.0	5.0	7.0	40.0	30.0	18.0	88.0
T032057	8.0	4.0	7.0	6.0	6.0	5.0	8.0	44.0	30.0	18.0	92.0
T032058	8.0	4.0	6.0	5.0	5.0	5.0	7.0	40.0	30.0	17.0	87.0
T032059	8.0	4.0	7.0	6.0	6.0	5.0	6.0	42.0	30.0	17.0	89.0
T032060	6.0	3.0	7.0	5.0	5.0	5.0	6.0	37.0	30.0	17.0	84.0
T032061	8.0	2.0	7.0	5.0	6.0	6.0	7.0	41.0	30.0	17.0	88.0
T032062	8.0	2.0	7.0	5.0	6.0	5.0	7.0	40.0	30.0	18.0	88.0
T032063	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	17.0	90.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032064	8.0	2.0	8.0	7.0	8.0	6.0	6.0	45.0	30.0	18.0	93.0
T032065	7.0	4.0	7.0	5.0	6.0	6.0	6.0	41.0	30.0	17.0	88.0
T032066	7.0	2.0	8.0	6.0	6.0	5.0	6.0	40.0	30.0	17.0	87.0
T032067	6.0	2.0	8.0	6.0	7.0	5.0	5.0	39.0	30.0	17.0	86.0
T032068	6.0	4.0	6.0	5.0	7.0	6.0	5.0	39.0	30.0	16.0	85.0
T032069	7.0	4.0	8.0	5.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T032070	6.0	4.0	6.0	4.0	5.0	6.0	6.0	37.0	30.0	16.0	83.0
T032071	7.0	3.0	4.0	4.0	5.0	6.0	6.0	35.0	30.0	17.0	82.0
T032072	4.0	2.0	4.0	4.0	5.0	5.0	5.0	29.0	30.0	17.0	76.0
T032073	8.0	4.0	7.0	6.0	5.0	4.0	7.0	41.0	30.0	16.0	87.0
T032074	6.0	4.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T032075	7.0	4.0	7.0	7.0	7.0	5.0	6.0	43.0	30.0	18.0	91.0
T032076	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	18.0	96.0
T032077	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T032078	7.0	3.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	17.0	92.0
T032079	6.0	4.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T032080	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T032081	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T032082	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T032083	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T032084	7.0	4.0	8.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T032085	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T032086	8.0	4.0	8.0	6.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T032087	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T032088	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T032089	8.0	3.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T032090	7.0	4.0	8.0	7.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T032091	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T032092	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	17.0	96.0
T032093	8.0	3.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T032094	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	18.0	93.0
T032095	8.0	3.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T032096	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	17.0	92.0
T032097	8.0	3.0	8.0	6.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T032098	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T032099	7.0	3.0	8.0	6.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T032100	7.0	4.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T191077	8.0	4.0	7.0	6.0	7.0	5.0	6.0	43.0	30.0	17.0	90.0
T193024	8.0	4.0	7.0	8.0	7.0	5.0	7.0	46.0	30.0	16.0	92.0
T193025	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	16.0	90.0
T193026	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	16.0	93.0
T193029	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	16.0	91.0
T193030	7.0	3.0	8.0	6.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T193031	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	17.0	90.0
T193032	8.0	3.0	8.0	7.0	8.0	6.0	6.5	46.5	30.0	17.0	93.5
T193033	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T193034	7.0	3.0	7.0	7.0	7.0	6.0	6.5	43.5	30.0	16.0	89.5
T193035	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T193036	8.0	3.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T193037	8.0	4.0	8.0	6.0	8.0	6.0	6.0	46.0	30.0	18.0	94.0
T193038	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T193039	8.0	3.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T193040	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T193041	7.0	4.0	7.0	6.5	7.0	5.0	7.0	43.5	30.0	16.0	89.5
T193042	8.0	4.0	7.0	6.0	7.0	5.0	6.5	43.5	30.0	17.0	90.5
T193043	7.0	4.0	7.0	7.0	7.0	6.0	6.5	44.5	30.0	16.0	90.5
T193044	7.0	4.0	7.0	7.0	7.0	6.0	6.5	44.5	30.0	16.0	90.5
T193046	7.0	3.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T193047	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T193048	7.0	3.0	7.0	7.5	7.0	6.0	6.5	44.0	30.0	16.0	90.0
T193049	7.0	4.0	8.0	6.5	8.0	6.0	7.0	46.5	30.0	16.0	92.5
T193050	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T193051	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	16.0	93.0
T193052	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T213038	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T213039	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T213040	6.0	4.0	8.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T213041	7.0	3.0	8.0	7.0	7.0	5.0	8.0	45.0	30.0	19.0	94.0
T213042	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T213043	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T213044	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0