

西南交通大学电气工程学院卫生检查成绩（天佑斋8、21号-2020级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手间8分				
T083025	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	16.0	89.0
T083026	7.0	3.0	6.0	7.0	6.0	6.0	7.0	42.0	30.0	16.0	88.0
T083027	6.0	4.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T083028	7.0	3.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	16.0	89.0
T083029	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T083031	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T083032	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	17.0	92.0
T083033	7.0	3.0	6.0	7.0	6.0	6.0	7.0	42.0	30.0	16.0	88.0
T083034	7.0	3.0	7.0	8.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T083035	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T083036	7.0	3.0	7.0	8.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T083037	7.0	4.0	7.0	6.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T083038	6.0	2.0	6.0	7.0	6.0	6.0	7.0	40.0	30.0	16.0	86.0
T083039	7.0	3.0	6.0	7.0	6.0	6.0	7.0	42.0	30.0	17.0	89.0
T083040	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T083041	7.0	3.0	6.0	7.0	6.0	6.0	7.0	42.0	30.0	17.0	89.0
T083042	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T211038	8.0	3.0	6.0	8.0	7.0	5.0	6.0	43.0	30.0	19.0	92.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋8、21号-2019级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T081001	8.0	4.0	5.0	6.0	8.0	6.0	8.0	45.0	30.0	17.0	<u>92.0</u>
T081002	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	<u>96.0</u>
T081003	8.0	3.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	<u>95.0</u>
T081021	6.0	3.0	6.0	8.0	8.0	6.0	8.0	45.0	30.0	16.0	<u>91.0</u>
T081031	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	16.0	<u>91.0</u>
T081032	7.0	3.0	6.0	7.0	8.0	6.0	8.0	45.0	30.0	17.0	<u>92.0</u>
T082012	8.0	4.0	8.0	6.0	7.0	6.0	7.0	46.0	30.0	18.0	<u>94.0</u>
T082013	6.0	3.0	4.0	6.0	6.0	4.0	5.0	34.0	30.0	16.0	<u>80.0</u>
T082014	6.0	4.0	6.0	8.0	6.0	6.0	8.0	44.0	30.0	17.0	<u>91.0</u>
T082015	6.0	3.0	7.0	8.0	6.0	6.0	8.0	44.0	30.0	16.0	<u>90.0</u>
T082039	8.0	2.0	6.0	6.0	7.0	4.0	6.0	39.0	30.0	18.0	<u>87.0</u>
T082040	8.0	3.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	17.0	<u>89.0</u>
T082041	7.0	1.0	6.0	5.0	6.0	4.0	4.0	33.0	30.0	17.0	<u>80.0</u>
T082042	8.0	4.0	8.0	8.0	6.0	4.0	5.0	43.0	30.0	17.0	<u>90.0</u>
T082043	6.0	3.0	5.0	6.0	6.0	4.0	5.0	35.0	30.0	16.0	<u>81.0</u>
T082044	7.0	4.0	6.0	5.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T082045	8.0	4.0	8.0	7.0	7.0	5.0	7.0	46.0	30.0	17.0	93.0
T211043	8.0	3.0	5.0	7.0	7.0	5.0	6.0	41.0	30.0	20.0	91.0
T211044	8.0	4.0	7.0	8.0	8.0	5.0	6.0	46.0	30.0	20.0	96.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋15号-2018级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T155001	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T155002	8.0	4.0	7.0	8.0	5.0	2.0	8.0	42.0	30.0	17.0	89.0
T155003	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T155004	6.0	4.0	5.0	8.0	8.0	6.0	8.0	45.0	30.0	17.0	92.0
T155005	5.0	3.0	5.0	5.0	7.0	6.0	5.0	36.0	30.0	16.0	82.0
T155006	6.0	3.0	7.0	8.0	7.0	6.0	5.0	42.0	30.0	17.0	89.0
T155007	8.0	4.0	7.0	8.0	5.0	6.0	8.0	46.0	30.0	17.0	93.0
T155008	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T155009	8.0	4.0	6.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T156008	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T156009	7.0	4.0	7.0	8.0	6.0	6.0	8.0	46.0	30.0	17.0	93.0
T156011	8.0	3.0	8.0	8.0	6.0	6.0	8.0	47.0	30.0	17.0	94.0
T156013	8.0	3.0	5.0	8.0	6.0	6.0	8.0	44.0	30.0	17.0	91.0
T156014	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T156015	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T156016	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T156017	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T156018	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T156019	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1、21号-2020级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T011027	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	16.5	94.5
T012002	8.0	2.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T012003	7.0	4.0	7.0	7.5	8.0	5.5	7.0	46.0	30.0	16.5	92.5
T012004	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	16.5	94.5
T012005	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.5	97.5
T012006	7.0	4.0	7.0	8.0	8.0	5.0	7.5	46.5	30.0	16.0	92.5
T012007	7.0	3.5	7.5	8.0	8.0	6.0	7.0	47.0	30.0	16.5	93.5
T012008	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T012009	8.0	4.0	8.0	7.5	6.0	5.0	7.5	46.0	30.0	16.5	92.5
T012010	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T012011	8.0	3.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T012012	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	16.5	93.5
T012013	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T012014	8.0	3.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T012015	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	16.5	92.5
T012016	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	16.5	93.5
T012017	8.0	3.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	15.5	92.5
T012018	7.0	4.0	7.5	7.0	8.0	5.0	7.5	46.0	30.0	16.5	92.5
T012019	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T012020	7.5	4.0	6.0	7.0	8.0	6.0	7.5	46.0	30.0	16.5	92.5
T012021	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T012022	7.5	4.0	7.5	8.0	8.0	6.0	7.0	48.0	30.0	16.5	94.5
T012023	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T012024	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	16.5	93.5
T012025	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T012026	7.5	4.0	8.0	7.0	8.0	6.0	7.0	47.5	30.0	16.0	93.5
T012027	7.0	4.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	16.5	92.5
T012028	7.5	4.0	7.0	7.0	7.5	6.0	7.0	46.0	30.0	16.5	92.5
T012029	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	16.5	92.5
T012030	7.5	3.5	7.0	8.0	7.5	5.5	7.0	46.0	30.0	16.5	92.5
T012031	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T012032	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	16.5	92.5
T012033	8.0	4.0	7.0	7.0	6.0	6.0	8.0	46.0	30.0	16.5	92.5
T012034	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T012035	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	16.5	93.5
T012036	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	16.5	93.5
T012037	7.5	4.0	7.0	8.0	8.0	6.0	8.0	48.5	30.0	16.5	95.0
T012038	7.5	4.0	7.5	7.0	7.0	6.0	7.5	46.5	30.0	16.5	93.0
T012039	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	16.5	94.5
T012040	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.5	96.5
T012041	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T012042	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	16.5	92.5
T012043	7.0	3.0	7.0	8.0	8.0	6.0	7.0	46.0	30.0	16.5	92.5
T012044	7.5	4.0	6.0	7.0	8.0	6.0	7.0	45.5	30.0	17.0	92.5
T012045	7.0	4.0	8.0	8.0	7.0	5.0	7.0	46.0	30.0	16.5	92.5
T012046	7.0	3.0	7.0	8.0	8.0	6.0	7.0	46.0	30.0	16.5	92.5
T012047	8.0	4.0	7.5	7.0	7.0	6.0	8.0	47.5	30.0	16.5	94.0
T012048	8.0	4.0	7.0	8.0	8.0	4.0	6.0	45.0	30.0	16.5	91.5
T012049	6.5	3.5	7.5	8.0	8.0	6.0	7.0	46.5	30.0	16.5	93.0
T012050	6.5	3.5	7.5	7.5	7.5	6.0	7.5	46.0	30.0	16.5	92.5
T012051	7.0	3.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	19.0	90.0
T012052	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	19.0	93.0
T012053	8.0	4.0	7.0	6.0	6.0	6.0	6.0	43.0	30.0	19.0	92.0
T012054	7.0	4.0	6.0	7.0	5.0	6.0	6.0	41.0	30.0	19.0	90.0
T012055	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	19.0	97.0
T012056	8.0	4.0	7.0	8.0	6.0	5.0	8.0	46.0	30.0	19.0	95.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012057	7.0	4.0	7.0	7.0	7.0	5.0	6.0	43.0	30.0	18.0	91.0
T012058	7.0	4.0	6.0	7.0	5.0	6.0	8.0	43.0	30.0	19.0	92.0
T012059	7.0	4.0	7.0	7.0	5.0	6.0	7.0	43.0	30.0	19.0	92.0
T012060	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T012061	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	20.0	97.0
T012062	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T012063	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T012064	6.0	4.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	19.0	90.0
T012065	6.0	4.0	6.0	7.0	6.0	6.0	6.0	41.0	30.0	19.0	90.0
T012066	7.0	3.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	19.0	92.0
T012067	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	19.0	94.0
T012068	6.0	3.0	7.0	7.0	5.0	6.0	7.0	41.0	30.0	19.0	90.0
T012069	7.0	4.0	8.0	7.0	6.0	6.0	7.0	45.0	30.0	19.0	94.0
T012070	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T012071	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012072	7.0	4.0	6.0	7.0	5.0	5.0	7.0	41.0	30.0	19.0	90.0
T012073	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T012074	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	19.0	97.0
T012075	8.0	4.0	7.0	8.0	6.0	5.0	8.0	46.0	30.0	20.0	96.0
T012076	8.0	4.0	7.0	7.0	6.0	5.0	7.0	44.0	30.0	19.0	93.0
T012077	8.0	4.0	8.0	8.0	7.0	5.0	7.0	47.0	30.0	19.0	96.0
T012078	7.0	4.0	7.0	8.0	6.0	5.0	7.0	44.0	30.0	19.0	93.0
T012079	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T012080	7.0	4.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	19.0	94.0
T012081	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T012082	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T012083	8.0	3.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T012084	8.0	4.0	8.0	8.0	7.0	5.0	7.0	47.0	30.0	19.0	96.0
T012085	8.0	4.0	7.0	8.0	5.0	5.0	7.0	44.0	30.0	19.0	93.0
T012086	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T012087	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	19.0	97.0
T012088	7.0	3.0	7.0	7.0	5.0	6.0	8.0	43.0	30.0	19.0	92.0
T012089	8.0	3.0	7.0	6.0	5.0	5.0	7.0	41.0	30.0	19.0	90.0
T012090	7.0	4.0	8.0	7.0	7.0	4.0	8.0	45.0	30.0	19.0	94.0
T012091	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T012092	8.0	3.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T012093	8.0	3.0	7.0	7.0	5.0	5.0	6.0	41.0	30.0	19.0	90.0
T012094	8.0	3.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T012095	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	20.0	97.0
T012096	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	19.0	91.0
T016081	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T016082	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	19.0	93.0
T215023	8.0	3.0	7.0	7.0	6.0	5.0	6.0	42.0	30.0	18.0	90.0
T215025	8.0	3.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T215026	8.0	4.0	8.0	6.0	7.0	6.0	6.0	45.0	30.0	19.0	94.0
T215028	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	18.0	95.0
T215029	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T215030	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T215041	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋3、21号-2019级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T031036	8.0	3.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T031038	6.0	4.0	6.0	5.0	6.0	5.0	7.0	39.0	30.0	20.0	89.0
T031039	8.0	3.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T031040	7.0	4.0	6.0	6.0	7.0	5.0	7.0	42.0	30.0	20.0	92.0
T031041	8.0	4.0	7.0	7.0	7.0	5.0	6.0	44.0	30.0	19.0	93.0
T031042	6.0	3.0	5.0	3.0	6.0	4.0	3.0	30.0	30.0	20.0	80.0
T031043	6.0	4.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T031044	6.0	2.0	7.0	6.0	5.0	5.0	6.0	37.0	30.0	20.0	87.0
T031046	7.0	2.0	7.0	6.0	6.0	4.0	6.0	38.0	30.0	19.0	87.0
T031047	8.0	3.0	8.0	7.0	8.0	5.0	6.0	45.0	30.0	19.0	94.0
T031048	6.0	4.0	6.0	5.0	7.0	6.0	7.0	41.0	30.0	19.0	90.0
T031049	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	20.0	94.0
T031050	7.0	4.0	6.0	5.0	7.0	6.0	7.0	42.0	30.0	19.0	91.0
T031051	6.0	4.0	7.0	6.0	6.0	6.0	6.0	41.0	30.0	19.0	90.0
T031052	7.0	4.0	8.0	7.0	6.0	5.0	7.0	44.0	30.0	18.0	92.0
T031053	7.0	2.0	7.0	7.0	8.0	6.0	8.0	45.0	30.0	17.0	92.0
T031054	6.0	3.0	6.0	5.0	6.0	4.0	6.0	36.0	30.0	18.0	84.0
T031055	6.0	2.0	6.0	6.0	6.0	4.0	5.0	35.0	30.0	19.0	84.0
T031056	6.0	3.0	6.0	5.0	4.0	4.0	6.0	34.0	30.0	19.0	83.0
T031057	7.0	2.0	6.0	7.0	6.0	6.0	6.0	40.0	30.0	19.0	89.0
T031058	5.0	3.0	6.0	5.0	4.0	4.0	6.0	33.0	30.0	18.0	81.0
T031059	6.0	2.0	6.0	6.0	6.0	4.0	5.0	35.0	30.0	17.0	82.0
T031060	6.0	2.0	3.0	6.0	6.0	4.0	4.0	31.0	30.0	17.0	78.0
T031061	7.0	3.0	7.0	6.0	7.0	4.0	6.0	40.0	30.0	18.0	88.0
T031062	7.0	3.0	4.0	7.0	8.0	5.0	5.0	39.0	30.0	19.0	88.0
T031063	7.0	2.0	7.0	7.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T031064	7.0	3.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T031065	8.0	3.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T031066	6.0	2.0	5.0	7.0	6.0	4.0	8.0	38.0	30.0	17.0	85.0
T031067	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	19.0	94.0
T032038	4.0	3.0	6.0	7.0	6.0	4.0	4.0	34.0	30.0	17.0	81.0
T032039	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	20.0	96.0
T032040	8.0	3.0	6.0	5.0	6.0	5.0	7.0	40.0	30.0	17.0	87.0
T032041	7.0	3.0	6.0	6.0	8.0	6.0	6.0	42.0	30.0	18.0	90.0
T032042	8.0	7.0	4.0	7.0	7.0	5.0	7.0	45.0	30.0	17.0	92.0
T032043	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T032044	6.0	3.0	5.0	5.0	6.0	6.0	5.0	36.0	30.0	18.0	84.0
T032045	6.0	2.0	6.0	7.0	8.0	6.0	6.0	41.0	30.0	17.0	88.0
T032046	6.0	2.0	5.0	7.0	6.0	4.0	8.0	38.0	30.0	17.0	85.0
T032047	6.0	2.0	7.0	7.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T032048	7.0	3.0	5.0	6.0	6.0	6.0	5.0	38.0	30.0	17.0	85.0
T032049	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T032050	8.0	3.0	7.0	7.0	6.0	5.0	6.0	42.0	30.0	19.0	91.0
T032051	8.0	3.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	18.0	93.0
T032052	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	18.0	95.0
T032053	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	17.0	94.0
T032054	6.0	3.0	6.0	6.0	6.0	5.0	6.0	38.0	30.0	18.0	86.0
T032055	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	10.5	90.5
T032056	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	10.5	90.5
T032057	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	10.5	85.5
T032058	7.0	4.0	7.0	6.0	5.0	4.0	7.0	40.0	30.0	10.5	80.5
T032059	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	10.5	89.5
T032060	6.0	4.0	6.0	7.0	7.0	4.0	7.0	41.0	30.0	10.5	81.5
T032061	8.0	4.0	7.0	6.0	8.0	6.0	7.0	46.0	30.0	9.5	85.5
T032062	8.0	3.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	11.5	88.5
T032063	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	10.5	87.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032064	7.0	4.0	7.0	6.0	7.0	5.0	8.0	44.0	30.0	10.5	84.5
T032065	8.0	3.0	7.0	6.0	7.0	7.0	6.0	44.0	30.0	11.5	85.5
T032066	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	10.5	84.5
T032067	7.0	4.0	6.0	6.0	8.0	5.0	6.0	42.0	30.0	10.5	82.5
T032068	7.0	3.0	7.0	7.0	7.0	4.0	7.0	42.0	30.0	10.5	82.5
T032069	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	10.5	88.5
T032070	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	10.5	88.5
T032071	8.0	4.0	6.0	7.0	8.0	6.0	6.0	45.0	30.0	10.5	85.5
T032072	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	10.5	85.5
T032073	8.0	4.0	8.0	7.0	8.0	5.0	6.0	46.0	30.0	10.5	86.5
T032074	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	10.5	89.5
T032075	8.0	3.0	8.0	8.0	6.0	6.0	8.0	47.0	30.0	10.5	87.5
T032076	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	10.5	88.5
T032077	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	11.5	90.5
T032078	8.0	4.0	6.0	6.0	7.0	5.0	8.0	44.0	30.0	10.5	84.5
T032079	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	10.5	88.5
T032080	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	10.5	88.5
T032081	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	11.5	89.5
T032082	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	11.5	90.5
T032083	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	11.5	91.5
T032084	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	11.5	90.5
T032085	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	11.5	89.5
T032086	8.0	3.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	11.5	89.5
T032087	8.0	3.0	8.0	8.0	8.0	4.0	8.0	47.0	30.0	11.5	88.5
T032088	8.0	4.0	8.0	8.0	8.0	4.0	7.0	47.0	30.0	11.5	88.5
T032089	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	12.5	89.5
T032090	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	11.5	88.5
T032091	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	11.5	89.5
T032092	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	11.5	87.5
T032093	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	11.5	89.5
T032094	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	11.5	88.5
T032095	8.0	4.0	8.0	7.0	5.0	6.0	7.0	45.0	30.0	11.5	86.5
T032096	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	11.5	89.5
T032097	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	11.5	89.5
T032098	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	11.5	89.5
T032099	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	11.5	88.5
T032100	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	11.5	89.5
T213038	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T213039	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T213040	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T213041	6.0	4.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	19.0	89.0
T213042	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T213043	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T213044	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T174091	6.0	3.0	7.0	6.0	7.0	5.0	6.0	40.0	30.0	19.5	89.5
T174092	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	19.5	93.5
T174093	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	19.5	95.5
T174094	7.0	3.0	7.0	7.0	8.0	4.0	7.0	43.0	30.0	20.0	93.0
T174095	6.0	3.0	7.0	6.0	7.0	5.0	7.0	41.0	30.0	20.0	91.0
T175062	6.0	3.0	7.0	6.0	8.0	5.0	7.0	42.0	30.0	18.5	90.5
T175063	7.0	4.0	8.0	7.0	8.0	6.0	6.0	46.0	30.0	18.5	94.5
T175064	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	19.5	95.5
T175065	6.0	3.0	6.0	7.0	7.0	6.0	7.0	42.0	30.0	19.5	91.5
T175066	7.0	4.0	7.0	6.0	8.0	5.0	7.0	44.0	30.0	19.5	93.5
T175067	7.0	3.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	19.5	94.5
T175068	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	19.5	96.5
T175069	6.0	3.0	7.0	7.0	8.0	5.0	6.0	42.0	30.0	19.5	91.5
T175071	6.0	4.0	6.0	7.0	8.0	5.0	7.0	43.0	30.0	19.5	92.5
T175072	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.5	92.5
T175073	6.0	3.0	7.0	6.0	8.0	6.0	8.0	44.0	30.0	18.5	92.5
T175074	6.0	4.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	19.5	94.5
T175075	7.0	4.0	8.0	7.0	8.0	5.0	6.0	45.0	30.0	19.5	94.5
T175076	6.0	4.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.5	92.5
T175077	6.0	3.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	19.5	92.5
T175078	6.0	3.0	7.0	7.0	8.0	6.0	7.0	44.0	30.0	19.5	93.5
T175079	7.0	4.0	7.0	6.0	8.0	5.0	7.0	44.0	30.0	19.5	93.5
T175080	7.0	4.0	7.0	6.0	7.0	5.0	8.0	44.0	30.0	19.5	93.5
T175081	6.0	3.0	7.0	7.0	8.0	5.0	7.0	43.0	30.0	19.5	92.5
T175082	7.0	3.0	8.0	7.0	8.0	5.0	7.0	45.0	30.0	19.5	94.5
T175083	6.0	4.0	7.0	7.0	8.0	4.0	7.0	43.0	30.0	19.5	92.5
T175084	7.0	3.0	7.0	6.0	8.0	5.0	6.0	42.0	30.0	19.5	91.5
T175085	7.0	4.0	6.0	8.0	8.0	5.0	6.0	44.0	30.0	18.5	92.5
T175086	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	20.0	96.0
T175087	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	19.5	91.5
T175088	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	19.5	93.5
T175089	7.0	3.0	8.0	7.0	8.0	5.0	7.0	45.0	30.0	19.5	94.5
T175090	6.0	3.0	8.0	7.0	8.0	5.0	7.0	44.0	30.0	19.5	93.5
T175091	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	19.5	96.5
T175092	7.0	4.0	6.0	6.0	7.0	5.0	6.0	41.0	30.0	19.5	90.5
T175093	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	19.5	93.5
T175094	6.0	4.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	18.5	92.5
T175095	7.0	3.0	8.0	7.0	8.0	6.0	6.0	45.0	30.0	19.5	94.5
T175096	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	18.5	94.5
T176039	6.0	4.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	19.5	93.5
T176040	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.5	92.5
T176041	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	19.5	93.5
T176042	6.0	4.0	7.0	6.0	8.0	5.0	7.0	43.0	30.0	18.5	91.5
T176043	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.5	91.5
T176044	6.0	3.0	7.0	7.0	7.0	6.0	7.0	43.0	30.0	19.5	92.5
T176045	8.0	4.0	7.5	8.0	7.0	5.5	7.0	47.0	30.0	15.5	92.5
T176046	8.0	4.0	6.5	8.0	8.0	5.0	7.5	47.0	30.0	15.5	92.5
T176047	8.0	4.0	7.0	7.0	8.0	5.5	7.0	46.5	30.0	15.5	92.0
T176048	8.0	4.0	7.0	7.5	7.5	5.5	8.0	47.5	30.0	14.5	92.0
T176049	8.0	4.0	7.0	7.0	8.0	5.5	8.0	47.5	30.0	16.0	93.5
T176050	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	15.5	92.5
T176051	8.0	4.0	7.5	7.0	7.5	5.5	8.0	47.5	30.0	15.0	92.5
T176052	8.0	4.0	7.5	8.0	8.0	5.5	8.0	49.0	30.0	16.0	95.0
T176053	7.5	4.0	7.0	8.0	7.0	6.0	7.5	47.0	30.0	15.5	92.5
T176054	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T176055	8.0	4.0	7.5	7.5	7.5	5.5	8.0	48.0	30.0	16.0	94.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176056	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	15.5	93.5
T176057	7.5	4.0	7.0	8.0	7.0	6.0	8.0	47.5	30.0	15.5	93.0
T176058	8.0	4.0	7.5	8.0	7.0	6.0	8.0	48.5	30.0	15.5	94.0
T176059	8.0	4.0	8.0	8.0	7.5	6.0	8.0	49.5	30.0	16.0	95.5
T176060	7.5	4.0	7.0	8.0	7.0	5.5	8.0	47.0	30.0	15.5	92.5
T176061	8.0	4.0	7.5	8.0	8.0	6.0	8.0	49.5	30.0	16.5	96.0
T176062	8.0	4.0	7.0	7.5	7.0	5.5	7.0	46.0	30.0	15.0	91.0
T176063	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T176065	7.5	4.0	6.5	7.0	7.0	5.5	7.0	44.5	30.0	15.0	89.5
T176066	8.0	4.0	7.0	7.5	7.0	5.0	8.0	46.5	30.0	15.5	92.0
T176067	8.0	4.0	7.0	7.5	7.0	5.5	8.0	47.0	30.0	16.0	93.0
T176068	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	15.5	95.5
T176069	8.0	4.0	7.0	8.0	6.5	6.0	8.0	47.5	30.0	15.5	93.0
T176070	7.5	4.0	7.0	7.0	7.5	5.0	8.0	46.0	30.0	16.0	92.0
T176071	7.5	3.5	7.0	7.5	7.0	5.5	7.0	45.0	30.0	15.0	90.0
T176072	8.0	4.0	7.0	7.5	7.0	6.0	8.0	47.5	30.0	15.5	93.0
T176073	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.5	96.5
T176074	8.0	4.0	6.5	7.0	7.0	6.0	7.0	45.5	30.0	15.0	90.5
T176075	8.0	3.5	7.0	7.5	7.0	6.0	8.0	47.0	30.0	15.5	92.5
T176076	8.0	4.0	7.0	7.5	8.0	6.0	8.0	48.5	30.0	16.0	94.5
T176077	8.0	4.0	7.5	7.0	8.0	6.0	7.5	48.0	30.0	15.5	93.5
T176078	8.0	4.0	7.0	7.5	8.0	6.0	8.0	48.5	30.0	16.0	94.5
T176079	7.0	3.5	7.0	6.5	7.0	5.0	7.0	43.0	30.0	15.5	88.5
T176080	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.5	96.5
T176081	8.0	4.0	7.0	7.5	7.0	5.5	8.0	47.0	30.0	15.5	92.5
T176082	8.0	3.5	7.5	7.5	7.0	6.0	8.0	47.5	30.0	15.0	92.5
T176083	7.5	4.0	8.0	7.0	7.5	5.0	8.0	47.0	30.0	15.5	92.5
T176084	7.5	4.0	7.0	7.0	7.5	6.0	7.5	46.5	30.0	15.0	91.5
T176085	8.0	4.0	7.0	7.0	7.5	5.5	8.0	47.0	30.0	15.5	92.5
T176086	8.0	4.0	7.0	7.5	7.5	6.0	8.0	48.0	30.0	15.5	93.5
T176087	8.0	4.0	7.5	8.0	8.0	6.0	8.0	49.5	30.0	15.5	95.0
T176088	8.0	4.0	7.5	7.5	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T176089	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	15.5	91.5