

西南交通大学电气工程学院卫生检查成绩（天佑斋1、21号-2020级男生）											
寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T011027	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012002	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	17.5	93.5
T012003	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.5	93.5
T012004	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T012005	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.5	97.5
T012006	7.0	4.0	8.0	7.0	8.0	6.0	6.0	46.0	30.0	17.5	93.5
T012007	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	17.5	94.5
T012008	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.5	97.5
T012009	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012010	6.0	4.0	6.0	7.0	7.0	6.0	8.0	44.0	30.0	17.5	91.5
T012011	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T012012	8.0	4.0	7.0	7.0	8.0	6.0	6.0	46.0	30.0	17.5	93.5
T012013	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012014	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	17.5	94.5
T012015	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.5	94.5
T012016	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.5	94.5
T012017	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012018	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.5	96.5
T012019	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012020	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012021	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	17.5	94.5
T012022	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.5	97.5
T012023	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012024	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	17.5	93.5
T012025	6.0	4.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	17.5	93.5
T012026	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T012027	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012028	6.0	4.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	17.5	90.5
T012029	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T012030	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	17.5	93.5
T012031	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012032	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	18.5	97.5
T012033	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.5	94.5
T012034	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012035	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T012036	6.0	4.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	17.5	92.5
T012037	8.0	4.0	7.0	6.0	8.0	6.0	6.0	45.0	30.0	17.5	92.5
T012038	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012039	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012040	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012041	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.5	97.5
T012042	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012043	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T012044	8.0	4.0	8.0	7.0	8.0	6.0	6.0	47.0	30.0	17.5	94.5
T012045	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012046	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.5	95.5
T012047	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.5	95.5
T012048	8.0	4.0	8.0	8.0	6.0	6.0	7.0	47.0	30.0	17.5	94.5
T012049	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	17.5	94.5
T012050	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.5	94.5
T012051	6.0	4.0	7.0	8.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T012052	8.0	4.0	8.0	8.0	4.0	6.0	8.0	46.0	30.0	18.0	94.0
T012053	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T012054	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T012055	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	18.0	97.0
T012056	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012057	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012058	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012059	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T012060	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T012061	8.0	4.0		8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012062	7.0	4.0		8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T012063	8.0	4.0		8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012064	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	18.0	97.0
T012065	6.0	4.0	8.0	8.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T012066	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T012067	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T012068	6.0	4.0	7.0	8.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T012069	7.0	4.0	7.0	8.0	8.0	6.0	6.0	46.0	30.0	18.0	94.0
T012070	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T012071	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012072	7.0	4.0	7.0	8.0	4.0	6.0	7.0	43.0	30.0	18.0	91.0
T012073	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012074	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T012075	8.0	4.0	8.0	8.0	4.0	6.0	7.0	45.0	30.0	18.0	93.0
T012076	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T012077	7.0	4.0	7.0	8.0	4.0	6.0	7.0	43.0	30.0	18.0	91.0
T012078	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T012079	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012080	6.0	4.0	6.0	8.0	6.0	5.0	6.0	41.0	30.0	17.0	88.0
T012081	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T012082	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012083	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T012084	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T012085	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T012086	8.0	4.0	6.0	8.0	4.0	6.0	7.0	43.0	30.0	18.0	91.0
T012087	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T012088	8.0	4.0	7.0	8.0	6.0	6.0	8.0	47.0	30.0	18.0	95.0
T012089	8.0	3.0	6.0	8.0	6.0	6.0	8.0	45.0	30.0	18.0	93.0
T012090	8.0	4.0	7.0	8.0	6.0	6.0	7.0	46.0	30.0	18.0	94.0
T012091	8.0	4.0	7.0	8.0	4.0	6.0	7.0	44.0	30.0	18.0	92.0
T012092	8.0	4.0	6.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T012093	8.0	4.0	7.0	8.0	6.0	6.0	6.0	45.0	30.0	18.0	93.0
T012094	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	18.0	97.0
T012095	6.0	4.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	18.0	93.0
T012096	8.0	4.0	6.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T016081	7.0	4.0	6.0	8.0	4.0	6.0	6.0	41.0	30.0	18.0	89.0
T016082	8.0	4.0	6.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T215023	7.0	4.0	6.0	7.0	6.0	5.0	6.0	41.0	30.0	17.0	88.0
T215025	7.0	4.0	6.0	7.0	6.0	5.0	6.0	41.0	30.0	16.0	87.0
T215026	7.0	4.0	6.0	7.0	5.0	4.0	7.0	40.0	30.0	17.0	87.0
T215028	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	16.0	90.0
T215029	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T215030	6.0	4.0	6.0	7.0	7.0	5.0	6.0	41.0	30.0	16.0	87.0
T215041	7.0	4.0	6.0	7.0	6.0	4.0	6.0	40.0	30.0	17.0	87.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋3、21号-2019级男生）											
寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T031036	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031038	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031039	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031040	8.0	3.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T031041	8.0	4.0	8.0	8.0	6.0	6.0	7.0	47.0	30.0	17.0	94.0
T031042	8.0	4.0	8.0	6.0	6.0	6.0	4.0	42.0	30.0	17.0	89.0
T031043	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031044	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T031046	8.0	3.0	8.0	6.0	8.0	6.0	6.5	45.5	30.0	17.0	92.5
T031047	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031048	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T031049	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031050	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T031051	8.0	4.0	8.0	6.0	6.0	5.0	8.0	45.0	30.0	17.0	92.0
T031052	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T031053	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031054	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T031055	8.0	4.0	8.0	6.0	8.0	6.0	6.0	46.0	30.0	17.0	93.0
T031056	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031057	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031058	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T031059	8.0	4.0	8.0	6.0	8.0	6.0	4.0	44.0	30.0	17.0	91.0
T031060	7.0	3.0	8.0	7.0	8.0	5.0	7.0	45.0	30.0	17.0	92.0
T031061	8.0	4.0	8.0	8.0	8.0	4.0	4.0	44.0	30.0	17.0	91.0
T031062	8.0	3.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T031063	8.0	4.0	8.0	6.0	8.0	6.0	6.0	46.0	30.0	17.0	93.0
T031064	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T031065	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	17.0	95.0
T031066	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T031067	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	17.0	95.0
T032038	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032039	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032040	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032041	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T032042	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032043	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032044	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T032045	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032046	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T032047	8.0	4.0	8.0	6.0	8.0	6.0	4.0	44.0	30.0	17.0	91.0
T032048	6.0	4.0	6.0	6.0	8.0	6.0	8.0	44.0	30.0	17.0	91.0
T032049	8.0	2.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	17.0	94.0
T032050	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032051	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T032052	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032053	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032054	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T032055	8.0	4.0	6.5	7.0	7.0	6.0	6.0	44.5	30.0	18.0	92.5
T032056	8.0	3.0	6.5	8.0	7.0	6.0	6.0	44.5	30.0	18.0	92.5
T032057	8.0	3.0	8.0	8.0	6.0	5.0	6.0	44.0	30.0	20.0	94.0
T032058	8.0	4.0	6.5	6.0	6.0	6.0	8.0	44.5	30.0	18.0	92.5
T032059	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T032060	8.0	4.0	8.0	8.0	6.0	5.0	8.0	47.0	30.0	18.0	95.0
T032061	8.0	3.0	6.5	8.0	8.0	5.0	7.0	45.5	30.0	18.0	93.5
T032062	7.0	4.0	8.0	8.0	5.0	6.0	8.0	46.0	30.0	18.0	94.0
T032063	6.0	4.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032064	7.0	4.0	6.5	6.0	4.0	5.0	6.0	38.5	30.0	18.0	86.5

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032065	7.0	3.0	6.5	8.0	4.0	5.0	6.0	39.5	30.0	20.0	89.5
T032066	8.0	3.0	6.5	8.0	5.0	5.0	8.0	43.5	30.0	18.0	91.5
T032067	7.0	4.0	6.5	6.0	5.0	6.0	6.0	40.5	30.0	18.0	88.5
T032068	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	19.0	98.0
T032069	8.0	4.0	6.5	6.0	8.0	5.0	7.0	44.5	30.0	18.0	92.5
T032070	7.0	3.0	6.5	8.0	6.0	6.0	8.0	44.5	30.0	19.0	93.5
T032071	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	20.0	98.0
T032072	6.0	4.0	6.5	8.0	4.0	5.0	6.0	39.5	30.0	18.0	87.5
T032073	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	20.0	100.0
T032074	7.0	4.0	6.5	8.0	8.0	6.0	7.0	46.5	30.0	18.0	94.5
T032075	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T032076	8.0	4.0	6.5	7.0	8.0	6.0	7.0	46.5	30.0	18.0	94.5
T032077	7.0	4.0	6.5	8.0	8.0	6.0	7.0	46.5	30.0	18.0	94.5
T032078	7.0	4.0	8.0	8.0	6.0	5.0	8.0	46.0	30.0	18.0	94.0
T032079	8.0	4.0	6.5	8.0	8.0	6.0	8.0	48.5	30.0	18.0	96.5
T032080	6.0	4.0	5.0	7.0	7.0	6.0	8.0	43.0	30.0	18.0	91.0
T032081	7.0	4.0	6.5	7.0	7.0	6.0	8.0	45.5	30.0	19.0	94.5
T032082	8.0	4.0	6.5	7.0	8.0	5.0	8.0	46.5	30.0	20.0	96.5
T032083	7.0	4.0	6.5	7.0	7.0	6.0	6.0	43.5	30.0	18.0	91.5
T032084	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	18.0	96.0
T032085	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	20.0	100.0
T032086	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	19.0	97.0
T032087	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	20.0	100.0
T032088	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	20.0	100.0
T032089	8.0	4.0	8.0	8.0	5.0	6.0	8.0	47.0	30.0	19.0	96.0
T032090	8.0	4.0	6.5	8.0	4.0	6.0	8.0	44.5	30.0	18.0	92.5
T032091	8.0	3.0	6.5	8.0	7.0	5.0	8.0	45.5	30.0	18.0	93.5
T032092	7.0	4.0	8.0	8.0	7.0	5.0	8.0	47.0	30.0	19.0	96.0
T032093	8.0	3.0	6.5	8.0	7.0	6.0	8.0	46.5	30.0	19.0	95.5
T032094	8.0	4.0	6.5	8.0	7.0	6.0	6.0	45.5	30.0	18.0	93.5
T032095	7.0	3.0	6.5	8.0	7.0	6.0	7.0	44.5	30.0	20.0	94.5
T032096	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T032097	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	20.0	98.0
T032098	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	20.0	99.0
T032099	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	20.0	99.0
T032100	8.0	4.0	6.5	8.0	8.0	5.0	8.0	47.5	30.0	18.0	95.5
T213038	6.0	3.0	5.0	7.0	6.0	4.0	6.0	37.0	30.0	19.0	86.0
T213039	6.0	3.0	7.0	6.0	6.0	4.0	7.0	39.0	30.0	17.0	86.0
T213040	7.0	3.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	18.0	91.0
T213041	7.0	3.0	6.0	7.0	7.0	4.0	7.0	41.0	30.0	18.0	89.0
T213042	7.0	3.0	6.0	6.0	7.0	4.0	7.0	40.0	30.0	18.0	88.0
T213043	6.0	3.0	6.0	6.0	5.0	4.0	7.0	37.0	30.0	18.0	85.0
T213044	6.0	4.0	7.0	7.0	7.0	4.0	7.0	42.0	30.0	18.0	90.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）											
寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T174091	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T174092	7.0	3.0	7.0	6.0	4.0	6.0	6.0	39.0	30.0	18.0	87.0
T174093	8.0	3.0	8.0	6.0	8.0	6.0	6.0	45.0	30.0	19.0	94.0
T174094	8.0	3.0	8.0	6.0	8.0	6.0	6.0	45.0	30.0	18.0	93.0
T174095	7.0	3.0	8.0	6.0	8.0	6.0	6.0	44.0	30.0	19.0	93.0
T175062	7.0	3.0	7.0	6.0	4.0	6.0	6.0	39.0	30.0	18.0	87.0
T175063	7.0	3.0	7.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T175064	7.0	3.0	5.0	6.0	6.0	6.0	6.0	39.0	30.0	19.0	88.0
T175065	6.0	3.0	5.0	6.0	5.0	6.0	6.0	37.0	30.0	19.0	86.0
T175066	7.0	3.0	8.0	6.0	6.0	6.0	6.0	42.0	30.0	18.0	90.0
T175067	7.0	3.0	8.0	7.0	8.0	5.0	6.0	44.0	30.0	18.0	92.0
T175068	6.0	3.0	8.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T175069	6.0	3.0	5.0	6.0	6.0	6.0	6.0	38.0	30.0	19.0	87.0
T175071	7.0	3.0	5.0	6.0	8.0	6.0	6.0	41.0	30.0	19.0	90.0
T175072	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T175073	6.0	3.0	6.0	6.0	6.0	6.0	6.0	39.0	30.0	19.0	88.0
T175074	6.0	2.0	6.0	6.0	6.0	6.0	6.0	38.0	30.0	19.0	87.0
T175075	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T175076	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175077	6.0	3.0	6.0	7.0	7.0	6.0	6.0	41.0	30.0	19.0	90.0
T175078	6.0	3.0	7.0	7.0	7.0	6.0	7.0	43.0	30.0	19.0	92.0
T175079	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T175080	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T175081	6.0	4.0	6.0	6.0	8.0	6.0	6.0	42.0	30.0	18.0	90.0
T175082	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T175083	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T175084	8.0	3.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	19.0	95.0
T175085	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	19.0	96.0
T175086	7.0	2.0	7.0	7.0	8.0	6.0	7.0	44.0	30.0	18.0	92.0
T175087	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T175088	7.0	3.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T175089	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T175090	6.0	4.0	8.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T175091	6.0	4.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T175092	6.0	2.0	6.0	7.0	7.0	6.0	7.0	41.0	30.0	17.0	88.0
T175093	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T175094	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T175095	6.0	3.0	6.0	7.0	6.0	6.0	6.0	40.0	30.0	17.0	87.0
T175096	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T176039	6.0	4.0	7.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T176040	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	19.0	92.0
T176041	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T176042	8.0	4.0	8.0	7.0	8.0	6.0	6.0	47.0	30.0	19.0	96.0
T176043	7.0	3.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T176044	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	19.0	96.0
T176045	8.0	3.0	7.0	8.0	8.0	5.0	6.0	45.0	30.0	16.5	91.5
T176046	8.0	4.0	6.5	6.0	6.0	5.0	7.0	42.5	30.0	16.5	89.0
T176047	8.0	4.0	6.5	7.0	8.0	5.0	8.0	46.5	30.0	17.5	94.0
T176048	8.0	4.0	6.5	7.0	8.0	6.0	8.0	47.5	30.0	19.5	97.0
T176049	8.0	4.0	6.5	8.0	7.0	4.0	8.0	45.5	30.0	18.5	94.0
T176050	8.0	4.0	6.5	6.0	6.0	5.0	7.0	42.5	30.0	16.5	89.0
T176051	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.5	98.5
T176052	8.0	4.0	8.0	6.0	6.0	5.0	7.0	44.0	30.0	16.5	90.5
T176053	6.0	3.0	6.5	8.0	6.0	5.0	8.0	42.5	30.0	16.5	89.0
T176054	6.0	2.0	6.5	6.0	5.0	3.0	7.0	35.5	30.0	15.5	81.0
T176055	8.0	4.0	6.5	7.0	8.0	5.0	7.0	45.5	30.0	17.5	93.0
T176056	8.0	3.0	6.5	7.0	6.0	4.0	6.0	40.5	30.0	18.5	89.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176057	8.0	4.0	6.5	7.0	6.0	6.0	7.0	44.5	30.0	16.5	91.0
T176058	8.0	3.0	6.5	7.0	6.0	4.0	6.0	40.5	30.0	17.5	88.0
T176059	8.0	3.0	6.5	8.0	6.0	6.0	8.0	45.5	30.0	16.5	92.0
T176060	8.0	3.0	6.5	7.0	6.0	5.0	6.0	41.5	30.0	18.5	90.0
T176061	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.5	98.5
T176062	8.0	3.0	6.5	6.0	7.0	4.0	7.0	41.5	30.0	17.5	89.0
T176063	8.0	4.0	6.5	7.0	6.0	6.0	8.0	45.5	30.0	17.5	93.0
T176065	7.0	4.0	5.0	7.0	7.0	6.0	6.0	42.0	30.0	17.5	89.5
T176066	8.0	4.0	6.5	7.0	8.0	6.0	6.0	45.5	30.0	16.5	92.0
T176067	8.0	4.0	7.0	7.0	6.0	6.0	6.0	44.0	30.0	18.5	92.5
T176068	8.0	4.0	8.0	7.0	7.0	6.0	6.0	46.0	30.0	18.5	94.5
T176069	8.0	4.0	6.0	8.0	5.0	6.0	8.0	45.0	30.0	18.5	93.5
T176070	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.5	99.5
T176071	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	18.5	95.5
T176072	8.0	2.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	17.5	94.5
T176073	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.5	98.5
T176074	8.0	3.0	8.0	8.0	7.0	5.0	8.0	47.0	30.0	16.5	93.5
T176075	8.0	4.0	6.5	8.0	8.0	6.0	7.0	47.5	30.0	17.5	95.0
T176076	8.0	3.0	7.0	7.0	7.0	5.0	8.0	45.0	30.0	16.5	91.5
T176077	8.0	4.0	6.5	8.0	5.0	6.0	8.0	45.5	30.0	18.5	94.0
T176078	7.0	4.0	8.0	8.0	7.0	6.0	6.0	46.0	30.0	16.5	92.5
T176079	8.0	4.0	6.5	7.0	8.0	5.0	6.0	44.5	30.0	18.5	93.0
T176080	8.0	4.0	8.0	8.0	6.0	6.0	6.0	46.0	30.0	18.5	94.5
T176081	8.0	3.0	6.5	6.0	7.0	6.0	6.0	42.5	30.0	16.5	89.0
T176082	8.0	4.0	6.0	8.0	4.0	5.0	7.0	42.0	30.0	17.5	89.5
T176083	8.0	3.0	6.5	7.0	5.0	6.0	7.0	42.5	30.0	16.5	89.0
T176084	6.0	4.0	6.5	8.0	5.0	6.0	7.0	42.5	30.0	16.5	89.0
T176085	8.0	4.0	6.5	7.0	7.0	5.0	7.0	44.5	30.0	16.5	91.0
T176086	7.0	4.0	6.5	6.0	7.0	5.0	7.0	42.5	30.0	17.5	90.0
T176087	8.0	4.0	6.5	6.0	7.0	5.0	7.0	43.5	30.0	16.5	90.0
T176088	8.0	3.0	6.5	7.0	5.0	5.0	7.0	41.5	30.0	16.5	88.0
T176089	8.0	4.0	6.5	6.0	6.0	5.0	6.0	41.5	30.0	15.5	87.0