

西南交通大学电气工程学院卫生检查成绩（天佑斋1、21号-2020级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T011027	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012002	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	16.0	95.0
T012003	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T012004	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T012005	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012006	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012007	8.0	3.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T012008	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T012009	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	14.0	91.0
T012010	8.0	3.0	7.0	7.0	8.0	5.0	7.5	45.5	30.0	15.0	90.5
T012011	8.0	4.0	8.0	8.0	8.0	5.0	7.5	48.5	30.0	15.0	93.5
T012012	8.0	4.0	8.0	8.0	8.0	5.5	7.5	49.0	30.0	15.0	94.0
T012013	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	15.0	93.0
T012014	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	15.0	93.0
T012015	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	14.0	91.0
T012016	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	15.0	92.0
T012017	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	15.0	91.0
T012018	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T012019	6.0	3.0	8.0	6.0	8.0	4.0	7.0	42.0	30.0	14.0	86.0
T012020	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012021	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012022	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T012023	8.0	4.0	8.0	6.0	6.0	6.0	7.0	45.0	30.0	15.0	90.0
T012024	7.0	4.0	8.0	6.0	7.0	6.0	7.0	45.0	30.0	15.0	90.0
T012025	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	14.0	91.0
T012026	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T012027	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T012028	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T012029	8.0	4.0	8.0	7.0	8.0	6.0	7.5	48.5	30.0	15.5	94.0
T012030	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T012031	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	16.0	95.0
T012032	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012033	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012034	8.0	4.0	7.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T012035	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T012036	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	14.0	92.0
T012037	7.0	4.0	7.0	6.0	8.0	6.0	7.0	45.0	30.0	15.0	90.0
T012038	8.0	4.0	8.0	6.0	6.0	6.0	7.0	45.0	30.0	15.0	90.0
T012039	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	14.0	91.0
T012040	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	15.0	93.0
T012041	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012042	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	15.0	93.0
T012043	8.0	3.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	15.0	91.0
T012044	6.0	4.0	8.0	6.0	7.0	5.0	7.0	43.0	30.0	15.0	88.0
T012045	7.0	4.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	14.0	89.0
T012046	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	14.0	91.0
T012047	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	15.0	92.0
T012048	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012049	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012050	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	15.0	92.0
T012051	6.0	2.0	6.5	8.0	8.0	4.0	7.0	41.5	30.0	18.0	89.5
T012052	7.0	3.0	6.0	7.0	4.0	4.0	7.0	38.0	30.0	17.0	85.0
T012053	8.0	4.0	6.5	7.0	8.0	4.0	8.0	45.5	30.0	18.0	93.5
T012054	7.0	3.0	7.0	7.0	4.0	3.0	6.0	37.0	30.0	17.0	84.0
T012055	8.0	4.0	8.0	7.0	8.0	3.0	7.0	45.0	30.0	18.0	93.0
T012056	8.0	3.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T012057	8.0	4.0	6.5	7.0	8.0	4.0	7.0	44.5	30.0	19.0	93.5
T012058	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T012059	8.0	4.0	8.0	8.0	8.0	4.0	7.0	47.0	30.0	20.0	97.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012060	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T012061	8.0	4.0	8.0	7.0	8.0	3.0	8.0	46.0	30.0	18.0	94.0
T012062	7.0	4.0	6.0	7.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T012063	8.0	4.0	8.0	8.0	7.0	3.0	7.0	45.0	30.0	18.0	93.0
T012064	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T012065	8.0	3.0	8.0	8.0	7.0	3.0	8.0	45.0	30.0	19.0	94.0
T012066	7.0	4.0	6.0	7.0	4.0	5.0	7.0	40.0	30.0	18.0	88.0
T012067	8.0	4.0	8.0	8.0	7.0	4.0	8.0	47.0	30.0	19.0	96.0
T012068	8.0	4.0	7.0	7.0	6.0	6.0	8.0	46.0	30.0	18.0	94.0
T012069	7.0	3.0	8.0	7.0	8.0	3.0	8.0	44.0	30.0	17.0	91.0
T012070	6.0	4.0	7.0	7.0	5.0	4.0	8.0	41.0	30.0	19.0	90.0
T012071	8.0	4.0	8.0	7.0	8.0	3.0	8.0	46.0	30.0	18.0	94.0
T012072	8.0	4.0	6.0	8.0	6.0	6.0	8.0	46.0	30.0	17.0	93.0
T012073	8.0	4.0	8.0	8.0	7.0	3.0	8.0	46.0	30.0	17.0	93.0
T012074	7.0	4.0	7.0	8.0	7.5	6.0	8.0	47.5	30.0	19.0	96.5
T012075	8.0	4.0	8.0	8.0	7.0	3.0	8.0	46.0	30.0	17.0	93.0
T012076	8.0	4.0	6.0	6.0	7.0	6.0	8.0	45.0	30.0	17.0	92.0
T012077	8.0	4.0	8.0	8.0	7.0	4.0	8.0	47.0	30.0	19.0	96.0
T012078	8.0	4.0	7.0	7.5	8.0	6.0	8.0	48.5	30.0	18.0	96.5
T012079	8.0	4.0	8.0	8.0	8.0	4.0	8.0	48.0	30.0	20.0	98.0
T012080	7.0	2.0	6.0	7.5	8.0	6.0	8.0	44.5	30.0	17.0	91.5
T012081	8.0	4.0	8.0	8.0	8.0	4.0	8.0	48.0	30.0	19.0	97.0
T012082	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	19.0	95.0
T012083	8.0	4.0	8.0	8.0	8.0	4.0	8.0	48.0	30.0	19.0	97.0
T012084	8.0	4.0	7.0	7.5	8.0	6.0	7.0	47.5	30.0	18.0	95.5
T012085	8.0	4.0	8.0	8.0	7.0	4.0	8.0	47.0	30.0	18.0	95.0
T012086	8.0	3.0	4.0	7.0	6.5	4.5	8.0	41.0	30.0	17.0	88.0
T012087	8.0	3.0	8.0	8.0	7.0	4.0	8.0	46.0	30.0	19.0	95.0
T012088	8.0	4.0	8.0	7.5	6.0	5.0	8.0	46.5	30.0	18.0	94.5
T012089	8.0	3.0	6.5	8.0	6.0	4.0	8.0	43.5	30.0	18.0	91.5
T012090	6.0	2.0	5.0	6.0	7.5	4.0	7.5	38.0	30.0	18.0	86.0
T012091	8.0	3.0	6.5	8.0	7.0	3.0	8.0	43.5	30.0	17.0	90.5
T012092	7.0	3.0	6.0	7.5	7.5	4.0	8.0	43.0	30.0	18.0	91.0
T012093	8.0	3.0	8.0	8.0	7.0	3.0	8.0	45.0	30.0	18.0	93.0
T012094	7.0	3.0	6.0	7.0	7.0	3.0	7.5	40.5	30.0	18.0	88.5
T012095	8.0	3.0	6.0	7.0	6.0	3.5	7.5	41.0	30.0	18.0	89.0
T012096	8.0	4.0	6.5	7.0	8.0	4.0	8.0	45.5	30.0	18.0	93.5
T016081	8.0	4.0	6.5	8.0	7.0	4.0	8.0	45.5	30.0	17.0	92.5
T016082	7.0	2.0	7.0	8.0	7.5	6.0	7.5	45.0	30.0	19.0	94.0
T215023	6.0	3.0	6.0	7.0	6.0	6.0	6.0	40.0	30.0	18.0	88.0
T215025	6.0	2.0	6.0	7.0	6.0	6.0	6.0	39.0	30.0	20.0	89.0
T215026	5.0	3.0	6.0	5.0	6.0	4.0	6.0	35.0	30.0	18.0	83.0
T215028	7.0	3.0	6.0	5.0	6.0	5.0	6.0	38.0	30.0	18.0	86.0
T215029	6.0	2.0	6.0	6.0	6.0	6.0	6.0	38.0	30.0	18.0	86.0
T215030	6.0	3.0	6.0	5.0	6.0	5.0	5.0	36.0	30.0	18.0	84.0
T215041	6.0	2.0	6.0	6.0	6.0	6.0	6.0	38.0	30.0	17.0	85.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋3、21号-2019级男生）

寝室号	检查项目							寝室卫生成绩50分	寝室安全成绩30分	寝室文化成绩20分	总分100
	地面墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T031036	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.5	92.5
T031038	7.0	3.0	7.0	8.0	7.0	6.0	7.0	45.0	30.0	16.5	91.5
T031039	7.0	3.0	7.5	7.0	7.0	6.0	7.0	44.5	30.0	17.5	92.0
T031040	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	16.5	91.5
T031041	8.0	3.0	7.0	6.5	8.0	6.0	8.0	46.5	30.0	17.5	94.0
T031042	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.5	92.5
T031043	6.0	4.0	7.5	6.5	7.0	6.0	7.0	44.0	30.0	17.5	91.5
T031044	8.0	4.0	7.0	7.0	8.0	6.0	6.5	46.5	30.0	16.5	93.0
T031046	7.0	2.5	7.0	7.0	7.0	6.0	7.0	43.5	30.0	18.0	91.5
T031047	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	16.5	91.5
T031048	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	16.5	91.5
T031049	8.0	4.0	8.0	8.0	7.0	6.0	7.5	48.5	30.0	17.0	95.5
T031050	8.0	4.0	6.5	6.5	7.0	6.0	7.0	45.0	30.0	17.5	92.5
T031051	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	17.5	93.5
T031052	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	16.5	91.5
T031053	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	16.5	93.5
T031054	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T031055	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.5	91.5
T031056	8.0	4.0	7.5	7.0	7.0	6.0	7.0	46.5	30.0	16.5	93.0
T031057	8.0	3.0	7.0	7.0	8.0	6.0	7.5	46.5	30.0	17.0	93.5
T031058	7.0	3.0	7.5	7.0	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T031059	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T031060	8.0	4.0	7.0	6.5	8.0	6.0	7.5	47.0	30.0	16.5	93.5
T031061	7.0	3.0	7.5	7.0	7.0	6.0	7.0	44.5	30.0	17.5	92.0
T031062	6.5	4.0	7.0	7.0	7.0	6.0	6.5	44.0	30.0	17.5	91.5
T031063	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	17.5	92.5
T031064	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	17.5	94.5
T031065	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T031066	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.5	92.5
T031067	6.5	4.0	7.0	6.5	7.0	6.0	7.0	44.0	30.0	17.5	91.5
T032038	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.5	92.5
T032039	7.0	4.0	7.5	6.5	7.0	6.0	7.0	45.0	30.0	16.5	91.5
T032040	7.0	4.0	7.0	6.5	7.0	6.0	7.0	44.5	30.0	17.5	92.0
T032041	7.0	4.0	7.5	7.0	7.0	6.0	7.0	45.5	30.0	17.5	93.0
T032042	7.0	3.0	7.0	7.0	8.0	6.0	6.0	44.0	30.0	17.5	91.5
T032043	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T032044	7.0	4.0	7.5	7.0	8.0	6.0	8.0	47.5	30.0	17.0	94.5
T032045	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.5	91.5
T032046	7.0	4.0	7.5	8.0	7.0	6.0	7.0	46.5	30.0	17.0	93.5
T032047	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T032048	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T032049	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	17.5	93.5
T032050	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.5	94.5
T032051	7.0	4.0	7.5	7.0	7.0	6.0	8.0	46.5	30.0	17.5	94.0
T032052	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.5	96.5
T032053	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	17.0	93.0
T032054	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	16.5	91.5
T032055	7.0	3.0	6.0	6.0	7.0	5.0	8.0	42.0	30.0	19.0	91.0
T032056	6.0	3.0	6.0	6.0	6.0	5.0	8.0	40.0	30.0	18.0	88.0
T032057	7.0	3.0	6.0	6.0	7.0	5.0	8.0	42.0	30.0	19.0	91.0
T032058	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	19.0	96.0
T032059	6.0	3.0	6.0	7.0	6.0	6.0	8.0	42.0	30.0	18.0	90.0
T032060	6.0	3.0	6.0	7.0	6.0	6.0	8.0	42.0	30.0	18.0	90.0
T032061	6.0	3.0	6.0	6.0	7.0	6.0	8.0	42.0	30.0	18.0	90.0
T032062	6.0	3.0	6.0	6.0	7.0	6.0	8.0	42.0	30.0	18.0	90.0
T032063	7.0	3.0	6.0	6.0	7.0	6.0	8.0	43.0	30.0	20.0	93.0
T032064	7.0	3.0	6.0	6.0	6.0	5.0	8.0	41.0	30.0	19.0	90.0
T032065	6.0	2.0	6.0	6.0	7.0	5.0	8.0	40.0	30.0	19.0	89.0
T032066	6.0	1.0	6.0	7.0	8.0	5.0	8.0	41.0	30.0	19.0	90.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032067	7.0	3.0	6.0	6.0	6.0	6.0	8.0	42.0	30.0	20.0	92.0
T032068	7.0	3.0	7.0	6.0	7.0	6.0	8.0	44.0	30.0	20.0	94.0
T032069	6.0	3.0	6.0	6.0	7.0	5.0	7.0	40.0	30.0	18.0	88.0
T032070	6.0	3.0	6.0	6.0	8.0	6.0	8.0	43.0	30.0	18.0	91.0
T032071	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T032072	6.0	2.0	6.0	5.0	6.0	5.0	8.0	38.0	30.0	19.0	87.0
T032073	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T032074	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032075	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032076	8.0	4.0	6.0	7.0	8.0	5.0	7.0	45.0	30.0	18.0	93.0
T032077	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	20.0	99.0
T032078	7.0	4.0	6.0	6.0	7.0	6.0	8.0	44.0	30.0	19.0	93.0
T032079	7.0	3.0	7.0	6.0	8.0	6.0	8.0	45.0	30.0	19.0	94.0
T032080	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T032081	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T032082	8.0	3.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	19.0	95.0
T032083	7.0	3.0	6.0	7.0	7.0	6.0	8.0	44.0	30.0	18.0	92.0
T032084	6.0	2.0	6.0	7.0	8.0	5.0	8.0	42.0	30.0	18.0	90.0
T032085	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T032086	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	20.0	95.0
T032087	8.0	3.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	19.0	96.0
T032088	7.0	2.0	7.0	7.0	7.0	6.0	8.0	44.0	30.0	18.0	92.0
T032089	7.0	3.0	6.0	6.0	7.0	5.0	8.0	42.0	30.0	18.0	90.0
T032090	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	18.0	94.0
T032091	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032092	8.0	4.0	6.0	6.0	7.0	5.0	8.0	44.0	30.0	18.0	92.0
T032093	7.0	2.0	6.0	8.0	8.0	6.0	8.0	45.0	30.0	19.0	94.0
T032094	7.0	2.0	6.0	6.0	7.0	6.0	8.0	42.0	30.0	18.0	90.0
T032095	7.0	3.0	6.0	6.0	7.0	6.0	8.0	43.0	30.0	19.0	92.0
T032096	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T032097	7.0	4.0	8.0	6.0	8.0	6.0	8.0	47.0	30.0	20.0	97.0
T032098	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	19.0	95.0
T032099	8.0	2.0	6.0	6.0	8.0	5.0	8.0	43.0	30.0	19.0	92.0
T032100	8.0	4.0	6.0	5.0	8.0	5.0	8.0	44.0	30.0	19.0	93.0
T213038	3.0	2.0	5.0	4.0	5.0	3.0	1.0	23.0	30.0	19.0	72.0
T213039	5.0	4.0	6.0	3.0	4.0	4.0	2.0	28.0	30.0	18.0	76.0
T213040	6.0	4.0	7.0	4.0	6.0	4.0	3.0	34.0	30.0	18.0	82.0
T213041	7.0	4.0	7.0	4.0	6.0	4.0	3.0	35.0	30.0	19.0	84.0
T213042	7.0	3.0	8.0	7.0	7.0	5.0	5.0	42.0	30.0	19.0	91.0
T213043	7.0	4.0	5.0	5.0	4.0	3.0	3.0	31.0	30.0	18.0	79.0
T213044	7.0	3.0	6.0	5.0	5.0	4.0	4.0	34.0	30.0	18.0	82.0

注：底色为黄色者为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T174091	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T174092	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T174093	5.0	4.0	7.0	7.0	4.0	4.0	4.0	35.0	30.0	14.0	79.0
T174094	7.0	3.0	6.0	7.0	8.0	6.0	8.0	45.0	30.0	16.0	91.0
T174095	4.0	1.0	3.0	4.0	4.0	3.0	4.0	23.0	30.0	10.0	63.0
T175062	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T175063	7.0	3.0	7.0	7.0	8.0	4.0	8.0	44.0	30.0	14.0	88.0
T175064	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T175065	5.0	3.0	4.0	6.0	8.0	5.0	4.0	35.0	30.0	11.0	76.0
T175066	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T175067	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T175068	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	20.0	98.0
T175069	6.0	3.0	7.0	7.0	8.0	5.0	6.0	42.0	30.0	13.0	85.0
T175071	6.0	2.0	4.0	4.0	8.0	4.0	4.0	32.0	30.0	15.0	77.0
T175072	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T175073	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T175074	7.0	3.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	17.0	92.0
T175075	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	20.0	96.0
T175076	7.0	3.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	17.0	92.0
T175077	6.0	4.0	7.0	7.0	8.0	5.0	5.0	42.0	30.0	13.0	85.0
T175078	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	17.0	93.0
T175079	6.0	2.0	5.0	5.0	8.0	6.0	8.0	40.0	30.0	17.0	87.0
T175080	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T175081	5.0	4.0	7.0	7.0	6.0	2.0	5.0	36.0	30.0	11.0	77.0
T175082	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T175083	7.0	4.0	7.0	6.0	6.0	6.0	8.0	44.0	30.0	17.0	91.0
T175084	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T175085	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	19.0	96.0
T175086	7.0	2.0	7.0	7.0	8.0	6.0	8.0	45.0	30.0	20.0	95.0
T175087	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	20.0	98.0
T175088	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T175089	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T175090	7.0	3.0	6.0	8.0	6.0	4.0	8.0	42.0	30.0	17.0	89.0
T175091	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T175092	6.0	3.0	7.0	7.0	8.0	6.0	8.0	45.0	30.0	19.0	94.0
T175093	7.0	4.0	7.0	4.0	4.0	6.0	6.0	38.0	30.0	17.0	85.0
T175094	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	20.0	98.0
T175095	4.0	2.0	5.0	4.0	4.0	2.0	4.0	25.0	30.0	17.0	72.0
T175096	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	13.0	90.0
T176039	7.0	2.0	7.0	6.0	6.0	4.0	6.0	38.0	30.0	17.0	85.0
T176040	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	14.0	90.0
T176041	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	14.0	87.0
T176042	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T176043	7.0	3.0	7.0	6.0	8.0	5.0	4.0	40.0	30.0	17.0	87.0
T176044	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T176045	7.0	3.0	8.0	8.0	8.0	5.0	6.0	45.0	30.0	16.0	91.0
T176046	7.0	4.0	8.0	8.0	8.0	4.0	5.0	44.0	30.0	16.0	90.0
T176047	7.0	4.0	6.0	8.0	8.0	5.0	5.0	43.0	30.0	16.0	89.0
T176048	7.0	3.0	8.0	8.0	6.0	5.0	5.0	42.0	30.0	16.0	88.0
T176049	6.0	4.0	8.0	8.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T176050	7.0	4.0	8.0	8.0	7.0	5.0	7.0	46.0	30.0	16.0	92.0
T176051	7.0	4.0	8.0	8.0	7.0	5.0	7.0	46.0	30.0	17.0	93.0
T176052	7.0	4.0	8.0	8.0	8.0	5.0	6.0	46.0	30.0	16.0	92.0
T176053	6.0	4.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T176054	7.0	4.0	6.0	8.0	7.0	5.0	6.0	43.0	30.0	14.0	87.0
T176055	7.0	3.0	8.0	8.0	7.0	5.0	5.0	43.0	30.0	15.0	88.0
T176056	6.0	4.0	5.0	8.0	6.0	4.0	5.0	38.0	30.0	15.0	83.0
T176057	7.0	3.0	8.0	8.0	7.0	4.0	5.0	42.0	30.0	16.0	88.0
T176058	7.0	4.0	8.0	8.0	5.0	5.0	7.0	44.0	30.0	16.0	90.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176059	7.0	4.0	8.0	8.0	7.0	5.0	7.0	46.0	30.0	16.0	92.0
T176060	7.0	4.0	8.0	8.0	8.0	5.0	5.0	45.0	30.0	17.0	92.0
T176061	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T176062	7.0	4.0	5.0	8.0	5.0	5.0	5.0	39.0	30.0	15.0	84.0
T176063	7.0	4.0	8.0	7.0	7.0	5.0	6.0	44.0	30.0	16.0	90.0
T176065	6.0	4.0	5.0	6.0	5.0	5.0	7.0	38.0	30.0	16.0	84.0
T176066	7.0	4.0	8.0	6.0	7.0	4.0	7.0	43.0	30.0	15.0	88.0
T176067	5.0	4.0	6.0	6.0	6.0	4.0	6.0	37.0	30.0	16.0	83.0
T176068	6.0	4.0	7.0	6.0	6.0	4.0	7.0	40.0	30.0	16.0	86.0
T176069	5.0	3.0	6.0	8.0	6.0	4.0	7.0	39.0	30.0	16.0	85.0
T176070	7.0	4.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T176071	7.0	4.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0
T176072	7.0	4.0	8.0	8.0	8.0	5.0	6.0	46.0	30.0	16.0	92.0
T176073	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T176074	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	16.0	91.0
T176075	6.0	4.0	8.0	8.0	8.0	5.0	6.0	45.0	30.0	16.0	91.0
T176076	7.0	4.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	17.0	92.0
T176077	6.0	4.0	7.0	8.0	8.0	5.0	7.0	45.0	30.0	16.0	91.0
T176078	7.0	4.0	8.0	8.0	6.0	5.0	7.0	45.0	30.0	17.0	92.0
T176079	6.0	4.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T176080	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T176081	6.0	4.0	7.0	6.0	8.0	5.0	6.0	42.0	30.0	16.0	88.0
T176082	6.0	4.0	7.0	8.0	6.0	4.0	7.0	42.0	30.0	16.0	88.0
T176083	7.0	4.0	8.0	8.0	7.0	5.0	7.0	46.0	30.0	17.0	93.0
T176084	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	16.0	91.0
T176085	6.0	4.0	8.0	6.0	8.0	5.0	7.0	44.0	30.0	17.0	91.0
T176086	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T176087	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T176088	7.0	4.0	8.0	8.0	6.0	4.0	7.0	44.0	30.0	17.0	91.0
T176089	7.0	4.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0