

西南交通大学电气工程学院卫生检查成绩（天佑斋14号-2021级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手 间8分				
T141031	8.0	4.0	6.0	8.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T142001	8.0	4.0	8.0	6.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T142002	6.0	4.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T142003	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T142004	6.0	4.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T142005	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T142006	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T142007	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T142008	6.0	4.0	6.0	8.0	8.0	6.0	8.0	46.0	30.0	18.0	94.0
T142009	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T142010	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T142011	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T142012	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T142013	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T142014	8.0	4.0	7.0	8.0	7.0	4.0	8.0	46.0	30.0	17.0	93.0
T142015	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T142017	7.0	4.0	5.0	7.0	8.0	4.0	7.0	42.0	30.0	16.0	88.0
T142018	6.0	4.0	8.0	7.0	8.0	5.0	7.0	45.0	30.0	18.0	90.0
T142019	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T142020	7.0	4.0	8.0	8.0	8.0	5.0	8.0	48.0	30.0	18.0	96.0
T212012	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T212013	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0

西南交通大学电气工程学院卫生检查成绩（天佑斋8、11号-2020级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T083025	7.0	4.0	6.0	6.0	8.0	3.0	7.0	41.0	30.0	17.0	88.0
T083026	6.0	4.0	4.0	6.0	8.0	5.0	4.0	37.0	30.0	16.0	83.0
T083027	5.0	3.0	4.0	6.0	8.0	4.0	4.0	34.0	30.0	16.0	80.0
T083028	7.0	4.0	4.0	8.0	8.0	5.0	7.0	43.0	30.0	16.0	89.0
T083029	8.0	4.0	6.0	8.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T083031	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T083032	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T083033	7.0	4.0	4.0	7.0	8.0	6.0	8.0	44.0	30.0	15.0	89.0
T083034	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T083035	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T083036	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T083037	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T083038	7.0	4.0	5.0	8.0	7.0	4.0	8.0	43.0	30.0	16.0	89.0
T083039	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T083040	7.0	3.0	8.0	8.0	8.0	6.0	7.0	47.0	30.0	14.0	91.0
T083041	8.0	3.0	5.0	6.0	8.0	6.0	7.0	43.0	30.0	16.0	89.0
T083042	8.0	4.0	5.0	7.0	8.0	4.0	7.0	43.0	30.0	17.0	90.0
T115015	7.0	4.0	6.0	7.0	8.0	5.0	7.0	44.0	30.0	16.0	90.0
T115016	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	15.0	91.0
T115017	7.0	4.0	6.0	7.0	8.0	5.0	8.0	45.0	30.0	15.0	90.0
T115018	6.0	4.0	6.0	7.0	8.0	5.0	8.0	44.0	30.0	16.0	90.0
T211038	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0

西南交通大学电气工程学院卫生检查成绩（天佑斋8, 11号-2019级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T081001	8.0	2.0	8.0	7.0	8.0	4.0	8.0	45.0	30.0	16.0	91.0
T081002	7.0	4.0	6.0	8.0	7.0	5.0	8.0	45.0	30.0	17.0	92.0
T081003	7.0	3.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	18.0	94.0
T081021	8.0	4.0	7.0	8.0	6.0	5.0	7.0	45.0	30.0	16.0	91.0
T081031	8.0	3.0	7.0	8.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T081032	8.0	2.0	7.0	7.0	8.0	5.0	8.0	45.0	30.0	16.0	91.0
T082012	7.0	4.0	6.0	8.0	6.0	6.0	7.0	44.0	30.0	17.0	91.0
T082013	8.0	3.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T082014	4.0	4.0	4.0	6.0	8.0	5.0	6.0	37.0	30.0	16.0	83.0
T082015	5.0	4.0	5.0	6.0	8.0	5.0	7.0	40.0	30.0	16.0	86.0
T082039	4.0	4.0	4.0	6.0	8.0	5.0	8.0	39.0	30.0	16.0	85.0
T082040	5.0	4.0	5.0	6.0	8.0	5.0	6.0	39.0	30.0	16.0	85.0
T082041	5.0	4.0	5.0	6.0	8.0	5.0	6.0	39.0	30.0	16.0	85.0
T082042	5.0	4.0	5.0	6.0	8.0	5.0	6.0	39.0	30.0	17.0	86.0
T082043	6.0	4.0	7.0	7.0	8.0	5.0	6.0	43.0	30.0	16.0	89.0
T082044	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T082045	7.0	4.0	8.0	6.0	8.0	5.0	6.0	44.0	30.0	16.0	90.0
T113004	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	20.0	98.0
T113005	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	20.0	97.0
T113006	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	20.0	99.0
T113008	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	20.0	97.0
T113009	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	20.0	97.0
T211043	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T211044	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3、6、9、21号-2021级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T034043	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T061001	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T061013	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T061014	8.0	2.0	8.0	8.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T061017	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T066013	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T091001	8.0	4.0	6.5	7.0	7.0	6.0	8.0	46.5	30.0	18.0	94.5
T091002	6.0	3.0	6.5	6.0	7.0	6.0	7.0	41.5	30.0	17.0	88.5
T091005	8.0	4.0	6.5	7.0	8.0	6.0	7.0	46.5	30.0	18.0	94.5
T091007	8.0	3.0	6.5	7.0	8.0	6.0	7.0	45.5	30.0	17.0	92.5
T091008	8.0	3.0	6.5	7.0	8.0	6.0	7.0	45.5	30.0	18.0	93.5
T091009	8.0	2.0	6.5	7.0	8.0	6.0	7.0	44.5	30.0	17.0	91.5
T091010	7.0	3.0	5.0	7.0	8.0	4.0	8.0	42.0	30.0	18.0	90.0
T091011	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	16.0	95.0
T091012	7.0	2.0	6.5	8.0	8.0	6.0	7.0	44.5	30.0	17.0	91.5
T091013	7.0	4.0	6.5	8.0	8.0	6.0	8.0	47.5	30.0	18.0	95.5
T091014	8.0	4.0	8.0	8.0	8.0	8.0	6.0	50.0	30.0	18.0	98.0
T091017	7.0	3.0	6.5	8.0	8.0	6.0	8.0	46.5	30.0	17.0	93.5
T091019	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T091020	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T091021	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T091022	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T091023	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T091024	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T091025	8.0	3.0	6.5	8.0	8.0	6.0	7.0	46.5	30.0	17.0	93.5
T091026	8.0	4.0	6.5	8.0	8.0	6.0	7.0	47.5	30.0	18.0	95.5
T091027	8.0	3.0	6.5	8.0	8.0	6.0	8.0	47.5	30.0	18.0	95.5
T092001	8.0	3.0	6.5	8.0	8.0	6.0	8.0	47.5	30.0	17.0	94.5
T092002	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T092003	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T092004	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	18.0	96.0
T092005	8.0	4.0	6.5	8.0	8.0	6.0	7.0	47.5	30.0	17.0	94.5
T092006	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T092007	5.0	2.0	6.5	8.0	8.0	6.0	8.0	43.5	30.0	16.0	89.5
T092008	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T092009	8.0	3.0	8.0	8.0	6.0	6.0	7.0	46.0	30.0	18.0	94.0
T092010	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	18.0	96.0
T092011	7.0	3.0	8.0	7.0	8.0	6.0	6.0	45.0	30.0	17.0	92.0
T092012	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T092013	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T092014	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	18.0	97.0
T092015	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T092016	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T092017	8.0	3.0	8.0	6.5	8.0	6.0	8.0	47.5	30.0	16.0	93.5
T092018	6.0	4.0	8.0	6.5	8.0	6.0	7.0	45.5	30.0	17.0	92.5
T092019	8.0	3.0	8.0	6.5	8.0	6.0	7.0	46.5	30.0	18.0	94.5
T092020	8.0	4.0	8.0	6.5	8.0	6.0	8.0	48.5	30.0	18.0	96.5
T092021	8.0	4.0	8.0	8.0	6.0	6.0	6.0	46.0	30.0	17.0	93.0
T092022	8.0	3.0	8.0	8.0	6.0	4.0	6.0	43.0	30.0	18.0	91.0
T092023	8.0	4.0	8.0	8.0	6.0	6.0	6.0	46.0	30.0	17.0	93.0
T092024	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	18.0	96.0
T092025	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	17.0	95.0
T092027	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	18.0	96.0
T092028	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	16.0	94.0
T092029	8.0	3.0	8.0	8.0	6.0	6.0	8.0	47.0	30.0	17.0	94.0
T092030	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	18.0	96.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T092031	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	18.0	96.0
T092032	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	17.0	95.0
T092033	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	18.0	96.0
T092034	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	17.0	95.0
T092035	8.0	4.0	8.0	8.0	6.0	4.0	6.0	44.0	30.0	17.0	91.0
T092036	7.0	4.0	6.5	8.0	6.0	6.0	8.0	45.5	30.0	18.0	93.5
T092037	8.0	4.0	6.5	8.0	6.0	6.0	6.0	44.5	30.0	16.0	90.5
T093001	6.0	4.0	6.5	5.0	8.0	6.0	8.0	43.5	30.0	18.0	91.5
T093002	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093003	8.0	4.0	8.0	7.0	6.0	6.0	8.0	47.0	30.0	18.0	95.0
T093004	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T093005	7.0	4.0	8.0	7.0	5.0	5.0	7.0	43.0	30.0	18.0	91.0
T093006	8.0	4.0	8.0	8.0	8.0	5.0	7.0	48.0	30.0	19.0	97.0
T093007	7.0	4.0	8.0	6.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T093008	6.0	4.0	6.5	6.0	5.0	6.0	8.0	41.5	30.0	18.0	89.5
T093009	7.0	4.0	6.5	6.0	6.0	6.0	8.0	43.5	30.0	17.0	90.5
T093010	7.0	4.0	6.5	7.0	6.0	6.0	8.0	44.5	30.0	18.0	92.5
T093011	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	19.0	98.0
T093012	7.0	4.0	6.5	6.0	8.0	6.0	8.0	45.5	30.0	18.0	93.5
T093013	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T093014	8.0	4.0	6.5	6.0	8.0	5.0	7.0	44.5	30.0	18.0	92.5
T093015	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	18.0	92.5
T093016	7.0	3.0	6.5	8.0	8.0	6.0	8.0	46.5	30.0	18.0	94.5
T093017	8.0	3.0	6.5	6.0	8.0	4.0	8.0	43.5	30.0	17.0	90.5
T093018	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093019	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T093020	8.0	3.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T093021	8.0	4.0	6.5	7.0	8.0	6.0	7.0	46.5	30.0	18.0	94.5
T093022	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T093023	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T093024	8.0	4.0	8.0	6.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T093025	7.0	3.0	6.5	8.0	7.0	6.0	8.0	45.5	30.0	18.0	93.5
T093027	8.0	3.0	6.5	7.0	8.0	6.0	8.0	46.5	30.0	17.0	93.5
T093028	7.0	4.0	8.0	6.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T093029	8.0	4.0	6.5	7.0	8.0	6.0	6.0	45.5	30.0	18.0	93.5
T093030	8.0	4.0	6.5	7.0	5.0	6.0	8.0	44.5	30.0	19.0	93.5
T093031	6.0	3.0	6.5	6.0	7.0	5.0	7.0	40.5	30.0	18.0	88.5
T093032	8.0	3.0	8.0	6.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T093033	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T093034	7.0	4.0	6.5	8.0	6.0	6.0	8.0	45.5	30.0	18.0	93.5
T093035	7.0	4.0	6.5	7.0	7.0	6.0	7.0	44.5	30.0	17.0	91.5
T093036	7.0	4.0	8.0	5.0	4.0	6.0	7.0	41.0	30.0	18.0	89.0
T093037	8.0	4.0	8.0	7.0	8.0	5.0	6.0	46.0	30.0	17.0	93.0
T094019	7.0	4.0	6.5	6.0	6.0	6.0	7.0	42.5	30.0	18.0	90.5
T094032	7.0	4.0	8.0	7.0	6.0	6.0	8.0	46.0	30.0	19.0	95.0
T094033	6.0	4.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T094034	7.0	4.0	6.5	7.0	6.0	6.0	8.0	44.5	30.0	17.0	91.5
T094035	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T094036	8.0	4.0	6.5	7.0	8.0	6.0	8.0	47.5	30.0	18.0	95.5
T094037	7.0	3.0	6.5	6.0	5.0	6.0	7.0	40.5	30.0	18.0	88.5
T095001	7.0	4.0	8.0	7.0	7.0	5.0	8.0	46.0	30.0	18.0	94.0
T095002	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T095003	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T095004	7.0	4.0	8.0	6.0	7.0	6.0	8.0	46.0	30.0	17.0	93.0
T095005	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T095006	7.0	4.0	6.5	7.0	6.0	6.0	8.0	44.5	30.0	18.0	92.5
T095007	6.0	4.0	6.5	7.0	4.0	6.0	8.0	41.5	30.0	17.0	88.5
T095008	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T095009	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T095010	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T095011	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T095012	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T095013	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	18.0	96.0
T095014	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T095015	7.0	4.0	8.0	8.0	7.0	5.0	8.0	47.0	30.0	19.0	96.0
T213014	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T213015	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T213016	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T213017	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T213018	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	18.0	95.0
T213031	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	17.0	93.0

西南交通大学电气工程学院卫生检查成绩（天佑斋1、19、21号-2020级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐6分	洗手 间8分				
T011027	7.0	3.0	7.0	6.0	7.0	6.0	8.0	44.0	30.0	17.0	91.0
T012002	8.0	1.0	8.0	7.0	6.0	5.0	5.0	40.0	30.0	16.0	86.0
T012003	7.0	3.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T012004	7.0	3.0	7.0	8.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T012005	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	17.0	93.0
T012006	7.0	4.0	8.0	8.0	8.0	5.0	6.0	46.0	30.0	16.0	92.0
T012007	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T012008	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T012009	8.0	3.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T012010	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T012011	8.0	4.0	8.0	8.0	6.0	5.0	8.0	47.0	30.0	17.0	94.0
T012012	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T012013	8.0	4.0	8.0	8.0	8.0	4.0	8.0	48.0	30.0	16.0	94.0
T012014	6.0	4.0	7.0	7.0	7.0	4.0	8.0	43.0	30.0	16.0	89.0
T012015	6.0	4.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T012016	7.0	3.0	7.0	8.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T012017	8.0	4.0	8.0	6.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T012018	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	16.0	91.0
T012019	6.0	3.0	7.0	7.0	7.0	4.0	7.0	41.0	30.0	16.0	87.0
T012020	8.0	4.0	7.0	8.0	8.0	4.0	8.0	47.0	30.0	17.0	94.0
T012021	8.0	4.0	7.0	7.0	8.0	4.0	7.0	45.0	30.0	16.0	91.0
T012022	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T012023	6.0	2.0	8.0	6.0	8.0	4.0	6.0	40.0	30.0	17.0	87.0
T012024	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T012025	7.0	3.0	8.0	6.0	8.0	4.0	7.0	43.0	30.0	16.0	89.0
T012026	7.0	3.0	7.0	7.0	6.0	6.0	8.0	44.0	30.0	16.0	90.0
T012027	7.0	4.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	17.0	94.0
T012028	7.0	3.0	6.0	6.0	7.0	2.0	7.0	38.0	30.0	16.0	84.0
T012029	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	18.0	95.0
T012030	7.0	4.0	6.0	6.0	6.0	5.0	5.0	39.0	30.0	18.0	87.0
T012031	6.0	4.0	6.0	6.0	7.0	5.0	6.0	40.0	30.0	19.0	89.0
T012032	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T012033	7.0	4.0	7.0	8.0	7.0	4.0	7.0	44.0	30.0	16.0	90.0
T012034	7.0	3.0	5.0	7.0	7.0	6.0	8.0	43.0	30.0	17.0	90.0
T012035	7.0	4.0	7.0	7.0	8.0	5.0	6.0	44.0	30.0	16.0	90.0
T012036	7.0	3.0	6.0	7.0	8.0	5.0	4.0	40.0	30.0	17.0	87.0
T012037	8.0	4.0	7.0	6.0	4.0	6.0	7.0	42.0	30.0	16.0	88.0
T012038	7.0	4.0	8.0	6.0	6.0	6.0	5.0	42.0	30.0	16.0	88.0
T012039	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T012040	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T012041	7.0	4.0	6.0	7.0	7.0	4.0	4.0	39.0	30.0	16.0	85.0
T012042	7.0	4.0	8.0	7.0	8.0	4.0	7.0	45.0	30.0	17.0	92.0
T012043	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T012044	7.0	4.0	8.0	7.0	7.0	6.0	5.0	44.0	30.0	16.0	90.0
T012045	7.0	4.0	6.0	7.0	8.0	6.0	3.0	41.0	30.0	16.0	87.0
T012046	7.0	4.0	8.0	7.0	7.0	4.0	6.0	43.0	30.0	16.0	89.0
T012047	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T012048	8.0	4.0	8.0	8.0	5.0	5.0	6.0	44.0	30.0	16.0	90.0
T012049	8.0	4.0	7.0	8.0	7.0	5.0	6.0	45.0	30.0	16.0	91.0
T012050	8.0	4.0	8.0	6.0	7.0	5.0	5.0	43.0	30.0	16.0	89.0
T012051	7.0	3.0	7.0	6.0	7.0	5.0	8.0	43.0	30.0	17.0	90.0
T012052	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T012053	8.0	2.0	6.0	7.0	6.0	6.0	8.0	43.0	30.0	16.0	89.0
T012054	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T012055	8.0	4.0	8.0	7.0	6.0	6.0	7.0	46.0	30.0	19.0	95.0
T012056	7.0	3.0	7.0	8.0	7.0	4.0	8.0	44.0	30.0	16.0	90.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T012057	8.0	2.0	6.0	7.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T012058	7.0	2.0	7.0	6.0	7.0	5.0	7.0	41.0	30.0	17.0	88.0
T012059	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	16.0	90.0
T012060	7.0	4.0	7.0	7.0	6.0	6.0	6.0	43.0	30.0	18.0	91.0
T012061	8.0	4.0	6.0	8.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T012062	7.0	1.0	7.0	6.0	8.0	6.0	7.0	42.0	30.0	19.0	91.0
T012063	8.0	2.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	17.0	91.0
T012064	8.0	4.0	6.0	8.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T012065	8.0	4.0	7.0	7.0	7.0	5.0	7.0	45.0	30.0	17.0	92.0
T012066	7.0	3.0	8.0	8.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T012067	6.0	2.0	7.0	6.0	8.0	6.0	7.0	42.0	30.0	17.0	89.0
T012068	6.0	4.0	7.0	8.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T012069	8.0	4.0	8.0	8.0	7.0	4.0	7.0	46.0	30.0	16.0	92.0
T012070	6.0	2.0	7.0	7.0	7.0	5.0	7.0	41.0	30.0	16.0	87.0
T012071	7.0	3.0	6.0	6.0	8.0	6.0	7.0	43.0	30.0	16.0	89.0
T012072	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T012073	7.0	2.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	17.0	89.0
T012074	7.0	3.0	8.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T012075	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	16.0	90.0
T012076	7.0	3.0	6.0	6.0	7.0	5.0	7.0	41.0	30.0	16.0	87.0
T012077	7.0	2.0	7.0	6.0	6.0	6.0	7.0	41.0	30.0	16.0	87.0
T012078	8.0	2.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	17.0	90.0
T012079	8.0	1.0	7.0	8.0	7.0	8.0	7.0	46.0	30.0	16.0	92.0
T012080	8.0	2.0	6.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T012081	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	16.0	95.0
T012082	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	17.0	94.0
T012083	6.0	3.0	8.0	8.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T012084	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T012085	6.0	2.0	6.0	8.0	7.0	5.0	8.0	42.0	30.0	17.0	89.0
T012086	6.0	3.0	7.0	7.0	8.0	6.0	7.0	44.0	30.0	19.0	93.0
T012087	6.0	3.0	7.0	7.0	7.0	5.0	7.0	42.0	30.0	16.0	88.0
T012088	6.0	3.0	8.0	8.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T012089	6.0	3.0	6.0	8.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T012090	8.0	3.0	6.0	7.0	7.0	5.0	7.0	43.0	30.0	16.0	89.0
T012091	7.0	2.0	7.0	6.0	8.0	6.0	7.0	43.0	30.0	18.0	91.0
T012092	8.0	2.0	7.0	6.0	7.0	5.0	7.0	42.0	30.0	18.0	90.0
T012093	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T012094	7.0	2.0	8.0	8.0	6.0	4.0	7.0	42.0	30.0	17.0	89.0
T012095	7.0	1.0	6.0	8.0	7.0	4.0	7.0	40.0	30.0	16.0	86.0
T012096	8.0	4.0	8.0	7.0	7.0	5.0	8.0	47.0	30.0	17.0	94.0
T194072	7.0	3.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	16.0	89.0
T194073	6.0	3.0	6.0	6.0	8.0	5.0	6.0	40.0	30.0	17.0	87.0
T194074	7.0	3.0	5.0	6.0	7.0	5.0	8.0	41.0	30.0	16.0	87.0
T194075	7.0	3.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	16.0	90.0
T194076	6.0	4.0	6.0	5.0	8.0	6.0	8.0	43.0	30.0	16.0	89.0
T194077	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T194078	6.0	1.0	5.0	6.0	8.0	6.0	8.0	40.0	30.0	16.0	86.0
T194079	7.0	2.0	8.0	5.0	7.0	6.0	8.0	43.0	30.0	17.0	90.0
T194085	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T194086	8.0	4.0	7.0	6.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T194087	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T194088	8.0	4.0	7.0	6.0	8.0	5.0	7.0	45.0	30.0	16.0	91.0
T194089	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T194090	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T194091	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T194092	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T194093	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	17.0	93.0
T194094	5.0	2.0	7.0	6.0	8.0	6.0	4.0	38.0	30.0	16.0	84.0
T194095	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T195001	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	17.0	92.0
T195002	7.0	4.0	7.0	7.0	8.0	6.0	6.0	45.0	30.0	19.0	94.0
T195003	7.0	4.0	7.0	7.0	8.0	6.0	5.0	44.0	30.0	16.0	90.0
T195004	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	16.0	91.0
T195005	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	17.0	92.0
T195006	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	16.0	94.0
T176083	7.0	2.0	7.0	8.0	8.0	6.0	5.0	43.0	30.0	18.0	91.0
T215023	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T215025	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T215026	6.0	4.0	6.0	6.0	7.0	6.0	7.0	42.0	30.0	18.0	90.0
T215028	8.0	3.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T215029	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T215030	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	17.0	90.0
T215041	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3、19、21号-2019级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T031036	7.0	3.0	7.0	8.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031037	7.0	3.0	7.0	8.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T031038	7.0	3.0	7.0	8.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031039	7.0	3.0	7.0	8.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031040	8.0	3.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031041	8.0	3.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031042	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031043	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031044	7.0	2.0	8.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T031045	8.0	2.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T031046	8.0	4.0	8.0	8.0	7.0	6.0	6.0	47.0	30.0	16.0	93.0
T031047	8.0	2.0	8.0	7.0	7.0	6.0	7.0	45.0	30.0	16.0	91.0
T031048	8.0	3.0	8.0	7.0	8.0	6.0	6.0	46.0	30.0	16.0	92.0
T031049	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T031050	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031051	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T031052	8.0	2.0	7.0	6.0	8.0	6.0	7.0	44.0	30.0	16.0	90.0
T031053	6.0	4.0	8.0	7.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T031054	7.0	4.0	8.0	7.0	8.0	6.0	6.0	46.0	30.0	18.0	94.0
T031055	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T031056	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031057	7.0	3.0	8.0	6.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T031058	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031059	8.0	3.0	8.0	6.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T031060	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T031061	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T031062	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031063	8.0	2.0	8.0	7.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T031064	7.0	4.0	8.0	6.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T031065	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T032038	7.0	2.0	8.0	7.0	8.0	6.0	6.0	44.0	30.0	16.0	90.0
T032039	7.0	2.0	8.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T032040	7.0	2.0	8.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T032041	7.0	3.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T032042	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T032043	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T032044	8.0	3.0	8.0	7.0	8.0	6.0	7.0	47.0	30.0	16.0	93.0
T032045	8.0	2.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T032046	7.0	3.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T032047	6.0	4.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T032048	7.0	3.0	8.0	7.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T032049	8.0	2.0	8.0	7.0	8.0	6.0	7.0	46.0	30.0	16.0	92.0
T032050	7.0	3.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T032051	8.0	2.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T032052	7.0	2.0	8.0	7.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T032053	7.0	2.0	8.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T032054	7.0	2.0	8.0	7.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T032055	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	16.0	88.0
T032056	8.0	3.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	17.0	94.0
T032057	6.0	3.0	8.0	8.0	6.0	5.0	7.0	43.0	30.0	16.0	89.0
T032058	8.0	4.0	8.0	8.0	6.0	6.0	7.0	47.0	30.0	18.0	95.0
T032059	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T032060	8.0	4.0	8.0	7.0	6.0	6.0	7.0	46.0	30.0	16.0	92.0
T032061	8.0	3.0	8.0	8.0	6.0	6.0	6.0	45.0	30.0	16.0	91.0
T032062	8.0	4.0	7.0	7.0	8.0	4.0	7.0	45.0	30.0	16.0	91.0
T032063	8.0	3.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032064	8.0	4.0	7.0	6.0	6.0	6.0	6.0	43.0	30.0	16.0	89.0
T032065	8.0	4.0	8.0	8.0	6.0	6.0	7.0	47.0	30.0	16.0	93.0
T032066	7.0	3.0	7.0	8.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T032067	8.0	4.0	8.0	6.0	6.0	5.0	6.0	43.0	30.0	16.0	89.0
T032068	8.0	4.0	7.0	8.0	8.0	5.0	7.0	47.0	30.0	18.0	95.0
T032069	8.0	4.0	7.0	6.0	8.0	5.0	6.0	44.0	30.0	17.0	91.0
T032070	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T032071	8.0	4.0	8.0	8.0	7.0	5.0	7.0	47.0	30.0	16.0	93.0
T032072	7.0	4.0	8.0	6.0	7.0	5.0	6.0	43.0	30.0	16.0	89.0
T032073	8.0	4.0	8.0	7.0	6.0	5.0	7.0	45.0	30.0	16.0	91.0
T032074	7.0	4.0	8.0	8.0	7.0	6.0	7.0	47.0	30.0	16.0	93.0
T032075	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	16.0	94.0
T032076	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T032077	8.0	4.0	8.0	8.0	8.0	4.0	7.0	47.0	30.0	16.0	93.0
T032078	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T032079	8.0	4.0	8.0	8.0	8.0	5.0	7.0	48.0	30.0	17.0	95.0
T032080	7.0	4.0	7.0	8.0	8.0	5.0	6.0	45.0	30.0	16.0	91.0
T032081	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	16.0	93.0
T032082	7.0	4.0	8.0	8.0	7.0	6.0	7.0	47.0	30.0	16.0	93.0
T032083	7.0	4.0	8.0	7.0	8.0	5.0	7.0	46.0	30.0	16.0	92.0
T032084	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T032085	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	16.0	93.0
T032086	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	17.0	95.0
T032087	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	16.0	95.0
T032088	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T032089	7.0	3.0	8.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T032090	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	16.0	94.0
T032091	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	16.0	91.0
T032092	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	16.0	93.0
T032093	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	16.0	94.0
T032094	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	16.0	92.0
T032095	8.0	4.0	8.0	7.0	7.0	5.0	7.0	46.0	30.0	17.0	93.0
T032096	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	16.0	94.0
T032097	8.0	4.0	7.0	8.0	7.0	5.0	7.0	46.0	30.0	18.0	94.0
T032098	8.0	3.0	8.0	8.0	7.0	6.0	7.0	47.0	30.0	17.0	94.0
T032099	7.0	4.0	8.0	7.0	7.0	5.0	7.0	45.0	30.0	16.0	91.0
T032100	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	16.0	94.0
T191077	7.0	4.0	7.0	5.0	7.0	5.5	8.0	43.5	30.0	18.0	91.5
T193024	8.0	4.0	7.0	6.5	7.0	6.0	7.0	45.5	30.0	18.0	93.5
T193025	7.0	4.0	8.0	6.5	7.0	6.0	7.0	45.5	30.0	17.0	92.5
T193026	7.0	4.0	7.0	7.0	7.0	5.5	7.0	44.5	30.0	18.0	92.5
T193029	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T193030	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T193031	6.0	3.0	7.0	7.0	8.0	6.0	7.0	44.0	30.0	17.0	91.0
T193032	7.0	4.0	8.0	7.0	7.0	5.5	7.0	45.5	30.0	18.0	93.5
T193033	6.0	4.0	7.0	6.5	7.0	6.0	7.0	43.5	30.0	18.0	91.5
T193034	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T193035	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T193036	7.0	4.0	8.0	7.0	7.0	6.0	7.5	46.5	30.0	18.0	94.5
T193037	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T193038	8.0	4.0	7.0	7.0	7.0	6.0	7.5	46.5	30.0	19.0	95.5
T193039	8.0	4.0	8.0	6.5	8.0	6.0	7.5	48.0	30.0	17.0	95.0
T193040	8.0	3.5	7.0	8.0	7.0	6.0	7.5	47.0	30.0	18.0	95.0
T193041	8.0	4.0	7.0	7.0	7.0	6.0	7.5	46.5	30.0	18.0	94.5
T193042	8.0	4.0	8.0	6.0	6.0	7.5	6.0	14.0	17.0	18.0	49.0
T193043	7.0	4.0	8.0	6.5	7.0	6.0	7.5	46.0	30.0	17.0	93.0
T193044	7.0	3.0	7.0	6.0	7.0	6.0	7.5	43.5	30.0	18.0	91.5
T193046	8.0	4.0	7.0	7.0	7.0	5.5	7.5	46.0	30.0	18.0	94.0
T193047	8.0	4.0	6.5	8.0	7.0	6.0	7.5	47.0	30.0	19.0	96.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T193048	8.0	3.0	7.0	6.5	7.0	6.0	7.5	45.0	30.0	17.0	92.0
T193049	8.0	4.0	8.0	7.0	7.0	5.0	8.0	47.0	30.0	18.0	95.0
T193050	8.0	2.5	7.0	7.0	7.0	6.0	8.0	45.5	30.0	18.0	93.5
T193051	8.0	3.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T193052	8.0	4.0	6.5	8.0	7.0	6.0	7.0	46.5	30.0	18.0	94.5
T213038	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T213039	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T213040	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T213041	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T213042	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T213043	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T213044	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0