

西南交通大学电气工程学院卫生检查成绩（天佑斋18号-2023级女生）

寝室号	检查项目							寝室卫生成绩50分	寝室安全成绩30分	寝室文化成绩20分	总分100
	地面墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T184004	8.0	4.0	8.0	8.0	8.0	4.0	7.0	47.0	30.0	17.0	94.0
T184005	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184006	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184007	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184008	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T184009	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184010	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184011	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184012	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184013	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184014	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184015	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	17.0	96.0
T184016	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184017	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T184018	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T184019	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184020	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T184021	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T184022	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T184023	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T184025	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	17.0	96.0
T211032	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T211033	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0

西南交通大学电气学院卫生检查成绩（天佑斋15号-2022级女生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T153068	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	17.0	94.0
T153069	8.0	3.0	6.0	8.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T153071	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T153072	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T153073	8.0	4.0	2.0	8.0	8.0	6.0	8.0	44.0	30.0	17.0	91.0
T153074	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T153075	7.0	4.0	6.0	8.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T153076	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T153077	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T153078	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T153079	7.0	4.0	6.0	8.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T153080	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T153081	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T153082	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T153083	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T153084	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T153085	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T153086	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T153087	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T153088	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T153089	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T212033	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	20.0	96.0
T212034	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	20.0	99.0
T212035	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0

西南交通大学电气工程学院卫生检查成绩（天佑斋14号-2021级女生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T141031	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142001	7.0	3.0	8.0	7.0	8.0	5.0	8.0	46.0	30.0	16.0	92.0
T142002	8.0	2.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142003	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T142004	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T142005	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142006	8.0	4.0	8.0	7.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T142007	7.0	3.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T142008	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142009	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142010	7.0	4.0	8.0	7.0	8.0	4.0	8.0	46.0	30.0	16.0	92.0
T142011	7.0	4.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T142012	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142013	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T142014	6.0	4.0	7.0	7.0	8.0	4.0	8.0	44.0	30.0	16.0	90.0
T142015	7.0	4.0	7.0	7.0	8.0	4.0	8.0	45.0	30.0	16.0	91.0
T142017	7.0	4.0	8.0	7.0	8.0	4.0	8.0	46.0	30.0	16.0	92.0
T142018	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T142019	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T142020	7.0	2.0	8.0	7.0	8.0	4.0	8.0	44.0	30.0	16.0	90.0
T212012	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	19.0	94.0
T212013	7.0	4.0	7.0	7.0	8.0	5.0	7.0	45.0	30.0	19.0	94.0

西南交通大学电气工程学院卫生检查成绩（天佑斋17，19, 21, 22号-2023级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176031	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T194044	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T194046	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T194047	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T194048	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T194049	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T194050	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T194051	8.0	3.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	19.0	96.0
T194052	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T194053	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T194054	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	19.0	98.0
T194055	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T194056	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	19.0	98.0
T194057	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T194063	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T194064	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T222001	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T222003	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T222010	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T222011	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T222015	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T222016	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T222017	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T222018	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T222019	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T222020	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T222021	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	19.0	97.0
T222022	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T222023	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223001	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T223002	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	19.0	97.0
T223003	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223004	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T223005	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T223006	7.0	3.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T223007	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T223008	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223009	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223010	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223011	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223012	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T223022	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T223023	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T224001	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T224002	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T224003	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	19.0	98.0
T224004	8.0	4.0	8.0	8.0	7.0	5.0	7.0	47.0	30.0	19.0	96.0
T224005	7.0	4.0	8.0	8.0	8.0	5.0	7.0	47.0	30.0	19.0	96.0
T224006	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	19.0	97.0
T224007	8.0	4.0	8.0	8.0	8.0	5.0	7.0	48.0	30.0	19.0	97.0
T224008	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	19.0	98.0
T224009	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	19.0	97.0
T224010	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	19.0	98.0
T224011	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T224012	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T224013	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T224014	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T224015	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T224016	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T224017	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T224018	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T224019	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T224020	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T224021	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T224022	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T224023	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225001	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225002	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225003	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225004	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225005	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225006	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	19.0	95.0
T225007	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225008	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225009	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225010	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225011	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225012	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225013	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225014	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225015	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T225016	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225017	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225018	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T225019	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226001	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226002	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226003	8.0	4.0	7.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226004	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226005	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226006	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226007	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226008	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226009	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226010	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226011	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226012	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226013	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226014	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226015	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226016	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226017	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226018	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T226019	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226020	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T226021	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T213038	8.0	4.0	8.0	8.0	6.0	5.0	8.0	47.0	30.0	19.0	96.0
T213039	8.0	4.0	8.0	7.0	6.0	6.0	8.0	47.0	30.0	18.0	95.0
T213040	8.0	4.0	8.0	7.0	7.0	5.0	8.0	47.0	30.0	19.0	96.0
T213041	8.0	3.0	8.0	6.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T213042	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T213043	8.0	4.0	8.0	7.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T213044	8.0	3.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0

西南交通大学电气工程学院卫生检查成绩（天佑斋10，17，21号-2022级男生）

寝室号	检查项目							寝室卫生成绩50分	寝室安全成绩30分	寝室文化成绩20分	总分100
	地面墙壁8分	异味4分	书桌8分	阳台8分	床8分	垃圾筐6分	洗手间8分				
T175057	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175058	6.0	4.0	8.0	5.0	7.0	6.0	5.0	41.0	30.0	19.0	90.0
T175059	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175060	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T175061	6.0	4.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T175062	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175063	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175064	6.0	3.0	8.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T175065	6.0	3.0	8.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T175066	6.0	4.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T175067	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175068	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175069	6.0	4.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T175071	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T175072	8.0	4.0	8.0	7.0	8.0	6.0	6.0	47.0	30.0	18.0	95.0
T175073	8.0	4.0	8.0	6.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T175074	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175075	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175076	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175077	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175078	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175079	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175080	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175081	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175082	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175083	7.0	4.0	6.0	6.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T175084	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175085	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T175086	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175087	6.0	4.0	7.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T175088	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175089	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175090	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175091	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175092	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T175093	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175094	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175095	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175096	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T176001	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T176002	6.0	4.0	7.0	6.0	7.0	4.0	6.0	40.0	30.0	18.0	88.0
T176003	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176004	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176005	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176006	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T176007	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176008	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176009	6.0	2.0	7.0	7.0	7.0	6.0	6.0	41.0	30.0	18.0	89.0
T176010	6.0	2.0	7.0	7.0	7.0	6.0	6.0	41.0	30.0	18.0	89.0
T176011	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T176013	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	19.0	92.0
T176014	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176016	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T176017	7.0	3.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	19.0	92.0
T176018	7.0	4.0	7.0	7.0	7.0	6.0	5.0	43.0	30.0	18.0	91.0
T176019	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T176020	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T176021	7.0	4.0	7.0	7.0	7.0	6.0	5.0	43.0	30.0	18.0	91.0
T176022	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T176023	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	19.0	93.0
T176024	7.0	2.0	6.0	7.0	7.0	6.0	5.0	40.0	30.0	19.0	89.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176025	7.0	4.0	7.0	7.0	7.0	6.0	5.0	43.0	30.0	18.0	91.0
T176026	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T105011	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T171028	6.0	4.0	8.0	5.0	7.0	6.0	5.0	41.0	30.0	18.0	89.0
T171029	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	19.0	92.0
T171047	6.0	3.0	8.0	6.0	8.0	6.0	6.0	43.0	30.0	18.0	91.0
T174085	6.0	4.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T174086	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T174087	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T174088	6.0	3.0	8.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T174089	6.0	3.0	8.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T174090	6.0	4.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T174091	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T174092	6.0	4.0	8.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T174093	6.0	4.0	8.0	6.0	7.0	6.0	5.0	42.0	30.0	18.0	90.0
T174094	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T174095	7.0	4.0	8.0	7.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T175009	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T175010	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175011	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175012	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175013	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175014	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175015	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175016	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175017	8.0	4.0	8.0	6.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T175019	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175020	7.0	4.0	6.0	6.0	7.0	5.0	6.0	41.0	30.0	18.0	89.0
T175021	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175022	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T175023	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175024	8.0	4.0	7.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175025	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175026	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175027	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175028	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175030	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T175031	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175032	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175033	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175034	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T175035	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T175036	6.0	4.0	7.0	6.0	7.0	4.0	6.0	40.0	30.0	18.0	88.0
T175037	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175038	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T175039	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175040	6.0	4.0	7.0	6.0	7.0	6.0	6.0	42.0	30.0	18.0	90.0
T175041	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175042	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175043	8.0	4.0	7.0	7.0	7.0	6.0	6.0	45.0	30.0	18.0	93.0
T175044	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T175045	7.0	4.0	7.0	6.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175046	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175047	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T175048	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175049	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T175050	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	18.0	94.0
T175052	7.0	4.0	7.0	6.0	7.0	5.0	6.0	42.0	30.0	19.0	91.0
T175053	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175054	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175055	6.0	4.0	7.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T175056	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T214010	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T214011	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	18.0	93.0
T214012	7.0	4.0	6.0	7.0	7.0	6.0	6.0	43.0	30.0	18.0	91.0
T214013	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T214014	7.0	4.0	7.0	7.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3，6,9,21号-2021级男生）

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T034043	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T061001	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T061013	7.0	3.0	6.0	7.0	6.0	5.0	7.0	41.0	30.0	19.0	90.0
T061014	7.0	4.0	7.0	8.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T061017	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T066013	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T091001	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T091002	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T091005	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T091007	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T091008	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T091009	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T091010	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T091011	8.0	4.0	8.0	7.0	8.0	5.0	7.0	47.0	30.0	19.0	96.0
T091012	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	19.0	97.0
T091013	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	19.0	93.0
T091014	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T091017	6.0	4.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	19.0	92.0
T091019	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T091020	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T091021	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	19.0	92.0
T091022	7.0	4.0	7.0	6.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T091023	6.0	3.0	6.0	7.0	6.0	6.0	7.0	41.0	30.0	19.0	90.0
T091024	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T091025	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T091026	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T091027	7.0	4.0	7.0	6.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T092001	8.0	3.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	19.0	94.0
T092002	8.0	4.0	8.0	6.0	8.0	5.0	6.0	45.0	30.0	19.0	94.0
T092003	7.0	3.0	6.0	6.0	6.0	5.0	7.0	40.0	30.0	19.0	89.0
T092004	7.0	3.0	6.0	7.0	6.0	5.0	6.0	40.0	30.0	19.0	89.0
T092005	7.0	4.0	7.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T092006	7.0	3.0	7.0	7.0	7.0	5.0	7.0	43.0	30.0	19.0	92.0
T092007	7.0	4.0	7.0	6.0	6.0	5.0	6.0	41.0	30.0	19.0	90.0
T092008	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T092009	7.0	3.0	7.0	6.0	6.0	6.0	7.0	42.0	30.0	19.0	91.0
T092010	7.0	3.0	6.0	6.0	6.0	5.0	6.0	39.0	30.0	19.0	88.0
T092011	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	19.0	95.0
T092012	8.0	4.0	6.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T092013	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T092014	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T092015	6.0	4.0	7.0	7.0	6.0	6.0	8.0	44.0	30.0	19.0	93.0
T092016	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T092017	7.0	4.0	7.0	7.0	8.0	4.0	7.0	44.0	30.0	19.0	93.0
T092018	7.0	4.0	6.0	7.0	7.0	6.0	7.0	44.0	30.0	19.0	93.0
T092019	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	19.0	94.0
T092020	7.0	4.0	7.0	7.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T092021	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T092022	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T092023	7.0	4.0	7.0	7.0	6.0	6.0	7.0	44.0	30.0	19.0	93.0
T092024	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T092025	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	19.0	93.0
T092027	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T092028	7.0	4.0	7.0	7.0	8.0	4.0	7.0	44.0	30.0	19.0	93.0
T092029	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T092030	7.0	4.0	7.0	7.0	8.0	5.0	8.0	46.0	30.0	19.0	95.0
T092031	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	19.0	95.0
T092032	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T092033	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	19.0	95.0
T092034	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T092035	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T092036	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T092037	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	19.0	95.0
T093001	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T093002	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T093003	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093004	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T093005	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T093006	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T093007	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093008	8.0	3.0	8.0	7.0	8.0	5.0	8.0	47.0	30.0	17.0	94.0
T093009	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093010	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T093011	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	17.0	96.0
T093012	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093013	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	17.0	96.0
T093014	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T093015	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T093016	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T093017	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093018	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T093019	7.0	4.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	17.0	95.0
T093020	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T093021	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T093022	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T093023	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T093024	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T093025	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T093027	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	16.0	95.0
T093028	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	17.0	95.0
T093029	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T093030	8.0	4.0	8.0	8.0	8.0	5.0	8.0	49.0	30.0	18.0	97.0
T093031	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	17.0	96.0
T093032	8.0	4.0	8.0	8.0	7.0	5.0	8.0	48.0	30.0	17.0	95.0
T093033	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T093034	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T093035	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T093036	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T093037	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T094019	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T094032	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T094033	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T094034	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T094035	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T094036	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T094037	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T095001	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095002	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T095003	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T095004	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095005	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095006	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T095007	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095008	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095009	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095010	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T095011	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095012	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095013	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T095014	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T095015	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T213014	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T213015	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	异味4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T213016	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T213017	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	19.0	95.0
T213018	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T213031	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0